



Contego: Latin word; meaning to:

**COVER
SHIELD
PROTECT.**

...this is our business

Contego Mission Statement

- ✓ To keep abreast of developments and legislation to enable us to provide the best information and products to our customers and to remain competitive
- ✓ To give our Customers honest, unbiased clear advice and information
- ✓ To respect both our Customers & Suppliers and recognise their importance to our business
- ✓ To provide a happy and safe working environment within our company; where each staff member feels valued and is suitably trained to fulfil their role efficiently, competently and professionally
- ✓ To maintain a responsible approach to environmental issues

Head Office:

Wearmaster House, Malthouse Lane, Hurstpierpoint, BN6 9LA

Freephone: 0800 122 33 23

Telephone: 01273 831800 Fax: 01273 831880

Peterborough Office:

Telephone: 01733 554433

CLOTHING

| | |
|-----------------------------------|----|
| Introduction & Sizing..... | 6 |
| Embroidery Logos | 7 |
| Logo Printing | 8 |
| Workwear Trousers | 10 |
| Workwear | 12 |
| Wearmaster Europa | 13 |
| Wearmaster Silverstone | 14 |
| Polo Shirts | 16 |
| Sweatshirts & Fleece..... | 18 |
| Hooded Sweat Shirts | |
| Fleece & Soft Shell Jackets | 20 |
| T-Shirts & Colour | |
| Uniform Shirts..... | 22 |
| Uniform Shirts..... | 24 |
| Corporate Shirts & Ties | 26 |
| Corporate Fashion | 28 |
| Regatta Jackets | 30 |
| Outerwear & Thermal Wear | 32 |
| Waterproof Overwear | 34 |
| Chef's Wear & Aprons | 35 |
| Bags & Hats..... | 38 |

PROTECTIVE CLOTHING

| | |
|---|----|
| Protective Clothing Introduction.. | 40 |
| High Visibility Vests & Jackets | 42 |
| High Visibility Leisurewear | 44 |
| High Visibility Waterproof..... | 46 |
| Waterproof & Fire Retardant | 48 |
| Gore-Tex® & Workwear | 50 |
| Orange: Waistcoats & Outerwear | 52 |
| Orange Leisurewear | 54 |
| Orange Breathable Outerwear & Workwear | 56 |
| Gore-Tex®, Foul Weather & Kit Bags | 58 |
| Disposable Clothing..... | 60 |
| Single Life Chemical Clothing & Accessories..... | 62 |
| Chemical Suits | 64 |
| Flame Retardant & Extreme | |
| Heat Clothing | 66 |
| ProGARM® | 68 |
| Chainsaw Protection..... | 72 |
| Welding Leather & Freezer Store | 74 |

PPE

| | |
|-------------------------------|----|
| Head Protection..... | 78 |
| Accessories & Bump Caps | 82 |
| Visors & Face Shields..... | 84 |
| Hearing Protection | |
| Introduction..... | 86 |
| Ear Plugs & Dispensers..... | 87 |
| Ear Muffs | 90 |

| | |
|--|-----|
| Communications & Sound Analysis..... | 93 |
| Safety Eyewear | |
| Introduction..... | 94 |
| Safety Goggles | 96 |
| Safety & Prescription Glasses | 98 |
| Safety Glasses & Accessories.... | 100 |
| Respiratory Protection | |
| Introduction..... | 102 |
| Disposable Respiratory Protection | 104 |
| Filtered Respiratory Protection... | 106 |
| Air Supplied Respiratory Protection | 108 |
| Powered Respiratory Protection . | 111 |
| Testing & Training | 114 |

GLOVES

| | |
|--|-----|
| Glove Standards Information | 116 |
| Glove Chemical Table | 117 |
| Rigger, Leather & Welding Gloves..... | 118 |
| General Handling Gloves..... | 120 |
| Fluid Handling..... | 122 |
| Traffi Gloves..... | 124 |
| Fine Handling Gloves | 126 |
| Grip Handling Gloves | 128 |
| Cut Resistant Gloves | 130 |
| Heat Resistant Gloves | 135 |
| Cold Resistant Gloves | 138 |
| Single Use Gloves | 140 |
| Food Safe | 144 |
| Chemical Gloves | 146 |
| Needlestick | 150 |
| Arc Flash & Live Wiring Gloves .. | 151 |
| Vibration Reduction Gloves | 152 |

FOOTWEAR

| | |
|----------------------------------|-----|
| Information & Standards..... | 154 |
| Bata | 156 |
| Dr Martens..... | 157 |
| Caterpillar | 158 |
| Safety Boots | 159 |
| Safety Shoes | 162 |
| Executive Safety Shoe..... | 163 |
| Safety Trainers..... | 164 |
| Rigger Boots..... | 168 |
| Dealer Boots..... | 168 |
| Waterproof..... | 169 |
| Ladies Safety Footwear | 170 |
| Food Trade | 174 |
| Chainsaw | 176 |
| Foundry | 177 |
| Metatarsal Protection Footwear.. | 177 |
| Wellingtons | 178 |

| | |
|-----------------------------|-----|
| Chemical Wellington | 180 |
| Dielectric Wellington | 180 |
| Waders | 180 |
| Socks & Laces..... | 181 |
| Insoles | 182 |
| Footstop Service..... | 182 |

FALL ARREST

| | |
|-----------------------------------|-----|
| Introduction..... | 184 |
| Harnesses | 186 |
| Lanyards..... | 188 |
| Lines & Attachments..... | 190 |
| Kits & Tripod Systems..... | 192 |
| Tool Safety & Rescue Systems .. | 194 |
| Height Safety Training Courses .. | 196 |

HAND CARE

| | |
|---------------------------------|-----|
| Hand Soaps & Dispensers | 198 |
| Wet Wipe Solutions | 199 |
| Pump Bottles & Care Products... | 200 |

FIRST AID

| | |
|---|-----|
| First Aid Kits | 202 |
| Plasters/Dressings..... | 204 |
| Eyewash/Eye care & Defrillbrilator | 206 |

FIRE SAFETY

| | |
|---|-----|
| Classifications..... | 210 |
| Fire Extinguishers..... | 210 |
| Signage Information | 212 |
| Janitorial | 214 |
| Paper Products..... | 216 |
| Brushes | 218 |
| Torches /Batteries & Spill Control | 220 |
| Spill Control | 222 |
| Signs..... | 226 |
| Secure Storage & Transport | 228 |
| Skipper Barrier Systems..... | 230 |
| 'Good to Go' Inspection Tag System..... | 232 |

THINK PINK

| | |
|-----------------|-----|
| Think Pink..... | 233 |
|-----------------|-----|

TRAINING

| | |
|-------------------------------|-----|
| Fire Safety | 238 |
| Manual Handling..... | 238 |
| Safety Training | 239 |
| COSHH Training | 239 |
| Specialist Height Safety..... | 240 |
| Abrasive Wheel..... | 240 |
| Traffic Management | 240 |
| Tailored Training..... | 240 |

Accreditation

To assure you that we take our responsibility seriously we are accredited to the following standards

ISO:9001
ISO:14001
ISO:18001



For assurance in rail supply we are **Link Up** accredited. Our supplier number is: 052195



Health, Safety and Hygiene continue to play an increasingly important part in our complex and ever changing lives. In today's competitive environment, it has never been more imperative to choose established suppliers for proven reliable service and authoritative technical support. **Contego Safety Solutions** has many years experience of providing top quality service and products.

Quality Products

We source our products widely to provide you with the quality range you would expect. We take care to ensure continuity and sustainability in our range giving you a reliable and regular source. Ongoing research by our sourcing team means new and improved products are added to the range to make sure your changing needs continue to be met. New product suggestions are always welcome, and we are always happy to source a difficult or unusual product.

Quality Service

At Contego Safety Solutions our first priority is service. Whatever your need, we will always strive to meet it more quickly and efficiently than you thought possible. Our experienced team are always ready to help, and would be happy to discuss your requirements in more detail. We can also provide demonstrations, technical information, staff and product training

Delivery

Orders can be delivered the next day if placed before 2pm. Delivery is free of charge on orders over £100 net except for some specialised items, in which case you will be informed at the time of placing your order. We understand that sometimes you need products urgently and so offer guaranteed AM, timed or even same day deliveries on request – our sales team will be pleased to let you know availability and cost in each case.



One Stop Shop

We are in a prime position to assist you establish a single source for your health and safety requirements – reducing your true costs.

Customer Care

As a family managed company, our customers interests are foremost – we want to satisfy you and your needs.

Value Added Tax

Charged where applicable in addition to the prices shown. For full details of our terms and conditions, please see overleaf.

COMPREHENSIVE STOCKHOLDING

We hold a large combined range of safety equipment, PPE and workwear in stock.

ACCOUNTS

Account customers are welcome, please speak to a member of our devoted sales team who will be pleased to make it easy for you (the customer) to set this up and work with us.



Ordering

Phone

Many of our customers prefer to phone through orders to our friendly sales team – it's faster and easier and we will respond quickly to your needs. **Telephone: 01273 831800**

Email

You may also order or enquire about products via email, and you will be put in contact with one of our sales team. **sales@contegosafety.co.uk**

Online Ordering

Our website has all our products available, please enquire for a login if you require to order on your account via the website.

www.contegosafety.co.uk

Fax

You may prefer to use this quick and convenient way to communicate with us and we will respond quickly to your needs. **Fax: 01273 831880.**

Trade Counter

Collections may be made Monday to Friday between 7.30am – 5pm

Card Payments

Payments are welcome from most major credit/debit cards.



Email: sales@contegosafety.co.uk

Web: www.contegosafety.co.uk

TERMS AND CONDITIONS OF TRADING

Contego Safety Solutions Ltd (The Company) transacts business only subject to the following conditions. No purchaser's conditions shall override these. All Terms of Contract shall be governed by the Laws of England.

1. Title and Risk

Title to goods shall not pass to the Purchaser until the invoice price and any other money is paid in full, although risk in the goods passes to the Purchaser on receipt. Contego Safety Solutions reserves the right to collect goods from the purchaser) or any other goods to the value of the invoice price on outstanding invoices.

2. Delivery

a. Although every effort will be made to fulfil delivery dates, no liability arising from delay is accepted by the company

b. Carriage charges are applicable on all orders below £100 excluding VAT.

3. Damage, Shortage, Non-Delivery

a. Any shortages or discrepancies must be reported within 3 days of delivery and confirmed in writing within 7 days of delivery or no claims will be accepted by the Company.

b. It is the responsibility of the Buyer to examine goods for defects in materials and/or workmanship which are likely to cause damage or injury.

4. Terms of Payment, Bankruptcy, Liquidation

a. Payment is STRICTLY 30 days from month end invoice date for approved credit accounts unless otherwise agreed in writing. Late payment may result in credit facilities being withdrawn or suspended.

b. For non-account customers, payment with order or on delivery will be required.

c. Interest will be charged at the Company's discretion on all overdue accounts at the rate of 25% per month or part thereof from the due date until payment.

d. The purchaser agrees to accept a surcharge payable forthwith:

i. Of £25 if a cheque in settlement or part settlement of an invoice is dishonoured for any reason

ii. Of any expenditure incurred by the Company if the Company decides to instruct a third party to attempt to collect on behalf of the Company any overdue amount owing to it. Also, the Company shall give to the third party any necessary information about the purchase to enable the sums due to be collected.

e. Should the purchaser make any breach of obligation to the Company or any bankruptcy be led by or against the purchaser or be unable to pay debts within the meaning of the insolvency act 1986 the Company shall have the right forthwith to:

i. Cancel any subsisting contract and stop any outstanding deliveries without remedy to consequential loss through non completion of contract.

ii. Enter the purchasers' premises to recover the goods, or any other goods to the value of the outstanding sum.

5. Special Orders

Any order specially produced or altered items may not be cancelled or returned.

6. Small Orders

A Small Order Handling fee of £5 is applicable on all orders under £35 excluding VAT

7. Waivers

No waiver by the Company, in any one or more instances, in insisting on its rights under these conditions shall be construed as a future waiver or relinquishment of its rights, and the Purchaser's acceptance of the Company's conditions of sale shall continue in full force and effect.

8. Liability

a. The Company shall not be liable to the Buyer for damage to goods or injury to persons resulting from negligent or improper use or handling of goods by the customer, his employees or agents, or members of the general public

b. The Company shall not be liable to the Buyer for any

loss of profit or contracts or other consequential loss of any kind contingent upon acts or omissions of the Company however caused.

c. Illustrations, descriptions, weights are to be taken as a guide only and are not binding in detail. The Company reserves the right, without notice and without affecting the validity of the contract, to make changes in materials, dimensions and design as are reasonable or desirable.

d. Advice, information and opinion given by any employee or agent of the Company is given without legal responsibility. Any recommendation or suggestion relating to the goods made by the Company either in technical literature or in response to specific enquiry, is given in good faith, but it is for the Buyer to satisfy himself of the suitability to the goods for his particular purpose, and he shall be deemed to have done so.

9. Returns

a. A handling charge of 15% will be levied on all correctly supplied goods returned for credit. Goods must be undamaged and suitable for resale before a credit note can be issued.

b. All returns must be accompanied by the correct returns documentation available from the Company on request in order for credit to be raised against the returns.

10. Claims

Notice of damage, delay or partial loss of goods in transit or non-delivery must be given in writing to the Company and the carrier within three clear days of delivery (or, in the case of non-delivery, within 28 days of despatch of the goods) and any claim in respect thereof must be made in writing to the Company and the carrier within 7 clear days of delivery (or, in the case of non-delivery, within 35 days of despatch). All other claims must be made in writing to the Company within 28 days of delivery. The Company shall not be liable in respect of any claim unless the aforementioned requirements have been complied with, except where the Customer proves that it was not possible to comply with the requirements or notice (where required) was given and the claim made as soon as reasonably possible.

11. Insolvency

In respect of all unpaid debt due from the purchaser, the Company shall have a general lien on all goods and property in its possession (whether worked on or not) and shall be entitled on the expiration of 14 days' notice to dispose of such goods or property in such manner and at such price as it thinks and to apply the proceeds towards such debts and have the rights to enter the Customer's premises to recover the Company's property.

Catalogue information correct at time of going to press. Products and colours may vary. E & OE.

Clothing

| | |
|-------------------------------|----|
| Introduction & Sizing | 6 |
| Embroidery Logos..... | 7 |
| Logo Printing | 8 |
| Workwear Trousers | 10 |
| Workwear | 12 |
| Wearmaster Europa..... | 14 |
| Wearmaster Silverstone..... | 15 |
| Polo Shirts..... | 16 |
| Sweatshirts | 18 |
| Fleeces | 19 |
| Hooded Sweat Shirts..... | 20 |
| Soft Shell Jackets..... | 20 |
| Sweaters..... | 21 |
| T-Shirts | 22 |
| Colour Uniform Shirts | 23 |
| Uniform Shirts..... | 24 |
| Corporate Shirts & Ties | 26 |
| Corporate Fashion..... | 28 |
| Regatta Jackets | 30 |
| Outerwear..... | 32 |
| Thermal Wear | 33 |
| Waterproof Outerwear..... | 34 |
| Chef's Wear..... | 36 |
| Aprons..... | 37 |
| Bags & Hats | 38 |

Clothing Introduction

Our range of quality garments have each been carefully selected using our extensive experience. They are designed to meet your needs in today's demanding environment. The modern styling and quality fabrics ensure your comfort and smart image day after day every time.

Developing Your Corporate Image

Your brand & image can be promoted with the addition of your corporate company logo in either print or embroidery applications. For that special bespoke image we offer a tailor made design service.



MAN PACKING

You may find it beneficial to have your clothing for each individual to be packed in their own personally named packages. Please enquire for this service.

Tips on Measuring

SIZING CHART

The measurements shown are taken from the body. Room for movement is calculated by the manufacturer into the garment.

Mens' Short Length Trousers:

inside leg 29"(74cm)

Mens' Regular Length Trousers:

inside leg 31"(78cm)

Mens' Tall Length Trousers:

inside leg 33"(84cm)

Some styles;

Extra Tall garments are available:

inside leg 36"(92cm)



Chest: Place tape measure close up under the arms and measure around the fullest part of the chest

Waist: Measure around the natural waistline

Inside Leg: Measure from the crotch to where the trouser is normally worn on the shoe

Mens Chest Measurement Conversion Chart

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|----|------|------|----|------|-----|------|-----|------|------|-----|------|------|-----|-----|------|-----|------|-----|------|------|-----|------|-----|-----|-----|--|
| Metric Sizes | 80 | 84 | 88 | 92 | 96 | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | 136 | 140 | 144 | 148 | 152 | 158 | 162 | 168 | 172 | 178 | 186 | | |
| Imperial Sizes | 32 | 34 | 34 | 36 | 38 | 40 | 40 | 42 | 44 | 46 | 48 | 49 | 50 | 52 | 54 | 56 | 56 | 58 | 60 | 62 | 64 | 66 | 68 | 70 | 73 | | |
| Workwear Sizes | XS | | | S | | M | | L | | | XL | | | XXL | | | 3XL | | 4XL | | 5XL | | | 6XL | | 7XL | |
| Shirt Sizes | 13 | 13.5 | 13.5 | 14 | 14.5 | 15 | 15.5 | 16 | 16.5 | 17.5 | 18 | 18.5 | 18.5 | 19 | 19 | 19.5 | 20 | 20.5 | 21 | 21.5 | 21.5 | 22 | 22.5 | | | | |
| Leisurewear | XS | | | S | | M | | L | | | XL | | XXL | | 3XL | | 4XL | | 5XL | | 6XL | | | | | | |

Mens Waist Measurements

| | | | | | | | | | | | | | | | | | | | |
|----------------|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Metric Sizes | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 | 100 | 104 | 108 | 112 | 116 | 124 | 128 | 132 | 136 | 144 | 148 |
| Imperial Sizes | 26 | 28 | 30 | 32 | 34 | 34 | 36 | 38 | 40 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 |
| Workwear Sizes | XS | | S | | M | | L | | XL | | XXL | | 3XL | | 4XL | | 5XL | | 6XL |

Ladies Chest Measurement

| Metric Sizes | | | | | | | | | | | | | | | | | | | | |
|----------------|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Metric Sizes | 72 | 76 | 80 | 84 | 88 | 92 | 96 | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | 136 | 140 | 144 | 148 |
| Imperial Sizes | 28 | 30 | 32 | 34 | 34 | 36 | 38 | 40 | 40 | 42 | 44 | 46 | 48 | 50 | 50 | 52 | 54 | 56 | 58 | 58 |
| Workwear Sizes | XS | | | S | | M | | L | | XL | | XXL | | 3XL | | 4XL | | 5XL | | 6XL |
| Ladies Sizes | 6 | | 8 | 10 | 12 | 14 | | 16 | 18 | | 20 | 22 | 24 | 26 | | 28 | | 30 | 32 | 34 |
| Leisurewear | XS | | S | M | | L | | XL | XXL | | 3XL | 4XL | 5XL | | | | | | | |

Ladies Waist Measurement

| | | | | | | | | | | | | | | | | | | | | | |
|----------------|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Metric Sizes | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 | 100 | 104 | 108 | 112 | 116 | 120 | 124 | 128 | 132 | 136 | 140 | 144 | 148 |
| Imperial Sizes | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 58 | | | |
| Workwear Sizes | XS | | | S | | M | | L | | XL | | XXL | | 3XL | | 4XL | | 5XL | | | |
| Ladies Sizes | 6 | 8 | | 10 | | 12 | 14 | 16 | 18 | 20 | 22 | 24 | 26 | 28 | | | | | | | |

Embroidery Logos

Embroidery Service

The ultimate in garment decoration. Our in house embroidery service gives you the benefit of complete quality control and rapid service using up to date, refined machinery.

Top quality thread and components are applied by our experienced technicians to provide you with great looking, colourfast images that will last and last.

We offer the latest technology in design and digitising. Please call our sales team who will help you, step by step, to achieve the best results.

Telephone: 01273 831800 Email: sales@contegosafety.co.uk



Calculating Transfer Logo Price

To calculate logo size multiply the maximum width by the maximum height and divide by 100.



| Quantity | Size 1-0 30sq cm | | Size 2 31-65sq cm | |
|----------|---------------------|----------|----------------------|----------|
| | 1 colour | X colour | 1 colour | X colour |
| 12 | X | X | X | X |
| 25 | X | X | X | X |
| 50 | X | X | X | X |
| 100 | X | X | a | b |

- The example shown: 36mm x 150mm = 5400mm². 5400/100 = 54cm²= Size 2
- Count the colours in the logo. The example has 1.
- Decide how many logos you require. (You may purchase more than your immediate requirement and we will hold the surplus stock for future use. For example you may require 20 garments immediately and a further 80 over the next few months. We recommend purchasing 100 logos to take advantage of the greatly reduced prices and create much quicker lead times as this will eliminate waiting for your logo to be prepared.)

Using 100 quantity as an example

The calculation required for costing this logo as per the table in the price list:

Size 2 (31-65cm²) Columns

- Quantity 100
- 2 Colours = 1 colour plus 1 X colour = a +b per logo

Please apply this method to the logo table in the price list.

Premium Universal Transfer

High quality, long lasting, iron resistant and dry cleanable logos. Developed to withstand repeated washing by industrial machines at 90°C. Ideally suited for application on to industrial workwear, leisure and sportswear. The quality and wash fastness of the print is far superior to conventional screen and transfer print.



Plotter Cut Transfers

Plotter cut material is the same as our proven Premium Universal Transfer. It is ideal for smaller quantities of standard lettering or single colour logos.

Colours Available

| | | |
|--------|--------------|----------|
| White | HiViz Orange | Royal |
| Black | HiViz Yellow | Sky Blue |
| Silver | Yellow | Violet |
| Gold | Navy | Fuchsia |
| Red | Blue | Green |



Cost Effective Standard Reflective

High quality long lasting badges with reflectivity conforming to EN471. Each design is available in reverse or direct print.

Designs available:

ELECTRICITY
GAS
POLICE
RECOVERY
RESCUE
SAFETY OFFICER
SECURITY
STEWARD
SUPERVISOR
WATER
VISITOR

FIRE
FIRE MARSHAL
FIRE OFFICER
FIRE TEAM
FIRE WARDEN
RESCUE

BANKSMAN
MARSHAL
SAFETY OFFICER
SUPERVISOR
TEAM LEADER
VISITOR

AMBULANCE
DOCTOR
FIRST AID
FIRST AIDER
FIRST AID +
FIRST AIDER +
MEDIC
NURSE
PARAMEDIC

Custom Designed Reflective Badges



- Make your logo stand out by applying it to a reflective backing.
- Very effective when applied to high visibility clothing.
- Suitable for single and multi-colour logos. Reflective element conforms to EN471.
- Designs can be die cut to create your image.



Direct Print



Reverse Print

Available in 2 sizes:


Front application (125 x 45mm)

Rear application (250 x 90mm).


Clothing Colour Key

| | | | | | | |
|--------------------|--------------|----------------|--------------|------------|-------------------|--------------------|
| Anthracite Melange | Dark Grey | Lemon | Peach | Surf Blue | Black Fuchsia | Navy/Black |
| Apple | Emerald | Lichen | Peacock | Teal | Black/Grey | Navy/Putty |
| Azure | Fuchsia | Light Blue | Pink | Terracotta | Black/LightGrey | Navy/Red |
| Beige | Gold | Light Grey | Plum | Titanium | Black/Lime | Navy Shadow Stripe |
| Black | Green | Lilac | Purple | Turquoise | Black/Orange | Putty/Navy |
| Blue | Grey Melange | Lime | Putty | Violet | Black/Royal | Red/Grey |
| Bottle Green | Grey | Maroon | Red | White | Black/Yellow | Red/White |
| Bright Red | Heather | Mid Blue | Royal Blue | Wine | Black/Red | Royal/White |
| Brown | Hot Pink | Mid Grey | Sand | Yellow | Bordeaux/Putty | White/Navy |
| Burgundy | HiViz Orange | Military Green | Sapphire | | Grey White | Blue/White Stripe |
| Cerise | HiViz Yellow | Mocha | Silver | | HiVizOrange/Navy | Grey/White Stripe |
| Charcoal | Indigo | Natural | Sky Blue | | HiViz Yellow/Blue | Pink/White Stripe |
| Chocolate | Ivory | Navy | Snow Melange | | HiViz Yellow/Navy | Chessboard |
| Classic Red | Jade | Ocean Blue | Spruce | | HiViz YellowRed | |
| Clay | Khaki | Olive | Stone | | Ocean Blue/Navy | |
| Cream | Kelly Green | Orange | Sunflower | | Orange/Grey | |


Trousers for the discerning professional. Hardwearing 245gsm polyester cotton fabric. Triple stitched main seams. Comfort ease waistband. Top quality YKK zip. Internal kneepad pockets. Practical multi function cargo pockets.



Neat practical work trouser.
Size: 28-52.
Short, Regular, Tall, X-Tall.





50mm reflective stripes for added visibility.
Size: 28-52.
Short, Regular, Tall, X-Tall.



Neat ladies cut practical work trouser.
Size: 8-22
Regular, Tall



Top specification trouser in 300gsm polyester cotton, Teflon treated fabric with all the features you could ever need.
Size: 28-46
Short, Regular, Tall




Professional cargo shorts.
Hardwearing polyester cotton.
Cargo pockets.
Size: 28-44


Colour Key

- Royal Blue
- Bottle Green
- Grey
- Black
- Navy


Smart easy care work trousers.
Made in tough polyester cotton 245gsm that will wash and wear time after time.



Flat front with sewn front crease.
3 Pockets.
Size: 28-52.
Regular, Tall.




Flat front with sewn front crease. With
thigh cargo pockets on both legs.
Size: 28-52.
Regular, Tall.



4 Slant front pockets. Two side zip
pockets Two thigh pockets and phone
pocket with Velcro closure. Knee pad
pockets with bottom entry.
Size: 28-52.
Regular, Tall.



Tough polyurethane pad contoured
and pliable to fit into trousers with
kneepad pockets.



Robust PU kneepad with adjustable
straps.



Tough comfortable kneepad for all day
wear with stretch material and wide
Velcro straps. Durable anti slip gel pad.

**CL014**

Ballistic Nylon Trousers



Quality workwear trousers with ballistic nylon fitted to the outer side of each leg. Triple stitched main seams. Comfort ease waistband. Top quality YKK zip. Practical multi function cargo pockets. Twin 50mm reflective stripes.

Size: 28-52. Regular, Tall.

**CL610**

Regatta Action Trousers



Renowned Regatta quality in lightweight polyester cotton fabric. Water repellent finish. Part elasticated waist. Double seat and knee patches. Host of zipped pockets.

Size: 28-46 Short, Regular, Tall.

**CC120**

Wearmaster Track Trousers



Deluxe quality track trouser. Elasticated waistband with self coloured draw cord and leg ends. Two side pockets and zip back pocket.

Size: S-XXL.

**CL822**

Wearmaster Multi Pocket Bib & Brace



Multi function bib and brace in hardwearing polyester cotton 245gsm fabric with an array of pockets. Knee pad pockets, suitable for insert kneepads CL800.

Size: S-3XL.

**CL820**

Wearmaster Zip Boilersuit



Superior workwear fabric. Extremely hardwearing and colourfast. Comfort finish on the inside. Action back. 2 side access pockets, hip and rule pocket. Concealed zip front. Studed cuffs. 65% polyester, 35% cotton 245gsm. Reinforced knees.

Size: 36-58. Regular, Tall.

Colour Key

| | |
|--|--|
|  Navy |  Black |
|  Bottle Green |  Spruce Green |
|  Royal Blue |  Red |
|  Orange |  Maroon |
|  Grey |  White |
|  Lichen |  Green |

CL821 Wearmaster Warehouse Coat



Concealed stud front. Back vent.
1 chest pocket and 2 lower patch
pockets. Length 100cm. 65%
polyester, 35% cotton fabric 245gsm.
Size: S-XXL.

CL825 Wearmaster Food Trade Coat



Concealed stud front fastening. Back
vent. Inside chest pocket food trade
pattern. Length 100cm. Designed
to withstand the rigours of today's
modern industrial laundries and
meet standard hygiene and safety
requirements. 65% polyester, 35%
cotton 245gsm.
Size: S-XXL.

CL828 Wearmaster Standard Boilersuit



Superior workwear fabric. Extremely
hardwearing and colourfast. Comfort
finish on the inside. Concealed stud
front fastening. Part elasticated waist.
2 side pockets, 1 chest pocket with
flap and rule pocket. 65% polyester,
35% cotton 245gsm.
Size: S-3XL. Regular, Tall.

CL826 Classic Work Coverall



Lightweight, ideal as a coverall to
protect clothing from dirt/dust. Breast
pockets with flaps, side pockets and
rule pocket. Part elasticated waist.
Stud front fastening.
Size: S-3XL. Regular, Tall.

CL823 Wearmaster Food Trade Boilersuit



Part elasticated waist. Stud front
fastening. 2 side pockets and inside
chest pocket. Action back. Designed
to withstand the rigours of today's
modern industrial laundries and
meet standard hygiene and safety
requirements. 65% polyester, 35%
cotton fabric 245gsm.
Size: S-2XL. Regular, Tall.

CC050

Wearmaster Madrid Polo Shirt



Premium polo shirt 220gsm fine knit 50/50 polyester cotton. Knitted ribbed collar and well-padded comfort neckline. Cuffed sleeve with ribbed design. Half-moon yoke at neck for increased strength. Generous body length. Split reinforced hem with 50mm longer back. Reinforced placket with 3 pearlised buttons. Triple stitch on all main seams. Washable at 60°. Size: XS-5XL

CC052

Wearmaster Vienna Sweatshirt



Premium sweat shirt 340gsm 35/65 polyester cotton. Elasticated cuffs, neckline and waistband. Brushed fleece inner for extra warmth. Well-padded comfort neckline. Half-moon yoke at neck for increased strength. Longer sleeve and body length for better fit. Set in sleeve for greater comfort and smart corporate styling. Triple stitch on all main seams. Washable at 60°. Size: XS-5XL

CC054

Wearmaster Oslo Fleece



Premium Fleece 350gsm. Luxurious microfleece fabric for added warmth, comfort and smart appearance. Longer sleeve and body length for better fit. Smart corporate styling. Two external zippered pockets. Durable twin needle stitch on all main seams. Washable at 60°. Size: XS-5XL

CC056

Wearmaster Zurich Softshell Jacket



All season jacket in high performance technical 3 layer waterproof and breathable fabric. 320gsm 92% Polyester 8% Elastane. Adjustable cuff. Three external zippered pockets. Internal smart phone pocket and internal map pocket. Elasticated hem with adjusters. Longer sleeve and body length for better fit. Smart corporate styling. Durable twin needle stitch on all main seams. Washable at 60°. Size: XS-5XL

Colour Key

| | | | |
|--|-----------------|--|--------------|
| | Navy/Putty | | Black/Grey |
| | Royal/White | | White/Navy |
| | Red/White | | Black/Red |
| | Putty/Navy | | Black/Lime |
| | Black/Yellow | | Black/Orange |
| | Graphite/Oyster | | Black/Royal |
| | Black/Fuschia | | Black |
| | | | Navy |




Smart premium sporty two tone cap. Rip strip side adjuster. 100% cotton twill. Perfect for print and embroidery.




Brushed fleece inner for warmth. Well padded taped neckline for comfort. Half moon yoke at neck for increased strength. Set in sleeve styling making it ideal for corporate branding and very comfortable to wear. Triple stitch on all main seams. 320gsm 65/35 polyester cotton workwear fabric. Size: XS-5XL



Knitted collar with anti-curl rod design. Well padded taped neckline for comfort. Half moon yoke at neck for increased strength. Cuffed sleeves with matching rod design. Triple stitch on all main seams. 220gsm 50/50 polyester cotton workwear fabric. Size: XS-5XL



Set in sleeve making this fleece ideal for corporate branding and very comfortable to wear. 300gsm. Size: XS-5XL.



Modern softshell technology in high performance technical fabric. Water resistant and breathable. Very smart corporate appearance. Adjustable cuff design. Three external pockets with zip closures. Internal mobile phone and twin pen pocket. Elasticated hem with side adjusters. Twin needle stitched seams for durability. Size: XS-5XL



Contrast panels and piping. Luxury soft Polyester/Cotton twill fabric in 175gsm. Button down collar and breast pocket. Matching "Silverstone" range to complement your total team requirement. Size: S-3XL



CC014

Hartford Ladies Cotton Polo Shirt



CC016

Hartford Gents Cotton Polo Shirt

Top quality smart style polo shirt in pique, with stretch. 95% cotton with 5% elastane for ultimate comfort. This is a top quality fabric that has excellent colour and shape retention.

Size: XS-6XL*.

*4XL-6XL only in Black and White




CC030

Wearmaster Premium Polo Shirt



The proven flagship for heavyweight endurance. Knitted collar and cuffs with rod design. Taped neck, 3 button placket with self colour buttons. Side vents. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 250gsm robust fabric. 60° wash.

Size: XS-4XL.



CC023

Wearmaster Olympia Polo Shirt



Rich looking lightweight polo in a fine knit soft and close texture 50% polyester 50% cotton 175 gsm fabric. Reactive dyed for enhanced colour retention. Knitted collar. Hemmed sleeve and bottom. 3 self colour button placket. 60° wash.

Size: S-4XL.



CC037

Wearmaster Ladies Polo Shirt



Crafted contemporary styled lady fit polo. 3 button fused placket with horn buttons and sewn-in spare. Knitted collar. Taped neck and cuffed sleeves. 65% polyester, 35% cotton 180gsm.

Size: XS-4XL.



CC031

Wearmaster Classic Polo Shirt



Simple refreshing design in mid weight fabric. Knitted collar. Taped neck. Open hemmed sleeves. 3 button placket self colour buttons. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 220gsm robust mid weight fabric. 60° workwear wash.


Size: XS-4XL.



A stunning polo with premium features in a light and cool summer weight fabric. Knitted collar and cuffs with rod design. Taped neck, 3 button placket with self colour buttons. Side vents. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 200gsm robust fabric. 60° wash. Size: XS-4XL.



Rich looking compromise-free polo in a fine knit soft and close texture 50% polyester 50% cotton 200 gsm fabric. Reactive dyed for enhanced colour retention. Knitted collar. Hemmed sleeve and bottom. 3 self colour button placket. 60° wash. Size: S-4XL.



A specialised polo crafted for crucial hygiene standards. Extremely low linting and washable at 80° knitted collar. Hemmed sleeve and bottom. 3 metal stud placket leaving no buttons to become detached. 200gsm polyester pique knit breathable fabric. Size: S-3XL.

| Colour Key | | | |
|------------|--------------|--|----------------|
| | Navy | | Olive |
| | Bottle Green | | Sky |
| | Royal Blue | | Heather |
| | Orange | | Purple |
| | Grey | | Violet |
| | Kelly Green | | Saphire |
| | Black | | Military Green |
| | Spruce Green | | Hot Pink |
| | Red | | Charcoal |
| | Maroon | | Brown |
| | White | | Lime |
| | Pink | | Yellow |



All the great features of the premium polo with long sleeves. Knitted collar and cuffs with rod design on collar. Taped neck. Side vents with extended back. 3 button placket with self colour buttons. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 250gsm. 60° workwear wash. Size: XS-4XL




The original legendary of heavyweight performance. Set in sleeve. Lycra ribbed cuffs, welt and neck. Half moon at back neck. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 350gsm. 60° workwear wash..
Size: XS-4XL.



Striking and substantial mid weight sweatshirt. Set in sleeve. Lycra ribbed cuffs, welt and neck. Half moon at back neck. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 300gsm. 60° workwear wash.
Size: XS-4XL.



Striking and well finished light weight sweatshirt. Set in sleeve. Lycra ribbed cuffs, welt and neck. Half moon at back neck. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 300gsm. 60° workwear wash.
Size: XS-4XL.



Carrying all the great features of the premium with a smart V neck. Set in sleeve. Lycra ribbed cuffs, welt and neck. Half moon at back neck. Reactive dyed. 50% polyester, 50% cotton 350gsm. 60° workwear wash.
Size: XS-4XL.




All the great features of our premium fleece with a neat 1/4 zip. Smart styling with zipped pockets. Adjustable elasticated hem. 60° workwear wash. Heavyweight 380gsm fabric.
Size: XS-3XL.




Rich soft quality mid weight fleece. Two zipped pockets. Twin needle stitched. Cadet style collar. 300gsm polyester super anti-pill micro fleece fabric. 60° workwear wash.
Size: XS-4XL.




Finest heavyweight fleece jacket with superior fabric and features. Smart styling with zipped pockets. Adjustable elasticated hem. 60° workwear wash. Heavyweight 380gsm fabric.
Size: XS-4XL.



Smart tailored lady fit design. Two zipped pockets. Twin needle stitched. Cadet style collar. 300gsm polyester super anti-pill micro fleece fabric. 60° workwear wash.
Size: XS-4XL.



Enduring and ever popular Regatta anti-pill 280 fleece in smart ladies tailored cut. Fleece cuffs, Zipped lower pockets. Adjustable hem.
Size: 10-20



Enduring and ever popular Regatta anti-pill 280 fleece with the added benefit of being interactive with the outstanding Regatta Vertex shell (CL672) page 31. Fleece cuffs, Zipped lower pockets. Adjustable hem.
Size: XS-4XL.



Stunning and smart, laden with great features. Large front pocket. Elasticated cuffs and waistband. Double fabric hood with self colour lace draw cord. Reactive dyed for enhanced colour retention. 50% polyester 50% cotton 300gsm fabric. 60° workwear wash.

Size: XS-4XL




Snug and stylish lady fit tailoring with a host of features. 300gsm polyester cotton fabric suitable for 60° workwear wash.

Size: XS-3XL




Stylish tailoring. Quality full zip. Double pouch pocket. Double fabric hood. Comfort brushed 300gsm Reactive dyed polyester cotton fabric suitable for 60° workwear wash.

Size: XS-3XL.



Modern softshell technology in fabric bringing you smart and practical clothing. Water resistant, windproof and breathable three layer membrane fabric with inner microfleece for comfort and warmth. Waterproof zip. Three outer pockets with waterproof zips.

Size: 10-20




Modern softshell technology in fabric bringing you smart and practical clothing. Water resistant, windproof and breathable three layer membrane fabric with inner microfleece for comfort and warmth. Waterproof zip. Two outer pockets with waterproof zips.


Size: XS-3XL



Tried and tested in comfortable cotton. Rubber buttons. Ribbed lycra cuffs. White contrast collar and covered placket. Split side seams. Reactive dyed. 100% pre shrunk combed cotton 350gsm.
Size: XS-3XL



Long sleeved fashionable v neck sweater. Set in sleeve with saddle shoulders. Knitted ribbed neck, cuff and welt. 100% acrylic 260gsm.
Size: S-3XL.



Shoulder and elbow patches. Left sleeve with double pen pocket. Fitted epaulettes. 100% acrylic. Easy care.
Size: XS-5XL.

Colour Key

| | | | |
|--------------|--------------|---------|----------------|
| Navy | Black | Olive | Military Green |
| Bottle Green | Spruce Green | Sky | Hot Pink |
| Royal Blue | Red | Heather | Charcol |
| Orange | Maroon | Purple | Brown |
| Grey | White | Violet | |
| Kelly Green | Pink | Saphire | |




The premium in a premium league. Top quality t-shirt with crew neck. Taped shoulder to shoulder. Twin needle stitching on neck and shoulders. Reactive dyed for enhanced colour retention. 100% cotton 205/210gsm. Size: XS-3XL.



The great all rounder. Taped shoulder to shoulder. Twin needle stitching on neck and shoulders. Reactive dyed for enhanced colour retention. 100% cotton 185gsm. Size: XS-3XL.



Top Quality smart style T-shirt. Made in selected long strand cotton giving exceptional comfort and excellent colour and shape retention wash after wash. Great size and colour range available. Size: XS-6XL.* 4XL-6XL only in Black, Navy, Royal and White



All the great premium features in a smart lady fit V neck. Top quality t-shirt. Crew neck. Taped shoulder to shoulder. Twin needle stitching on neck and shoulders. Reactive dyed for enhanced colour retention. 100% cotton 205/210gsm. Size: XS-3XL.

Colour Key

| | | | | |
|------------|--------|-----------|--------------------|-----------|
| White | Orange | Sand | Pink | Brown |
| Bordeaux | Olive | Sky | Apple | Lemon |
| Navy | Indigo | Mocha | Grey Melange | Sunflower |
| Black | Green | Purple | Anthracite Melange | |
| Royal Blue | Putty | Yellow | Charcoal | |
| Lime | Red | Turquoise | Snow Melange | |
| Mid Blue | Maroon | Lilac | Jade | |

The ever popular smart classic design in easy care 65% polyester 35% cotton 105gsm fabric. Superior weave giving increased opacity and durability. Double folded seams.



CC082

Wearmaster Colour
Short Sleeve Shirt



Size: 14-20.



CC088

Wearmaster Colour
Short Sleeve Blouse



Soft collar with front princess
panelling and tailored fit.

Size: 8-26.



CC092

Wearmaster Colour
Long Sleeve Shirt



Size: 14-20.



CC098

Wearmaster Colour
Long Sleeve Blouse



Soft collar with front princess
panelling and tailored fit.

Size: 8-26.

CC082, CC088, CC092
CC098; colours available



Traditional pilot styling. Ideal for security and other uniformed operations. Easy care 65% polyester 35% cotton fabric. Superior weave giving increased opacity and durability. Double folded seams.



CC084

Wearmaster Classic Short Sleeve Shirt



The ever popular classic design in easy care 65% polyester 35% cotton fabric. Superior weave giving increased opacity and durability. Double folded seams.

Size: S-3XL.



CC094

Wearmaster Classic Long Sleeve Shirt



The ever popular classic design in easy care 65% polyester 35% cotton fabric. Superior weave giving increased opacity and durability. Double folded seams.

Size: S-3XL



CC083

Wearmaster Pilot Short Sleeve Shirt



Size: S-3XL.



CC080

Wearmaster Ladies Pilot Long Sleeve Blouse



Size: 8-24.



CC090

Wearmaster Ladies Pilot Short Sleeve Blouse



Size: 8-22.



CC104

Epaulettes



Sliders to fit shirt epaulettes. Velcro fastening. Can be embroidered.



CC093

Wearmaster Pilot Long Sleeve Shirt



Size: S-3XL



CL447
Bar Shirt



Smart professional appearance. Button down collar,shaped hem with side splits, back yoke seam, adjustable roll up sleeves. Hardwearing Polyester/cotton fabric
Size: XS-3XL.



CL448
Bar Blouse



Smart professional appearance. Button down collar,shaped hem with side splits, back yoke seam, adjustable roll up sleeves. Hardwearing Polyester/cotton fabric
Size: S-3XL



CC091
Wearmaster Oxford Long Sleeve Shirt



Size: S-3XL.



CC081
Wearmaster Oxford Short Sleeve Shirt



Size: S-3XL.



CC071
Wearmaster Oxford Long Sleeve Blouse



Tailored fit. Adjustable cuffs.
Size: S-3XL.




CC061
Wearmaster Oxford Short Sleeve Blouse




Tailored fit with rounded hem.
Size: S-3XL.


For that 'always smart' look wherever you are. Practical wrinkle free, hard wearing cotton rich oxford pinpoint fabric. Very versatile from your showroom to warehouse or delivery drivers.
Easy care 85% cotton 15% polyester.



Smart feminine tailoring.
Size: 8-20.




Smart feminine tailoring.
Size: 8-20.



Smart feminine tailoring.
Size: 8-20.



Neat gents cut.
Size: 14.5-19.5.



Neat gents cut.
Size: 14.5-19.5.



From our Ultimate Performance corporate fashion collection. A co-ordinating range of luxury, sumptuous, cotton rich, easy iron shirts and blouses with a tasteful subtle stripe design to add that finishing touch to your clothing for that 'cut above' appearance. Exuding confidence and style for any business occasion.

CC234
Perano Short Sleeve Ladies Blouse

Flattering fit with stylish and comfortable look.

Size: 6-24



CC237
Rocella Short Sleeved Shirt

Functionally fashionable option for any corporate arena.

Size: 14.5-20



CC235
Pescara Long Sleeved Ladies Blouse



CC236
Rufina Long Sleeved Shirt



- Blue/White Stripe
- Grey/White Stripe
- Pink/White Stripe

CC100
Plain Tie




Plain uniform tie. 100% polyester. Blade width 8cm.



CC101
Clip On Safety Tie



Ideal for security and industrial safety environments. 100% polyester. Blade width 8cm. Sprung steel clip.



CC102
Platinum Tie



Luxury tie to complement any corporate look. Subtle rib design in easycare polyester. Vast colour range to suit every requirement.




Here we are offering one popular selection from our comprehensive range. Please enquire for our full “corporate tailoring” catalogue to bring you the perfect image for your company.

Our Ultimate Performance corporate fashion collection is ideal for boutique, hotels, retail and travel companies, bars and restaurants and professionals who want to create a prestige corporate image.


Wonderfully tailored fashionable styling in quality machine washable Polyester/Wool fabric with memory stretch technology.

Gents Range

Ladies Range



Single breasted slim fit jacket. Side vents, Ticket pocket. Three inside pockets and mobile phone pocket.
Size: 36-50 Short, Regular, Long




Cloth backed, 2 welt pockets.
Size: 36-50 Regular



Cloth backed, 2 welt pockets.
Size: 6-24 Long




Flat front trouser with 2 side pockets and 1 rear pocket.
Size: 28-48 Short, Regular, Tall, X Tall



Low waist, flared leg, front double button fastening, key card pocket, mock rear pockets, belt loops
Size: 6-24 Short, Regular, Tall, X Tall

Colour Key

- Navy Shadow Stripe
- Mid Grey
- Black
- Charcoal
- Navy




CL843

Connaught Ladies Suit Jacket



Smart tailored ladies fit with 2 buttons. 2 flap & 2 jett pockets. 1 inside pocket and centre vent.

Size: Petite Regular Long
6-16 6-24 8-24




CL844

Mayfair Ladies Suit Jacket



Smart tailored ladies fit with 3 button front. Rounded lapel. 2 slant pockets. 1 inside pocket.

Size: Petite Regular Long
6-18 6-24 8-18



CL845

Ritz Ladies Suit Jacket



Smart tailored ladies fit with 3 buttons. Peaked lapel. 1 inside pocket.

Size: Petite Regular Long
6-16 8-24 8-18




CL839

Corinthia Ladies Dress



Straight style with full stretch lining. centre vent.

Size: 6-24 Regular




CL848

Wyndham Skirt



Wonderfully tailored fashionable styling in quality machine washable Polyester/Wool fabric with memory stretch technology. Straight style with full stretch lining. Shaped back panel. Centre vent.

Size: 6-24 Short, Regular, Long



Waterproof windproof polyester dobby fabric with anti-pill symmetry fleece lining.

Concealed hood with adjuster. Adjustable cuffs. 2 large zipped pockets. Phone pocket. Inside pocket. Adjustable hem. Fleece lined collar and thermo-guard insulation to sleeves.



CL661

Regatta Hudson Ladies Jacket



Size: 10-20



CL664

Regatta Hudson Jacket



Size: S-3XL



CL662

Regatta Dover
Waterproof Jacket



CL667

Regatta Dynamo Ladies
Bomber Jacket



Size: 10-20



CL665

Regatta Dynamo Bomber Jacket



Size: XS-3XL

Adjustable cuffs. 2 large zipped pockets. Phone pocket. Inside pocket. Adjustable hem. Contrast colour fleece lined collar and thermo-guard insulation to sleeves.

Size: XS-4XL.

ColourKey



Red/Navy



Red/Grey



Royal/Navy



Bottle Green



Grey/Black



Navy/Black



Orange/Grey



Black



Black/Grey



Black



Olive Green



Navy



Royal



Sky Blue

CL672
Regatta Vertex Waterproof
Breathable Interactive Coat



Top of the range, smart, durable coat with Regatta 3 year waterproof guarantee. Polyester twill microfibre with Isotex waterproof and breathable fabric, very robust and tear resistant. Waterproof taped seams. Mesh lining to upper body and polyamide lining to lower body. Detachable hood with adjuster. Studded storm flap. Adjustable shockcord waist and hem. Velcro adjustable cuffs. 2 zipped chest pockets, 2 lower zipped warm lined pockets, internal mobile phone and map pocket. Make this your all season favourite with our interactive Regatta fleece (CC043) page 19.
Size: S-3XL.

Regatta Interactive Jackets

Enduring Defender jacket in waterproof windproof peached polyester fabric with interactive removable fleece.
OUTER COAT: Taped seams. Mesh lined body. Concealed adjustable hood. Stormflap with fastening. Adjustable hem.
INNER FLEECE: anti-pill 280 fleece fabric. Fleece cuffs, Zipped lower pockets. Adjustable hem.

CL668
Regatta Defender III 3-in-1 Jacket



Size: S-3XL.

CL669
Regatta Defender III 3-in-1 Ladies Jacket



Size: 8-20

CL683
Regatta Evader Breathable 3-in-1



Comes with fitted detachable fleece lining with adjustable hem and lined sleeves. This can be worn without the outer coat. Size: S-3XL.

CL684
Regatta Ashford Breathable Jacket



Size: S-3XL.

CL685
Regatta Ashford Breathable Ladies Jacket



Size: 8-20

Smart superb performance coat with Regatta 3 year waterproof guarantee in waterproof, windproof, breathable Isotex polyester fabric with taped seams. Mesh lining. Concealed hood with adjuster. Adjustable cuffs and hem. Interactive zip allowing you to attach the Regatta Thor III fleece (CC043).

Waterproof, windproof peached polyester fabric jackets.

Thermoguard insulation and taped seams

Concealed adjustable hood. Stormflap with fastening. Two lower zipped handwarmer pockets. Lower cargo pockets. Phone pocket.

Zipped chest pocket and inner security pocket.

CL872

Wearmaster Rainguard Padded Jacket



Waterproof taped seams. 2 patch bellow pockets with flaps, 2 hand warmer pockets and inner Velcro fastened pocket. Two-way zip front fastening with storm flap. Drawstring hood. Rainguard 100% polyester 160gsm PVC coated fabric. Lining: cotton tartan 130gsm, wadding 200gsm.

Size: S-4XL.

CL674

Regatta Darby II Insulated Jacket



Size: S-3XL

CL675

Regatta Darby II Insulated Ladies Jacket



Size: 10-20

CL868

Wearmaster Rainguard Breathable Jacket



Lining, 130 gsm single jersey.
Size: XS-5XL

CL869

Wearmaster Rainguard Breathable Padded Jacket



160 gsm Quilted for extra warmth with polyester lining.
Size: XS-5XL.

CL873

Wearmaster Rainguard Security Jacket



Two-way zip with stud fastened storm flap. 2 welted lower pockets with Velcro fastened flaps, 1 top pocket with flap and 1 internal chest pocket. Button fastened epaulettes. Concealed drawstring hood. Ribbed storm cuff and back collar section. 100% Oxford nylon, PU coated fabric 130gsm. Lining: nylon 60gsm, wadding 120gsm.

Size: S-XXL.

CL870
Wearmaster Rainguard Bomber Jacket



Smart and practical jacket offering waterproof, & windproof qualities. Warm lined. Zip front with Velcro stormflap. Concealed hood
Size: S-3XL

CL602
Thermal Vest



CL879
Wearmaster Premium Bodywarmer



Our premium bodywarmer offering you a host of multi function pockets in a robust polyester cotton outer with generous thermal insulation and a comfortable brush cotton tartan lining. Smart zip and stud fastening. Elongated (kidney warmer) back.
Size: S-3XL

CL878
Wearmaster Standard Bodywarmer



Cleverly styled bodywarmer to provide you comfort on cool days whilst maintain maximum movement. Elasticated waist. Zip front. Mandarin collar. 2 side zip pockets and internal top pocket. 65% polyester, 35% cotton fabric 190gsm. Nylon lining, wadding 150gsm.
Size: S-3XL

CL600
Thermal Long Johns



Enhanced fabric finish for comfort. Polyester/cotton fabric. Thermal warmth.
Size: S-3XL.

Toptex

Soft and flexible, comfortable, transfer coated material with breathable waterproof features. Remains soft and supple even in cold conditions. Extremely robust and tear resistant giving excellent wind and waterproof characteristics. Easy, wipe-clean qualities.

CL109 Wearmaster Toptex Coverall



Concealed hood folding into collar with drawstring. Zip and stud front fastening with double storm flaps. Part elasticated waist. Elasticated storm cuffs and studded ankle adjustments. Size: S-3XL.

CL110 Wearmaster Toptex Bib & Brace



Adjustable braces with quick release buckles. Internal zipped bib pocket. Zipped gusset at ankles to facilitate dressing with boots on. Size: S-3XL.

CL107 Wearmaster Toptex Jacket



Concealed hood folding into collar with drawstring. Zip and stud fastening with double storm flaps. 2 lower pockets with flaps. Drawstring hem. Elasticated storm cuffs. Size: S-3XL.

CL108 Wearmaster Toptex Trousers



Elasticated waistband. Studded ankle adjustments. Size: S-3XL.

CL106 Premium Breathable Waterproof Jacket

Double zip and storm flap. Packaway hood. S-2XL.



CL105 Premium Breathable Waterproof Trousers

Boot zip legs. Size: S-2XL.

Colour Key

| | |
|----------------|--------|
| Hiv Viz Yellow | Red |
| Olive | Green |
| Black | Navy |
| Royal | Orange |

Lightweight and compact
supplied in pouch.



CL875

Wearmaster Light Waterproof Jacket



Waterproof taped seams. Back vent for ventilation. Zip fastening with inner storm flap. Drawstring hood and hem. 100% polyester waterproof coated fabric 150gsm.
Size: S-3XL

Practical and comfortable.
Waterproof breathable isolite
polyamide fabric.



CL619

Regatta Breathable Waterproof
Over Jacket



Integral hood. Stud and Velcro storm flap. 2 lower pockets. Mesh carry bag.
Size: XS-3XL

Top level performer in
breathable wind and
waterproof clothing. Robust
600D polyester oxford fabric
with technical coating.



CL658

Super Rainwear Jacket



Detachable hood. Velcro adjustable hoodcuffs with elastic wind cuffs and thumbhole. Three large zipped pockets and two internal pockets plus mobile pocket. Fleece lining around collar. Size: XS-5XL



CL876

Wearmaster Light Waterproof Trousers



Elasticated waist. Stud adjustable ankle. Side access pockets with stud closure. 100% polyester waterproof PVC coated fabric 150gsm.
Size: S-3XL



CL679

Regatta Breathable Waterproof
Overtrousers



Elasticated waist. 2 side pocket openings. Mesh carry sack.
Size: XS-3XL



CL659

Super Rainwear Trousers



Elastic waist and belt loops. Detachable pockets, 2 back pockets, 2 jett pockets. Zipped gusset from knee down. Size: XS-5XL

C

CL440
Elasticated Chef's Cap



Classic chef's hat to enhance your kitchen. Hardwearing Polyester Cotton mix fabric. Traditional style with back elastication.

C

CL444
Chef's Jacket



C

CL445
Chef's Jacket Poppers



Set of 12 removable studs for use with our chef's jacket. Choose your colour and get ready to cook.

C

CL441
Chef's Scarf



Complete the image with the traditional chef's scarf

Comfort fit chef's Jacket for the professional kitchen environment. Hardwearing Polyester Cotton mix fabric. Removable poppers in a variety of colours are available separately. Smart styling with cutaway mandarin collar, fold back front panel, turn back split cuffs.
Size: XS-5XL

Colour Key

Red
 White
 Bottle Green

Emerald
 Fuchsia
 Lime

Black
 Navy
 Royal

Brown
 Burgundy
 Dark Grey

Natural
 Orange
 Pink

Chessboard

C

CL443
Chef's Trouser



C

CL004
Bib Apron



C

CL005
Bar Apron




Bar apron with pocket. Quality polyester cotton fabric. Fitted waist ties. Suitable for 85° wash.

Comfort fit chef's trouser for the professional kitchen environment. Hardwearing Polyester Cotton mix fabric. Unisex fit. Single button and zip fly fastening. Back waistband elastication.
Size: S-5XL

Long bib apron. Suitable for a multitude of applications. Quality polyester cotton fabric. Fitted neck and waist ties. Suitable for 85° wash.



Protection from liquid and light chemical splash. 36" x 48". Supplied with cotton ties.



Protection from metal sparks. 22" x 36". With fitted ties.



Well made smart and practical tabard with pocket and self material binding. Suitable for 85° washing cycles
Size: S-XXL.



Super durable protection from liquid and chemical splash. 36" x 48". Supplied with cotton ties.



Protection from dust and light debris. Pocket for small tools etc. 36" x 48". Carpenters style with tape halters.



Acrylic hat with 3M Thinsulate® lining. Adjustable turn up rim. Suitable for embroidery. Can be worn under safety helmet.



Acrylic thermal warmth. Adjustable turn up rim. Suitable for embroidery.

Colour Key

| | | | |
|--|-----------------|--|--------------|
| | Navy/Putty | | Black/Grey |
| | Royal/White | | White/Navy |
| | Red/White | | Black/Red |
| | Putty/Navy | | Black/Lime |
| | Black/Yellow | | Black/Orange |
| | Graphite/Oyster | | Black/Royal |
| | Black/Fuschia | | |



Great image-maker. Rip strip side adjuster. 2 stitched eyelets. 100% cotton twill. Half moon buckram flap. Perfect for print and embroidery.




Smart premium sporty two tone image. Rip strip side adjuster. 100% cotton twill. Perfect for print and embroidery.



Huge 23 Litre capacity. Main compartment with internal separation. Internal pocket for iPad with ribbed cable outlet. Two side mesh pockets. Expandable front pocket, great for soiled boots or safety helmet. Comfort padded durable shoulder straps and padded carry handle.



Large capacity with 3 zipped storage compartments. Zipped side pockets. Wet storage compartment. Baseboard and studs. Detachable adjustable shoulder straps. Durable heavy duty nylon with PVC backing. 74 litre capacity.



Zipped pocket each end. Baseboard and studs. Detachable adjustable shoulder straps. Durable heavy duty nylon with PVC backing. 32 litre capacity.



Adjustable webbing belt. 4 pockets with zips. Key fob. 2 litre capacity.

Protective Clothing

| | |
|---------------------------------------|----|
| Protective Clothing Introduction..... | 40 |
| High Visibility Vests & Jackets | 42 |
| High Visibility Leisurewear..... | 44 |
| High Visibility Waterproof..... | 46 |
| High Visibility Plus | 48 |
| High Visibility Toptex..... | 48 |
| High Visibility Fire Retardant | 49 |
| High Visibility Gore-Tex® | 50 |
| High Visibility Workwear..... | 51 |
| Orange: | |
| High Visibility Vests & Jackets | 52 |
| High Visibility Outerwear | 53 |
| High Visibility Leisurewear..... | 54 |
| High Visibility Breathable | 56 |
| High Visibility Workwear..... | 57 |
| High Visibility Gore-Tex® | 58 |
| Foul Weather..... | 59 |
| Kit Bags | 59 |
| Single Life Clothing: | |
| Disposable Clothing..... | 60 |
| Chemical Suits..... | 62 |
| Accessories | 63 |
| Re-usable Chemical Clothing..... | 64 |
| Flame Retardant: | |
| Flame Retardant Workwear | 66 |
| Extreme Heat Clothing..... | 67 |
| ProGARM® | 68 |
| Chainsaw Protection..... | 72 |
| Welding Leather | 74 |
| Freezer Wear Clothing | 74 |

Protective Clothing

HAZARD PROTECTION:

Providing the right protective clothing for your workers is more important than it's ever been. Whenever you have a need for Protective Clothing, or help with sourcing a solution for special requirements, our staff can give helpful advice on choosing suitable products.

EN471 SPECIFICATION FOR HIGH VISIBILITY CLOTHING:

What you need to know

There are 3 classes of garment type based on the levels of conspicuity they provide. On all garments the retro-reflective tape must be no less than 50mm wide.



Class 3: Highest Level

0.8m². Minimum retro-reflective material 0.2m².

Suitable for highway use.



Class 2: Medium Level

0.5m². Minimum retro-reflective material 0.13m².

Suitable for use on roads 40mph or below.



















Class 1: Lowest Level

0.14m². Minimum retro-reflective material 0.10m². i.e. minimal risk such as off road activities.

A combination of approved garments may be worn to achieve class 3.



Symbols used to show garments are certified to meet the standards for various hazards.

| | | | | | | | |
|--|---|---|---|---|---|---|---|
|  <p>GO/RT 3279 STANDARD FOR HIGH VISIBILITY RAIL CLOTHING</p> |  <p>EN471 HIGH-VISIBILITY CLOTHING GO/RT 3279 HIGH-VISIBILITY RAIL CLOTHING</p> |  <p>BS EN ISO 11612:2008 (was EN531) PROTECTIVE CLOTHING FOR WORKERS EXPOSED TO HEAT (Excluding firefighters & welders clothing)</p> |  <p>BS EN ISO 14116:2008 PROTECTION AGAINST FLAMES</p> |  <p>EN343 PROTECTION AGAINST FOUL WEATHER CONDITIONS x: Waterproofness (3 levels) y: Breathing properties (3 levels)</p> |  <p>EN5342 PROTECTION AGAINST COLD</p> |  <p>EN381 PROTECTION AGAINST HAND-HELD CHAINSAWS</p> |  <p>BS EN ISO 11611:2007 PROTECTIVE CLOTHING FOR USE IN WELDING AND ALLIED PROCESSES</p> |
|  <p>EN1149 PROTECTION AGAINST STATIC ELECTRICITY</p> |  <p>EN465 Type 4 PROTECTION AGAINST LIQUID CHEMICALS Spray/tight EN466 Type 3 PROTECTION AGAINST LIQUID CHEMICALS Liquid/tight</p> |  <p>EN1511 Type 3 LIQUID TIGHT GARMENTS</p> |  <p>EN1512 Type 4 SPRAY TIGHT GARMENTS</p> |  <p>EN13982 1/2 Type 5 DRY PARTICLE GARMENTS</p> |  <p>EN13634 Type 6 REDUCED SPRAY GARMENTS</p> |  <p>EN1079-2 Class 1 PROTECTION AGAINST RADIOACTIVE DUST</p> |  <p>EN14126 RESISTANCE TO INFECTIOUS AGENTS</p> |



**HV006**

High Visibility Long Sleeve Traffic Waistcoat



Reflective orange shoulder braces. Front velcro fastener. 100% knitted polyester.
Size: S-4XL.

**HV003**

High Visibility Long Sleeve Waistcoat



Knitted polyester fabric with velcro front fastening.
Size: S-6XL.

**HV009**

High Visibility Waistcoat



Knitted polyester fabric with velcro front fastening.
Size: S-6XL.

**HV019**

High Visibility Two Colour Waistcoat



Front velcro fastener. 100% Knitted polyester.
Size: M-4XL.

**HV059**

High Visibility Airport Style Waistcoat



Front velcro fastener. 100% Knitted polyester with open mesh upper back for improved temperature management and front ID pocket.
Size: M-4XL.

**HV085**

High Visibility ID Waistcoat



Premium garment in knitted polyester with zip front fastening. Fitted with ID pocket.
Size: M-4XL.



HV049

High Visibility Red Waistcoat



A quality garment giving you full Class 2 protection and huge versatility. Superior fabric and trimmings. Increased comfort and style with deeper armholes and sculptured hem line. Zip front. Pen pockets. Mobile pocket. ID badge holder. Two large bellowed lower storage pockets.

Size: S-4XL.

Cool Viz
Airflow fabric for increased breathability, cooling and comfort.



HV029

High Visibility Cool Viz Waistcoat



Velcro fastening. Manufactured in polyester airflow mesh for increased breathability. Comfort fit with scooped sides and deep armholes.

Size: M-4XL.



HV030

High Visibility Cool Viz Long Sleeve Waistcoat



Velcro fastening. Manufactured in polyester airflow mesh for increased coolness and breathability. Comfort fit.

Size: M-4XL.



HV079

Reflective Coloured Waistcoat



Velcro fastening. 100% knitted polyester. Comfort fit with scooped sides and deep armholes. Non conforming to EN471.

Size: S-4XL.



HV131

High Visibility Long Sleeve Service Waistcoat



A quality garment giving you full Class 3 protection and huge versatility. Superior fabric and trimmings. Sculptured hem line. Zip front. Pen pockets. Mobile pocket. ID badge holder. Two large bellowed lower storage pockets.

Size: S-6XL.



HV130

High Visibility Service Waistcoat



Superior Knitted polyester fabric and premium reflective tape giving you a quality garment with another fully EN471 conforming colour option.

Size: S-6XL.

High Visibility Cool-Fit

Manufactured in innovative polyester cotton fabric, specially woven to bring comfortable cotton next to the skin with conforming polyester to the outer layer providing great colour retention and wear characteristics. Generous fit and stylish split hem design. Extra movement stripe configuration.



HV201

High Visibility Cool-Fit T-Shirt



Size: S-6XL.



HV203

High Visibility Cool-Fit Polo Shirt



Size: S-6XL.



HV081

High Visibility Sleeveless T-Shirt



Sleeveless design giving ultimate freedom of movement and comfort in hot weather.

Size: S-6XL.



HV204

High Visibility Cool-Fit Long Sleeved Polo Shirt



Size: S-6XL.



HV208

High Visibility Coolviz Polo Shirt



Designed for use in the warmest weather. Innovative lightweight polyester birds-eye fabric giving maximum breathability. Chevron segmented reflective tape allowing increased breathability and stretch, freedom of movement.

Size: S-4XL.



HV210

High Visibility Polo Shirt



100% polyester fabric providing a practical single garment alternative to a high visibility waistcoat and polo shirt combination.

Size: S-3XL.

HV206 High Visibility Fleece Jacket



Anti pill polyester fleece fabric. Two lower pockets. Shock cord hem adjuster. Heavyweight, warm, comfortable 380gsm brushed fleece fabric.
Size: S-4XL.

HV207 High Visibility Softshell Jacket



Softshell is the latest innovation in practical outerwear, giving a very comfortable, smart, easy-care garment. Water resistant, breathable and stylish softshell fabric with a micro-fleece lining. Water resistant chest and front zips. Zipped hand pockets. Cuff adjusters and shock cord hem adjuster.
Size: S-4XL.

HV047 High Visibility 1/4 Zip Sweatshirt



Warm and stylish high visibility solution. Comfort stretch reflective tape. 280GSM Polyester Viscose and Elastic fabric
Size: S-6XL.

HV087 High Visibility Full Zip Hooded Sweatshirt



Warm and stylish high visibility solution. Comfort stretch reflective tape. 280GSM Polyester Viscose and Elastic fabric
Size: S-6XL.

HV151 High Visibility Waterproof Two Piece Set



Nylon pvc jacket and trouser set providing a conforming and practical solution to high visibility and waterproof requirements.
Size: XS-4XL.

**HV005**

High Visibility Highway Anorak

**WEARMASTER**

Made in waterproof PU coated polyester durable fabric. Warm quilt lining. Two way zip front fastening. Two lower pockets. Concealed hood. Elastic inner storm cuffs.
Size: S-6XL.

**HV011**

High Visibility Pilot Jacket



Made in waterproof PU coated polyester. Warm quilt lining. Zip front fastening. Two lower pockets. Knitted storm cuffs and waistband.
Size: S-5XL.

**HV004**


High Visibility Bodywarmer



Made in waterproof PU coated polyester. Warm quilt lining. Reversible to navy. Zip front fastening. Two lower pockets.
Size: S-5XL.

**HV217**

High Visibility Traffic Anorak



Waterproof coat with warm quilt lining, lycra storm cuffs. Concealed hood. Two way zip with storm flap.
Size: S-4XL.

**HV216**


High Visibility Traffic Bomber Jacket



Waterproof Bomber style with warm quilt lining, lycra storm cuffs. Concealed hood. Two way zip with storm flap. Large zip closed pockets.
Size: S-4XL


**HV416**

High Visibility Yellow Waterproof Overtrouser



Elasticated waist. Waterproof high visibility robust fabric. Access to under pockets.
Size: S-4XL

HV515 High Visibility Two Colour Anorak



Made in waterproof PU coated polyester. Warm quilt lining. Two way zip front fastening. Two lower pockets. Concealed hood. Elastic inner storm cuffs.

Size: S-3XL.


HV012 High Visibility Waterproof Breathable 7 in 1 Stormcoat



Highly versatile garment offering a protective solution for all seasons. Breathable outer shell complete with reversible body warmer that has removable sleeves giving 7 wearer combinations. Detachable hood. Adjustable storm cuffs. Fleece lined collar. Mobile pocket and identity tags.

Size: S-4XL.

HV021 High Visibility Breathable Overtrouser



Elasticated waist. Breathable waterproof high visibility robust fabric. Zipped gusset to allow dressing without removal of footwear.

Size: S-4XL


HV020 High Visibility Breathable Coat



High visibility coat with great features. Comfort mesh lining. Breathable robust waterproof outer fabric. Fleece collar. Great range of sizes.

Size: S-5XL.

HV233 Ladies High Visibility Breathable Coat




High visibility coat with feminine fit tailoring. Comfort mesh lining. Breathable robust waterproof outer fabric. Micro fleece lined collar. Full zip with storm flap. Generous pockets and hand warmers.

Size: XS-XL (6-22)

High Visibility Plus

High visibility plus range for those who are looking for increased features and comfort.




A quality garment for the harshest environment. Warm fleece lined body and quilted sleeve. Double, velcro fastened stormflap. Lined hood and chin protector Chunky main zip. Fleece lined collar. Large zipped pockets.

Size: S-6XL.



Warm quilt lining. Drip strip hem. Internal Lycra storm cuff and velcro cuff adjustment. Concealed 3 piece hood. Two way main zip with full length velcro fastened storm flap. Internal nelson pocket, 3 internal patch pockets and A4 size velcro fastened front pockets. Great range of sizes.

Size: S-6XL.




Warm quilt lining. Drip strip hem. Internal Lycra storm cuff and velcro cuff adjustment. Concealed 3 piece hood. Two way main zip with full length velcro fastened storm flap. Internal nelson pocket, 3 internal patch pockets and A4 size velcro fastened front pockets. Great range of sizes.

Size: S-6XL.


Toptex

Soft and flexible, comfortable, transfer coated material with breathable waterproof features. Remains soft and supple even in cold conditions. Extremely robust and tear resistant giving excellent wind and waterproof characteristics. Easy, wipe-clean qualities.




Zip with studded storm flap. Attached hood. 2 jetted hip pockets with velcro fastened flap. With quilted lining for added warmth.

Size: S-3XL.



Zip with studded storm flap. Attached hood. 2 jetted hip pockets with velcro fastened flap.

Size: S-3XL.



Fully elasticated waist. Stud adjustable hem.

Size: S-3XL.

- **Technical high performance high visibility outer fabric**
- **Flame retardant, antistatic, breathable and waterproof qualities.**
- **Flame retardant comfort cotton lining**
- **100% modacrylic FR wadding.**



HV299

High Visibility Flame Retardant Breathable Waterproof Coat

Protective hood. Mobile pocket concealed under stormflap. Two lower pockets. Two way zip. S-XXL.



HV290

High Visibility Flame Retardant Waterproof Salopette

Zip and velcro fastening to ankle gussets. Elasticated waist. Quick release elasticated shoulder straps. Size: S-XXL.



HV103

High Visibility Fire Retardant Long Sleeve Waistcoat



Front velcro fastener 100% flame retardant knitted polyester. Size: M-4XL.



HV897

High Visibility Toptex Ultra FR Jacket



Flame retardant fabric. Zip with studded storm flap. Attached hood. 2 jettied hip pockets with velcro fastened flap. Size: S-3XL.



HV898

High Visibility Toptex Ultra FR Trousers



Flame retardant fabric. Fully elasticated waist. Stud adjustable hem. Size: S-3XL.



HV109

High Visibility Fire Retardant Waistcoat



Front velcro fastener 100% flame retardant knitted polyester. Size: M-4XL.



The ultimate in waterproof, breathable clothing made in world famous Gore-Tex® Benbecula fabric giving to the benefit of supreme luxury comfort and protection manufactured to the Gore-Tex® stringent specifications.

HV219

High Visibility Gore-Tex® Pilot Jacket



Two way zip with double storm flap. Many external and internal pockets. Interactive zip. Adjustable cuffs. Detachable Gore-Tex® hood (Available separately).
Size: XS-4XL

HV218

High Visibility Gore-Tex® Executive Anorak



Two way zip with double storm flap. Many external and internal pockets. Interactive zip. Adjustable cuffs. Detachable Gore-Tex® hood (Available separately).
Size: XS-4XL

HV220

High Visibility Gore-Tex® Over Trousers



Fully adjustable elasticated waist. Zip adjustable ankles with gussets. Side trouser access with cover flaps.

Size: XS-4XL

HV223

High Visibility Gore-Tex® Hood



Lined Gore-Tex® Hood with studded attachment. Draw cord with toggles.
Size: One.



Wearmaster superior high visibility garments for enhanced visibility in all working conditions. Specially developed fabrics in robust polyester cotton that ensure maximum longevity, safety and comfort. High performance reflective tape that ensures these garments meet the criteria of EN471. Carefully tailored to provide a practical and smart conforming solution.

HV852
Wearmaster High Visibility Coverall



Zip front. Part elasticated waist. Chest pocket. Two slant pockets with access.
Size: S-4XL. Regular, Tall.

HV850
Wearmaster High Visibility Jacket



Zip front. Two lower pockets. Part elasticated waistband.
Size: S-4XL.

HV858
Wearmaster Premium High Visibility Trousers

WEARMASTER



Wearmaster premium clothing with the features you have been looking for. Robust polyester cotton material in twill finish. Triple stitch main seams for ultimate strength. Knee pad pockets and combat pockets. Comfort elastic waistband.

Size: 28-54. Short, Regular, Tall

HV851
Wearmaster High Visibility Trousers




Zip fly and button waistband. Two side and one rear jetted pocket. Permanently sewn front crease.
Size: 28-50. Regular, Tall.

Anti-entanglement Wear



HV101

High Visibility Plus
Orange Waistcoat



Robust poly/cotton fabric. Zip front with anti entanglement studded shoulder and side seams. Elasticated waist.

Size: S-3XL.



HV102

High Visibility Orange Waistcoat



Knitted polyester fabric with velcro front and anti entanglement stud side and shoulder seams.

Size: S-3XL.



HV100

High Visibility Underground
Orange Waistcoat



Knitted polyester fabric with studded front and anti entanglement velcro side and shoulder seams.

Size: S-3XL.



HV106

High Visibility Zip Orange Waistcoat



Knitted polyester fabric with zip front and anti entanglement velcro side and shoulder seams.

Size: S-3XL.



A quality garment, huge versatility. Superior fabric and trimmings.
Increased comfort and style with deeper armholes and sculptured hem line. Zip front. Pen pockets.
Mobile pocket. ID badge holder.
Two large bellowed lower storage pockets.



HV086

High Visibility ID Orange Waistcoat



Premium garment in knitted polyester with zip front fastening. Fitted with ID pocket.

Size: M-4XL.



HV132

High Visibility Long Sleeve Service
Orange Waistcoat



Size: M-6XL.



HV175

High Visibility Service
Orange Waistcoat



Size: M-6XL.

C HV002 High Visibility Orange Waistcoat



Knitted polyester fabric with velcro front fastening.

Size: S-4XL.



C HV104 High Visibility Orange Reversible Bodywarmer



Robust and washable poly-cotton on both sides with warm quilt liner. Zip front fastening. Large lower pockets. Reversible.

Size: S-4XL.



C HV008 High Visibility Orange Anorak



Made in waterproof PU coated polyester. Warm quilt lining. Two way zip front fastening. Two lower pockets. Concealed hood and storm cuffs.

Size: S-3XL.



C HV013 High Visibility Orange Long Sleeve Waistcoat



Knitted polyester fabric with velcro front fastening.

Size: M-6XL.



C HV116 High Visibility Orange Waterproof Overtrousers



Elasticated waist. Waterproof high visibility fabric.

Size: S-3XL.



C HV111 High Visibility Plus Orange Bomber Jacket




A quality garment for the harshest environment. Warm fleece lined body and quilted sleeve. Double ,velcro fastened stormflap. Lined hood and chin protector Chunky main zip. Fleece lined collar. Large zipped pockets.


Size: S-4XL.




Manufactured innovative polyester cotton fabric, specially woven to bring comfortable cotton next to the skin with conforming polyester to the outer layer providing great colour retention and wear characteristics. Generous fit and stylish split hem design. Extra movement stripe configuration.




Size: S-6XL.



Size: S-6XL




Size: S-6XL.




Sleeveless design giving ultimate freedom of movement and comfort in hot weather.
Size: S-6XL.



Designed for use in the warmest weather. Innovative lightweight polyester birds-eye fabric giving maximum breathability. Chevron segmented reflective tape allowing increased breathability and stretch, freedom of movement.
Size: S-3XL.





Warm and stylish high visibility solution. Comfort stretch reflective tape. 280GSM Polyester Viscose and Elastic fabric
Size: S-6XL.




Warm and stylish high visibility solution. Comfort stretch reflective tape. 280GSM Polyester Viscose and Elastic fabric
Size: S-6XL.




Water resistant, Breathable and stylish softshell fabric with a micro-fleece lining. Water resistant chest and front zips. Zipped hand pockets. Cuff adjusters and shock cord hem adjuster.
Size: S-4XL.



Anti pill polyester fleece fabric. Two lower pockets. Shock cord hem adjuster. Heavyweight, warm, comfortable 380gsm brushed fleece fabric.
Size: S-4XL.



Comfortable, robust polyester cotton 50/50 material. Knitted collar, cuffs and waistband.
Size: S-4XL.



Wearmaster superior high visibility garments for enhanced visibility in all working conditions. Specially developed fabrics in robust polyester cotton that ensure maximum longevity, safety and comfort. High performance reflective tape that ensures these garments meet the criteria of EN471. Carefully tailored to provide a practical and smart conforming solution. Retains all the features of Wearmaster, with added benefit of meeting the rail standard GO/RT 3279. Zip fly and button waistband. Two side and one rear jetted pocket. Permanently sewn front crease.
Size: S-4XL.



HV112

High Visibility Orange Waterproof Breathable 7in1 Stormcoat




Highly versatile garment offering a protective solution for all seasons. Breathable outer shell complete with reversible bodywarmer that has removable sleeves giving 7 wearer combinations. Detachable hood. Adjustable storm cuffs. Fleece lined collar. Mobile pocket and identity tags. Size: S-4XL.



HV232

Ladies High Visibility Orange Breathable Coat



High visibility coat with feminine fit tailoring. Comfort mesh lining. Breathable robust waterproof outer fabric. Micro fleece lined collar. Full zip with storm flap. Generous pockets and hand warmers. Size: XS-XL (6-22)



HV113

High Visibility Orange Waterproof Breathable Stormcoat




Breathable microporous PU coated polyester waterproof fabric. Breathable mesh lining. Drip strip hem. Internal lycra storm cuffs. Concealed detachable hood. Two way main zip with full length stud fastened storm flap. Good range of internal and external pockets. Size: S-5XL.



HV114

High Visibility Orange Waterproof Breathable Bomber Jacket



Breathable microporous PU coated polyester waterproof fabric. Breathable mesh lining. Storm cuffs. Ribbed hem. Front zip fastening. Good range of internal and external pockets. Size: S-5XL.



HV117

High Visibility Orange Waterproof Breathable Overtrousers



Breathable microporous PU coated polyester waterproof fabric. Side access. Elasticated waist. Zipped ankle gussets. Size: S-4XL.

Wearmaster superior high visibility garments for enhanced visibility in all working conditions. Specially developed fabrics in robust polyester cotton that ensure maximum longevity, safety and comfort. High performance reflective tape that ensures these garments meet the criteria of EN471. Carefully tailored to provide a practical and smart conforming solution, meeting the rail standard GO/RT 3279.



HV840

Wearmaster High Visibility Orange Jacket



Zip front and elasticated waistband.
Two lower pockets.
Size: S-4XL.



HV842

Wearmaster High Visibility Orange Coverall



Zip front, part elasticated waistband.
Two slant pockets with access.
Size: S-4XL.
Regular, Tall.



HV843

Wearmaster High Visibility Orange Bib & Brace



Adjustable straps. Large bib pocket.
Two slant pockets and two patch pockets.
Size: S-4XL.
Regular, Tall.



HV848

Wearmaster Premium High Visibility Orange Trousers



Wearmaster premium orange clothing with the features you have been looking for. Robust polyester cotton material in twill finish. Triple stitch main seams for ultimate strength. Knee pad pockets and combat pockets. Comfort elastic waistband.
Size: 28-54
Short., Regular, Tall.

WEARMASTER



HV841

Wearmaster High Visibility Orange Trousers



Zip fly and button waistband. Two side and one rear jetted pocket. Permanently sewn front crease.
Size: 28-50
Regular, Tall.



The ultimate in waterproof, breathable clothing made in world famous Gore-Tex® Benbecula fabric giving to the benefit of supreme luxury comfort and protection manufactured to the Gore-Tex® stringent specifications.



HV118

High Visibility Orange Gore-Tex® Executive Anorak



Two way zip with double storm flap. Many external and internal pockets. Interactive zip. Adjustable cuffs. Detachable Gore-Tex® hood (available separately.)

Size: S-6XL.



HV119

High Visibility Orange Gore-Tex® Pilot Jacket



Two way zip with double storm flap. Many external and internal pockets. Interactive zip. Adjustable cuffs. Detachable Gore-Tex® hood (available separately.)

Size: S-6XL.



HV223

High Visibility Gore-Tex® Hood



Sealed frame for protection from gasses and very fine dust particles. Polycarbonate lens for maximum impact resistance.

Size: One.



HV122

High Visibility Orange Gore-Tex® Salopettes



Concealed front zip with double storm flap fastening. Two mitred hip pockets. Internal breast pocket with zip closure. Storm cuffs with wicking strip. Neck & chin storm guard. Elasticated back. Zip adjustable ankles with gussets.

Size: XS-4XL.



HV120

High Visibility Orange Gore-Tex® Over Trouser



Fully adjustable elasticated waist. Zip adjustable ankles with gussets. Side trouser access with cover flaps.

Size: XS-4XL.


CL230 Interactive Thermal Liner



Thinsulate thermal liner designed to compliment the foul weather coverall. Light and effective warmth. Anchorage points at cuffs and ankles to prevent pull out.

Size: S-4XL.

HV230 Foul Weather Coverall



Intelligently designed garment to offer best comfort and practicality. Top class breathable waterproof performance. Many innovative design features, including: Velcro closed pockets, Underarm ventilation, Neoprene inner cuffs, I.D window, chin protector, zip gusseted hem to allow donning with boots on.

Size: S-4XL.

Kit Bags

HV505 High Visibility Orange Quick Release Rucksack




Waterproof rucksack with approved anti entanglement features. Designed for carrying personal kit including a mobile phone pocket and weatherproof MP3 pocket. Comfort padded back panel.

AC056 Hi-Vis Backpack



Huge 23 Litre capacity. Main compartment with internal separation. Internal pocket for iPad with ribbed cable outlet. Two side mesh pockets. Expandable front pocket, great for soiled boots or safety helmet. Comfort padded durable shoulder straps and padded carry handle.



Lamibond is a microporous film laminate fabric is soft, breathable and resistant to noxious dust and splash in accordance with CE type 5 & 6. Lint free and suitable for clean room applications. Anti static to meet with EN1149-1, protection against radioactive contamination to EN1073-2, and bio-hazards to EN14126.



DC113
Lamibond Lab Coat



Press stud storm flap. Elasticated wrist. 2 pockets. Size: M-XXL



DC152
Lamibond Coverall



Two way zip with resealable storm flap. Knitted cuffs. Size: M-XXL



DC110
Lamibond Hood



Elasticated face piece. Shoulder cape for full protection.



DC112
Lamibond Oversleeve



A elasticated at both ends for secure fit.



DC119
Lamibond Overboot




With ties for secure fit. Offering full protection when worn with Microporous coverall (DC155). PVC outsole offering slip resistant properties.



DC116
Konsatina Mob Caps



A hygienic and comfortable way to ensure contamination from hair is prevented. Elastic rib to food grade standard. Pack of 100.



DC114
Tuscon Peak Snood Cap



Disposable hygienic contamination protection. Comfortable soft fabric. Pack of 100.



DC117
Non-Slip Overshoe



Hygienic protection from shoe contamination. Overshoe embossed with rubber pattern. Specifically designed to resist slipping. Hard wearing and splash resistant. Box of 400.



Dupont classic favourite, proven breathable comfortable fabric. Tyvek front zip with storm flap. Elastic cuffs ankles and waist. Three piece hood. Size: S-3XL



A general purpose coverall for light protection against non-toxic liquids and dust. Strong and comfortable breathable fabric. Storm flap over zip front fastening. Generous cut for comfort. Elasticated wrists and ankles. Size: M-XXL



Hygienic contamination protection. Press stud fastening. Elasticated cuffs. Internal pocket. Strong, comfortable, soft fabric. Generous cut. Size: S-XXL.



Made from a 4 layer combination of non-woven fabrics and meets CE type 5&6 protection. EN533 flame protection. Highly breathable fabric that is comfortable to wear even for long periods. Ideal in a wide range of applications. Widely used to provide a chemical barrier when using fire retardant clothing. Two way zip with double storm flap. Knitted cuffs. Size: M-XXL.



Microporous fabric using micro-technology providing unrivalled comfort due to its extremely light, very breathable properties yet remaining durable. A new level of performance as an excellent chemical and dust barrier. Two way zip with double storm flap. Fitted hood. Elasticated cuffs and ankles. Three piece hood design and diamond gusset for best fitting and comfort. Size: S-3XL.



Splash resistant overshoe ideal for use by visitors and any environment where protection from shoe contamination is required. Pack of 200.

Zytron is a range of superior chemical suits for assured protection. “Know what you’re getting into” Each suit comes with a QR code to enable you to scan with your smart phone to show the full database of tested chemicals for your garment.



CL966
Zytron 200 Chemical Protection Coverall





EN13982-1
EN13034
EN14126
EN1073-2
EN369
EN371

Increased protection Zytron garment offering Liquid tight chemical protection. Multi layer film laminate, with hood, elasticated to wrist, ankles and face opening. High neck chin protection with contoured opening to integrate with RPE. Zip front with fastened double storm flap. Ideal protection against high concentrate liquid substances, hydrocarbons and Acids.

Size: M-XXL.



CL967
Zytron 300 Chemical Protection Coverall





EN13982-1
EN13034

High protection Zytron garment offering Liquid tight chemical protection. Multi layer film laminate, tested and certified to MIL-STD-282 and NFPA standard to Chemical/Biological terrorism incidents. With hood, elasticated to wrist, ankles and face opening. High neck chin protection with contoured opening to integrate with RPE. Zip front with fastened double storm flap. Extremely high level chemical protection barrier, for example: contact with petroleum, solvents and chlorine compound.

Size: M-XXL.



CL968
Zytron 500 Gas Tight Encapsulating Suit





TEN13982-1
EN13034
EN943-1
EN943-2
EN14126

Gas tight fully encapsulating suit, using a multi-layer film composite fabric, tested and certified to MIL-STD-282 and NFPA standard to Chemical/Biological terrorism incidents. Heat-sealed-taped seams inside and out, gas tight zipper with fastened cover. Fitted sock boots. Designed to be used in conjunction with bottled air supply. Ultimate fabric for protection against hazardous agents and gasses.

Size: M-XXL.

HazMatch is an easy-to-use online selection tool that provides the data to help you make informed decisions about protective apparel. You can search by chemical or by fabric, with new chemicals constantly being added to the database.

www.kappler.com/index.php/hazmatch





HB200

Portable Decontamination Rapid Pro Shower 2-Line-4 Tent



The RP 2-Line-4 is effective for decontamination of multiple casualties or emergency teams. The system provides two lines of decontamination for ambulatory and non-ambulatory casualties simultaneously. The shower basin occupies the two centre bays of the structure, with undressing/redressing areas at each end.

- Articulating external frame with locking straps allows high speed deployment with high system integrity
- Highly corrosion resistant construction grade aluminium frame with alocrome treatment and polyester powder coating
- Portable & light weight
- Highly flexible, tear and chemically resistant fabric
- Articulating framed Internal shower basin
- Lines segregated by curtains to enable privacy and smooth throughput
- Switchable spray jets optional on shower booms
- Colour options: Red, Blue, Yellow, White & Green



CL969

Chem Tape®



Adhesive tape specially formulated as an effective chemical barrier between chemical suits and accessories like gloves and boots. 54 Metre X 5CM roll.

Size: L-XXL.



DC555

Type3 Chemical Protection Coverall

Type 3 garment offering Liquid tight chemical protection. Comfortable multi layer film laminate, with hood, elasticated wrist, ankles and face opening. Zip front with fastened double storm flap. Ideal protection against liquid substances and Acids.


Size: M-XXL.



EN13982-1
EN13034
EN14126
EN1073-2
EN369

Chemmaster is the first for chemical protection. It is a well proven range meeting all relevant European standards, including EN476 for protection against acids alkalis, oils and solvents. Made from PVC coated Nylon fabric with high frequency welded and sewn seams. Conforms to EN465/466 (type 3 jet spray test) for complete protection.

Chemsol retains all the great features of Chemmaster with the added benefit of a lighter, more flexible fabric with comfort lined inner face to fabric.



Zip front with stud fastened double storm flap. Hood with drawstring.
Size: S-XXL.



Stud fastened double storm flap.
Size: S-XXL.




Elasticated waistband.
Size: S-XXL



Head and face protection. Fixed chemical resistant clear visor.
Size: S-5XL.



15" sleeves with elasticated wrist and elbow.
Size: S-4XL.




Head, face and shoulder protection. Fixed anti-mist chemical resistant clear visor with ventilation ports. Apron front.
Size: S-5XL.



CL926

Chemsol Hooded Chemical Resistant Coverall With Welded Boots

EN465, EN466



Special design that has welded in boots to eliminate the risk of chemicals getting into boots.

Size: S-XXL.



CL940

Chemsol Plus Coverall

EN465, EN466



Chemsol fabric with the added benefit of high visibility flame retardant and anti static properties. With hood, zip front and double storm facing.

Size: S-XXL.



CL956

Cooling Vest



Water activated cooling vest providing effective relief from heat stress for up to 8 hours regardless of outside temperature. Very effective with chemical suits. Well known in sport and medical use giving physiological climatisation.



CL929

Glovezon Kit



Sealing kit to fix chemical gloves to sleeves with a chemical tight connection. Simple to use and reusable.



Flame retardant clothing in treated cotton material offering good protection levels and comfortable garments to suit a wide variety of applications.



CL890

Wearmaster Flame Retardant Boilersuit



Flame retardant comfort cotton drill fabric. Concealed stud fastening up to neck. One breast pocket with flap and two side pockets.
Size: S-XXL.



CL899

Super-Light Flame Retardant Anti-Static Coverall



Innovative super lightweight Cotton and Carbon Flame resistant Anti-Static fabric 210gsm. Concealed stud fastening up to neck. Two breast pockets with flaps. Hi Visibility reflective stripes.
Size: XS-3XL.



CL894

Wearmaster Inherent Flame Retardant Boilersuit



Quality Modacrylic 280g fabric with aramid fibre stitching providing a comfortable and robust garment that has natural flame resistance that is guaranteed for the life of the garment. Fluorocarbon finish providing water and oil repellency. Numerous flap covered pockets including knee pad inserts.
Size: S-3XL



CL893

Wearmaster Flame Retardant Jacket



Flame retardant comfort cotton drill fabric. Concealed stud fastening up to neck. Two breast pockets with flaps.
Size: S-XXL.



CL891

Wearmaster Flame Retardant Trousers



Flame retardant comfort cotton drill fabric. Bass zip fly and button waistband. Side pockets.
Size: 30-44.



CL895

Wearmaster Utility Flame Retardant Boilersuit



EN397
EN166
EN161



Flame retardant comfort cotton drill fabric. Heavy duty non conductive two way zip with thoch and close stormflap. Touch and close collar with chin protector. Gusseted ankle and sleeve cuff with heavy duty velcro fastening. Size: S-4XL Short, Regular, Tall



CL911

Extreme Heat Radiant Hood



EN397
EN166
EN161

Designed to sit comfortably on the coverall. Features hard shell cap to EN397. Gold colour removable heat reflective glass visor. Excellent visibility. Allowance is made for respiratory mask.



CL913

Extreme Heat Radiant Gloves



43334X 4443

Para-aramid fibre with carbon to protect from extreme heat environments.



CL910

Extreme Heat Radiant Coverall



Well designed coverall incorporating rear pocket for breathing apparatus. Velcro fastened double front flap. Size: S-2XL



CL912

Extreme Heat Radiant Overboots



Designed as an over boot to be used in conjunction with Radiant coverall. Very tough with abrasion resistant soles

PROGARM®

ProGARM® is an innovative range of garments designed to give highest level protection from Arc Flash hazard and Fire retardant requirements. Using quality assured VXS inherent fabric ensuring full life time flame protection, high performance and superb comfort. All components are rigorously tested to give ultimate safety performance and longevity. All in all peace of mind for you, invest in your most valuable asset, your team.



HV279
ProGARM® TOTAL
PROTECT JACKET



High specification Multi-Norm Jacket offering a multitude of EN Standards including ARC Flash Protection to Class 2 EN61482-1-2. Two layer fabric with waterproof membrane and antistatic yarn. This garment also features a removable hood and a separate winter lining is also available, which can be removed for the warmer months without reducing the Class 2 Arc Protection.

Size: S-3XL



HV139
ProGARM® FR AS HV EA
POLO SHIRT



Premium quality long sleeved polo shirt in VXS + 210g/m² Pique knit fabric for ultimate comfort and breathability.

Size: S-4XL



HV138
ProGARM® FR AS
HV EA SWEATSHIRT



Featuring VXS + 350g/m² Jersey knit fabric with brushed inner for warmth. Ideal garment to compliment the ProGARM® Polo Shirt for additional winter warmth.

Size: S-4XL



HV137
ProGARM® FR AS HV EA
COVERALL



New style coverall featuring VXS + 250g/m² antistatic fabric and offering increased visibility using reflective tape on arms, legs and shoulders. Certified to the requirements of IEC61482 Arc Flash Protection.

Size: S-4XL



HV135
ProGARM® FR AS Combi HV
EA COVERALL



Premium quality coverall in VXS + super soft fabric 300g/m² /340g/m² designed to offer protection to workers in Petrochemical, Utility and associated industries.

Size: 38-60 Reg & Tall



HV136
ProGARM® FR AS HV EA TROUSER



Stylish combat trouser featuring VXS + 250g/m² Inherent fabric, offering Hi-Visibility EN471 Class 2 conformance. This model also offers Arc Flash Protection.

Size: 30-52 Short Reg Tall

Symbol Key



HV143 ProGARM® FR AS HV EA RAIL SWEATSHIRT



Unique blend of Comfort VXS + 430g/m² fabric developed to meet the requirements of workers on or near the trackside requiring garments certified to GO/RT 3279. Size: S-4XL

HV144 ProGARM® FR AS HV EA RAIL POLO SHIRT



Unique blend of Comfort VXS + 265g/m² fabric developed to meet the requirements of workers on or near the trackside requiring garments certified to GO/RT 3279. Size: S-4XL

HV142 ProGARM® FR AS HV EA RAIL COVERALL



New style coverall featuring VXS + High Visibility Orange fabric and offering increased visibility using reflective tape on arms, legs and shoulders.
Size: S-4XL

HV141 ProGARM® FR AS HV EA RAIL JACKET



Well designed jacket featuring VXS+ High Visibility Orange 360g/m² fabric and the easy-stretch arm panel for comfort. Designed for workers on or near the trackside requiring garments certified to GO/RT 3279. Size: S-4XL

HV280 ProGARM® TOTAL PROTECT ORANGE JACKET



High specification Multi-Norm Jacket offering a multitude of EN Standards including ARC Flash Protection to Class 2 EN61482-1-2. Two layer fabric with waterproof membrane and antistatic yarn. This garment also features a removable hood and a separate winter lining is also available, which can be removed for the warmer months without reducing the Class 2 Arc Protection. Size: S-3XL

HV140 ProGARM® FR AS HV EA RAIL TROUSER



Unique development featuring VXS + High Visibility Orange 360g/m² fabric. Designed for workers on or near the trackside requiring garments certified to GO/RT 3279. Size: 30-52 Short Reg Tall

GL125 Ansell PowerFlex® 80-813



Multi-norm glove offering, inherent flame resistance, high level cut protection, Antistatic, and Arc Protection. ATPV 12.0cal/cm². Level 2 Arc protection.
Size: 6-11

GL126 ProGARM® ARC FLASH GLOVES



High performance Kevlar lined leather glove with 100% waterproof and windproof lining to keep hands warm and dry. Insulation made with FR Nomex. Arc Rated 55.5cal/cm² (HRC3). Size: L-XL



CL271
ProGARM® FR AS JACKET



Featuring VXS + 300g/m² fabric and Two-Tone design with reflective tape. Ideal for drivers or personnel requiring a two part set - see also 5816 Trousers.

Size: S-4XL



CL273
ProGARM® FR AS EA JACKET



Well designed jacket featuring VXS + 250g/m² Inherent fabric, reflective tape and the easy-stretch arm panel for comfort.

Size: S-4XL



CL270
ProGARM® FR AS EA TROUSER



Featuring the VXS + 300g/m² Inherent fabric in stylish Two-Tone design for improved visibility.

Size: 30-52 Short Reg Tall



CL272
ProGARM® FR AS EA TROUSER



Superior quality trouser in VXS + 250g/m² Inherent FR fabric with antistatic featuring new 'smart fit' design for improved comfort.

Size: 30-52, Short, Regular & Tall.



CL282
ProGARM® TOTAL PROTECT SALOPETTES



Hi-Specification Multi-Norm Salopettes with a multitude of EN standards including ARC Flash Protection to Class 2 EN61482-1-2. Two layer fabric with waterproof membrane for ultimate protection from the elements. Designed to be worn with TOTAL PROTECT Jacket.

Size: M-3XL



CL274
ProGARM® FR AS EA COVERALL



Best selling coverall featuring VXS + 250 FR fabric and offering increased visibility using reflective tape on arms, legs and shoulders.

Size: S-4XL

ProGARM®
Protect the BEST



CL277 ProGARM® FR AS LAB COAT



Warehouse/Lab coat constructed using VXS + 300g/m² Inherently FR and antistatic fabric. Ideal for visitors or warehouse staff requiring additional protection.

Size: S-4XL

CL278 ProGARM® FR AS EA SHIRT



Smart, flame resistant and antistatic work shirt in VXS + 170g/m² fabric certified to offer protection to IEC61482 for Arc Flash Protection.

Size: 38-54. Collar size S-4XL.

CL281 ProGARM® FR AS EA FLEECE JACKET



This fleece jacket features VXS + 300g/m² antistatic fabric and offers Class 1 Arc Flash protection. Designed in conjunction with the TOTAL PROTECT jacket as a liner for additional warmth in the cooler months.

Size: S-4XL

CL276 ProGARM® FR AS POLO SHIRT



Quality long sleeve polo shirt featuring VXS + 210g/m² Pique knit fabric with anti-static fibre and soft finish.

Size: S-4XL

CL275 ProGARM® FR AS SWEATSHIRT



High quality sweatshirt featuring arm panel design with pocket and made using VXS + 330g/m² fabric for maximum comfort and performance.

Size: S-4XL

CL952 Flame Resistant Anti Static Long Johns



Long john, practical, essential undergarment for complete protection. 200g Fabric.

Size: S-2XL

CL953 Flame Resistant Anti Static Long Sleeve T Shirt



T-shirt, practical, essential undergarment for complete protection. 200g fabric for warmer weather.

Size: S-3XL

HP070 ProGARM® ARC FLASH HELMET



ProGARM® Arc Flash Helmet combination protects from falling objects, electric shock and also against electric arc and molten metal splashes. Developed for live working with electrical connections. Conforms to EN397, EN53065, EN166, EN61482-1-2. The face shield is tested to GS-ET-29, IEC61482-1-2, EN166

Size: L-XL

Durable and comfortable polyester cotton outer with specially constructed chainstop protection material.
Anti cut system to comply with European requirements. Light and cool, ideal for forestry workers.



CS200

Chainsaw Protection Trousers Type A



Elasticated waist. Application of stretch material for ease of movement. Brace buttons. Internal side seam to prevent snagging. Pockets. Type C (all round) protection.

Size: XS-3XL.



CS201

Chainsaw Protection Trousers Type C



Elasticated waist with high rise back protection. Brace buttons. Internal side seam to prevent snagging. Pockets.

Size: XS-3XL.



CS208

Brush Cutter Trousers



- Jeans fit design • Tear and scratch resistant • Fuel, oil & heat resistant
- Cool & highly breathable • Ultra-lightweight • Elastic waistband • All-round Cordura® patch on lower leg & on right thigh • Hi-visibility orange fabric in the front and back • Two large Hi-visibility reflective stripes on bottom of leg

Size: XS-2XL



CS202

Chainsaw Protection Leggings



Designed to offer chainsaw protection to your standard work wear.

Size: XS-3XL.



CS205

Rail Chainsaw Protection Jacket



Durable and comfortable polyester cotton outer with certified type chainsaw protection anti cut system to comply with European requirements. Complies with EN471, GO/RT 3279 and network rail 'all orange' directive. Light and cool, ideal for forestry workers. Elasticated internal side seam to prevent snagging. Chest pockets with flaps. Full front zip.

Size: S-XXL.



CS204

Rail Chainsaw Protection Trousers Type C



Light and cool, ideal for forestry workers. Complies with EN471, GO/RT 3279 and network rail 'all orange' directive. Elasticated waist with high rise back protection. Brace buttons. Internal side seam to prevent snagging. Pockets.

Size: S-XXL.



CS203
Chainsaw Protection
Bib & Brace Type A



Durable and comfortable polyester cotton outer with certified type A (front) chainsaw protection anti cut system to comply with European requirements. Light and cool, ideal for forestry workers. Application of stretch material for ease of movement. Internal side seam to prevent snagging. Pockets. Quick release comfort straps.

Size: XS-3XL.



HP035
Balance AC Forestry Helmet



The Arborists firm favourite. Super lightweight comfortable safety helmet with secure mounting and excellent all round vision. Comes complete with MSA Sordin EXC hearing protectors and nylon flip up visor with positive lock.



HR456
MSA Sordin HPE
Ear Muff Helmet Attach

EN352-3

31 SNR. Premium helmet attach earmuff with probably the strongest mechanism available. A firm favourite in the arborist industry but very suitable for all areas requiring a top of the range product.



HP019
Forestry Helmet Elite



Elite safety helmet with forestry attachments. Flip up carrier with mesh visor. Forestry grade ear muffs. Neck cape.



CS301
Chainsaw Class 1
Protection Gloves



Quality glove in robust Hi Vis fabric offering Class 1 chainsaw protection to the left hand.



FP992
Class 2 Chainsaw Boot



High grade water repellent leather with Sawtech® protection. Texelle breathable abrasion resistant moisture management system. Full soft footbed in cloth covered PU. Anatomic design. Cold and heat thermal insulation. Very strong stitched sole in fully nitrile composition.

Size: 6-13.



FP995
Class 1 Chainsaw Boot



Water repellent printed leather with chainsaw cut protection. Texelle breathable abrasion resistant moisture management system. Full soft footbed in EVA and fabric. Robust PC/nitrile sole composition.

Size: 6.5-11



FP998
Class 3 Chainsaw Wellington



Robust rubber wellington with class 3 chainsaw protection. Lace to rear for snug fit.

Size: 6-12

RED TUSKER

Red Tusker heat resistant leather is treated with specialist oils in such a way as to impart softness and suppleness necessary for the comfort of the wearer. The leather is specially selected with a guaranteed 1.5mm thickness throughout. It is further treated with specialist chemicals to greatly enhance the natural heat resistance of chrome leather. Red Tusker is able to withstand temperatures of 250°C and therefore ideal in foundry and welding industries.

CL993 Red Leather Trousers



EN340

Zip fly.
Adjustable
waist buckle.

CL991 Red Leather Full Apron



EN340

With fitted leather ties and buckles.

CL992 Red Leather Jacket



EN340

Comfort fit. Full stud front with neck fastening. Size: S-XL.

CL990 16" Red Leather Spats with Buckles



EN340

Buckles for secure fit. Complete lower leg protection polyester.

CL995 Red Leather Glove Protectors



EN340

Cuff and lower arm protection.

CL994 Red Leather Cuffed Sleeve



EN340

Cuffs at both ends for protection and secure fit.

Robust Oxford nylon outer fabric. High performance thermal lining.

CL750 Freezer Jacket



Heavy duty front two way zip. 3 patch pockets. Reflective bands. Size: S-4XL.

CL720 Freezer Coverall



Heavy duty front two way zip. 3 patch pockets and knee pad pockets. Reflective bands. Size: S-4XL.

CL710 Freezer Sallopettes



Heavy duty front two way zip. 3 patch pockets. Reflective bands. Size: S-4XL.

Personal Protective Equipment

| | |
|--|-----|
| Introduction..... | 76 |
| Head Protection | |
| Head Protection | 78 |
| Accessories & Bump Caps..... | 82 |
| Visors & Face Shields..... | 84 |
| Hearing Protection | |
| Introduction..... | 86 |
| Ear Plugs & Dispensers | 87 |
| Ear Muffs | 90 |
| Communications & Sound Analysis..... | 93 |
| Safety Eyewear | |
| Introduction..... | 94 |
| Safety Goggles | 96 |
| Safety & Prescription Glasses | 98 |
| Safety Glasses & Accessories | 100 |
| Respiratory Protection | |
| Introduction..... | 102 |
| Disposable Respiratory Protection..... | 104 |
| Filtered Respiratory Protection..... | 106 |
| Air Supplied Respiratory Protection..... | 108 |
| Powered Respiratory Protection..... | 111 |
| Testing & Training | 114 |

Personal Protective Equipment Introduction

THERE ARE TWO MAIN DIRECTIVES THAT RELATE TO PERSONAL PROTECTIVE EQUIPMENT (PPE):

1. European Directive 89/656/EEC (PPE use directive)

relates to the issue and care of protective equipment

2. European Directive 89/686/EEC (product directive)

co-ordination of standards and product authorisation throughout the EEC

All PPE must conform to point 2 above, **Contego Safety Solutions** only supplies PPE that does this.

EMPLOYERS RESPONSIBILITY

All employers are affected by legislation concerning their employees, and as such have certain responsibilities, where risks cannot be contained or removed:

- Employers are required to provide relevant PPE for all employees exposed to that risk area
- Employers are required to assess risk hazards and provide PPE accordingly
- Employers are required to clean, maintain and replace PPE where necessary
- Employers are obliged to provide necessary storage for PPE when not in use
- Employers are required to ensure correct use of PPE i.e. employees must be fully trained in the use of PPE supplied.

SAFETY HELMET INTRODUCTION

HEAD PROTECTION

The Construction (head protection) Regulation requires employers to supply suitable head protection on construction sites and employees to wear it. Other than construction sites the PPE at Work Regulation 1992 imposes similar duties where there is a risk of head injuries – the regulations detail the responsibility of the employer and employee:

| Employer | Employee |
|--|---|
| Regulation 3 | Regulation 6 |
| Provide, maintain and replace where necessary head protection. | Must wear the head protection provided in accordance. |
| Regulation 4 | Regulation 7 |
| Ensure employees wear head protection where necessary. | Look after the head protection and report any loss or defect immediately. |
| Regulation 5 | |
| Publicise rules regularly regarding suitable use of head protection. | |

IDENTIFYING HAZARDS

A safety helmet is required in almost every industry where there is a risk of being injured by falling debris. In areas of restricted head space where accidental bumping of the head (e.g. overhead piping) is possible a scalp protector/ Bump cap should be considered.

NB: Bump caps are NOT a substitute for safety helmets and must not be used to protect the head from falling objects.

EUROPEAN STANDARDS FOR HEAD PROTECTION

All safety helmets must conform to BSEN 397, which specifies physical and performance requirements of industrial safety helmets. Mandatory tests cover shock absorption, resistance to penetration, flame resistance and chin strap anchorage. Manufacturers can opt to submit products for additional optional tests which could lead to one or more of the following markings appearing on a helmet:

- **-20C/-30C**
The helmet will provide some protection when worn in an environment at or below this temperature
- **440V ac**
The helmet will protect against short term, accidental contact with live electrical conductors up to this voltage
- **LD**
The helmet will provide some protection from lateral compressive loads
- **MM**
Molten metal splash test
- All bump caps must conform to EN812.

Shelf Life, Care and Maintenance

To comply with European standards all helmets are marked with the quarter or month and year of manufacture. If helmets are stored in the boxes in which they were supplied and do not experience environment extremes, the shelf life of a helmet is not limited. However, it is not recommended that a helmet should be in use more than 5 years after the date of manufacture. Excessive wear and tear can drastically reduce this period, and helmets that have been abused, scratched or damaged in any way should be discarded and replaced immediately.

A helmet should be cleaned with soap and water and dried with a soft cloth, it should never been cleaned with abrasive substances or solvents. It should not be stored in direct sunlight or come into contact with chemicals.

HELMET BRANDING

All helmets can be personalised with your company logo.



PROTECTOR 300

Lightweight, just 300 grams. Proven harness technology combined with high density polyethylene shell creates a comfortable balanced lightweight helmet. Moulded ventilation holes and rain gutter. 8 point head harness for comfort and stability. 30mm accessories slot.



HP010

Protector 300VNSB Safety Helmet



EN397



With adjustable harness.




HP011

Protector 300VSB Safety Helmet



EN397



With adjustable harness and terry towelling sweatband.



HP019

Forestry Helmet Elite



EN397
EN1731
EN166
B39
EN352-3



Elite safety helmet with forestry attachments. Flip up carrier with mesh visor. Forestry grade ear muffs. Neck cape.



HP012

Protector 300VEL Safety Helmet



EN397



Comfort terylene 8 point harness and terry towelling sweatband.

JSP EVO3

The EVO3™ Comfort Plus™ helmet combines a super strong shell for superior protection in the widest range of environments, with the comfort benefits of the new Evolution Terylene harness. Packed full of the latest protection technology and features such as the Evolution 3D Adjustment™ system, Revolution™ OneTouch™ Ratchet, which can be adjusted using one hand in a single swift movement.



HP041

JSP EVO3™ Mid Peak Ventilated Helmet with Slip Ratchet



HP041 & HP043

HP042 & HP044

EN397



HP042

JSP EVO3™ Mid Peak Ventilated Helmet with Wheel Ratchet



HP043

JSP EVO3™ Micro Peak Ventilated Helmet with Slip Ratchet



HP044

JSP EVO3™ Micro Peak Ventilated Helmet with Wheel Ratchet



HP045

JSP EVO3™ Linesman Helmet with Slip Ratchet



EN397
EN50365
ANSI Z89



HP040

JSP EVO2™ Mid Peak Ventilated Helmet with Slip Ratchet



EN397



The EVO3™ Linesman helmet is based on the EVO3™ micro peak helmet, with 4-point chin strap harness, ideal for working at height.

The EVO2™ helmet combines a super strong shell for superior protection in the widest range of environments, a traditional 6 point LDPE harness. Top level protection at an economical price. OneTouch™ Ratchet, which can be adjusted using one hand in a single swift movement.

All these helmets are suitable for branding.

JSP EVOLite

- EVOLite® is a breakthrough product.
- Lightweight, extremely comfortable and fits the widest range of head shapes and sizes.
- The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted.
- Gives added security and protection when working at height.
- Adjustment with One Touch™ Slip Ratchet.
- Electrical Insulation standard, this Meets the EN 50365 Class 0 1000V standard.



HP051

JSP EVOLite® Mid Peak Ventilated with Wheel Ratchet

EN397



Harness detail



HP051 & HP053

HP052 & HP050



HP052

JSP EVOLite® Micro Peak Helmet Ventilated With Slip Ratchet



HP053

JSP EVOLite® Micro Peak Helmet Ventilated With Wheel Ratchet



HP050

JSP EVOLite® Mid Peak Ventilated with Slip Ratchet



HP056

JSP EVOLite® CR2 Mid Peak Ventilated with Slip Ratchet



EN397
EN12899-1



EVOLite® CR2 uses Class R2, a high intensity reflective material offering, on average, 60% more reflectivity than standard reflective clothing. EVOLite CR2 is the biggest step-up in night time visibility/reflectivity of head protection to date.



HP054

JSP EVOLite® Linesman Helmet with Slip Ratchet



EN397
EN50365
ANSIZ89



HP055

JSP EVOLite® Linesman Helmet with Wheel Ratchet



EN397
EN50365
ANSIZ89



Centurion Reflex

Very comfortable popular safety helmet with innovative two colour system. Quick and secure slip lock headgear. Choose you main colour then add high visibility yellow or high visibility orange flash. Compatible with Centurion ear defender and visor attachments.



HP221

Centurion Reflex Safety Helmet Silver Flash



EN397
EN50366

Shell Colour

| | |
|--|--|
| | |
| | |
| | |
| | |
| | |

Rear Flash Colour

| | |
|--|--|
| | |
| | |

For ordering
Hi Viz rear flash use order
code **HP220**:
Centurion Reflex Safety
Helmet HV Flash

For ordering
with **Hi Viz shell** use order
code **HP222**:
Centurion Reflex Safety
Helmet HV/HV.



HF225

Centurion Visor

EN166 1 B93



Centurion Concept



HF222

Centurion Browguard Visor Carrier



HF224

Centurion Chinguard

EN173
EN379



HR214

Centurion Baltic Ear Defender

EN352-3



HP210

Centurion Concept Safety Helmet

EN397



| | |
|--|--|
| | |
| | |
| | |
| | |

The Concept helmet is extremely light yet strong. Maximum side impact protection. High absorbency Hydro-Flock sweatband. Ventilation system providing one of the coolest helmets available. Wide area for corporate logoing. Compatible with Centurion ear defender and visor attachments.



HP060

Wearmaster Valencia Safety Helmet

EN397



Lightweight HDPE safety helmet. Well designed, comfortable fully adjustable 6 point LDPE harness with quick and secure slip lock adjustment that can be adjusted while on the head. 30mm accessories slot for earmuffs and visors. Effective leatherette sweatband. 1000v insulation. Optional ventilation holes.



HP090

Wearmaster Universal Chin Strap



Universal fit for most safety helmets. Chinstrap for stability. Fully adjustable.



HP091

Elasticated Chin Strap



2 Point comfort elasticated chinstrap. Suitable for all safety helmets with eyelets.



HP095

Thinsulate® Zero Hood



Thinsulate® lined waterproof ripstop nylon outer. Suitable for all safety helmets. Cold protection without compromising safety.



HP098

Self Adhesive Safety Helmet Logo



Safety helmet approved high quality vinyl self adhesive logos. Especially useful for small quantities and situations where we hold your logo for later distribution. Available with either white or clear backing.



HP099

Safety Helmet Branding



A quality direct printed logo applied is the ultimate and economical to promote your brand on your safety helmet. Please speak to your sales team who will be able to advise on options and prices. Minimum quantities apply,



Protector Bump Cap Range

- New Generation of safety baseball caps designed to give the perfect balance of comfort and protection.
- Specially shaped for stability with elasticated adjustment strap positioned below the optical bone.
- Scalloped ear design to improve compatibility with other PPE.
- Patented micro perforated shell, with indirect crown ventilation.
- Unique flexible shell to provide optimum comfort.
- Wicking comfort fabric. Machine washable.
- Available in 9 colours including EN471 Hi visibility.
- Conforming to EN812.
- Suitable for protection from impact with stationary hazards.
- Reduced peak option for increased vertical field of vision.



Modern styling cap providing impact protection. Adjustable Velcro headstrap. Vented for cooling. Not suitable for adding company logo.

Safety cap to protect the wearer from a stationery hazard impact. Ideal for food industry. Hygienic, all components can be washed.



HF060

Wearmaster Browguard



Wheel twist lock ratchet for secure fit. Adjustable headband. Built in sweatband. Fully adjustable visor pivot. Browguard only supplied. Compatible with polycarbonate visor HF062.



HF061

Wearmaster Helmet Visor Mount



Secure universal fit to most safety helmets. Three preset visor positions. Visor Compatible with polycarbonate visor HF062.



HF062

Wearmaster Polycarbonate Faceshield

EN166 1 B

Polycarbonate full face impact protection. Positive and easy mount/demount. Excellent field of vision and protection.

All Protector Zone headband earmuffs can be converted to visor combinations by using the VMC kits. Kits include the visor and the hinged attachment mechanism.



HP030

Protector Zone VMC Polycarbonate Visor Kit

EN352-1
EN351-1
EN166 1 B39



HP031

Protector Zone VMC Mesh Visor Kit

EN352-1
EN351-1
EN1731 S



HF075

Automatic Darkening Welding Shield

EN173
EN379

Premium welding shield with Auto Darkening Filter. Shade adjustable from 9-13. Darkening and return times controllable. Polyamide shell to protect from heat damage. Comfort harness with wheel adjustment. Battery and Solar Cell power supply.



HF077

Automatic Welding Shield Replacement Outer Lens

Replacement spatter lens for Automatic Welding Shield. Sold in pack 10

PROTECTOR BROWGUARD SYSTEM

A new range of high quality face visors from Protector for use with the HF070 or HF071 browguard. Also mountable on Protector safety helmets with HF072 visor carrier.

HF072 Helmet Visor Carrier

EN166
B39/EN1731 S



Robust visor carrier for attaching visors to Protector safety helmets. Working and raised positions.

HP039 Protector Visor Posts



Fitting posts for mounting visor carrier when ear muffs are not required.

HF070 Protector Premium Browguard

EN166
B39/EN1731 SG



Modern, stylish and comfortable. Secure ratchet twistlock headband. Working and raised positions. A new range of high quality face visors offering top levels of protection. Visors can be fitted to the Browguard (HF070) or Helmet visor carrier (HF072).

HF081 Protector Large Polycarbonate Visor

EN166 F39

Maximum coverage and impact protection. 235mm



HF082 Protector Large Polycarbonate Anti Fog Visor

EN166 1 B39N

Maximum coverage and impact protection. 235mm

HF085 Protector Large Acetate Visor

EN166 2-12 1 F3

Chemical and solvent resistant with maximum coverage 235mm.

HF073 Protector Large Thermoguard Visor

EN166 B39

Heat resistant and reflective visor. 235mm

HF083 Protector Small Polycarbonate Visor

EN166 1 B



High impact resistance for face protection. 150mm.

HF086 Protector Large Welding Visor Shade 5

EN169 5 1 F3



Shade 5 visor for welding applications. 235mm.

HF084 Protector Medium Polycarbonate Visor with Chinguard

EN166 1 B39N



Maximum coverage and impact protection. Chinguard provides enhanced rigidity and protection. 185mm

HF087 Protector Medium Nylon Mesh Forestry Visor

EN1731 S

Nylon mesh visor for protection from thrown debris. 185mm.



HF088 Protector Medium Steel Mesh Forestry Visor

EN1731 S

Steel mesh visor for protection from thrown debris. 185mm

Hearing Protection

Damage to the tiny sensory hair cells in the inner ear is irreversible.

The Noise at Work regulations require that any persons working in noise levels between 80 dBA and 85 dBA must be provided with suitable hearing protection. If noise levels are above 85dBA then hearing protection must be worn. In addition, the new Exposure Limit Value requires that no worker may be exposed to more than 87dBA 8 hour equivalent under any circumstances, taking into account any hearing protection worn.

There are also new action values for impact noise and the requirement for Risk Assessments. As part of risk assessment, a noise meter should be used to monitor sound level.

SNR (single number rating) is only a general means of comparing differing ear protection, generally the higher the SNR number the higher the performance of the ear protection across a range of noise frequencies.

EUROPEAN STANDARDS FOR HEARING PROTECTION

The new European Directive for PPE 89/686/EEC has led to the introduction of European Standard EN352 to cover ear protection.

EN352 Part 1 Ear Muffs

EN352 Part 2 Ear Plugs

EN352 Part 3 Helmet mounted Ear Muffs

EN352 Part 4 Level dependent Ear Muffs

EN352 Part 5 Active Noise Reduction Ear Muffs

EN352 Part 6 Ear Muffs with Electrical Audio Input

EN352 Part 7 Level Dependant Ear Plugs



CHOOSING THE RIGHT HEARING PROTECTION

Ear Muffs

A traditional method of ear protection. The modern range of ear muffs cope with a very wide spectrum of industrial hazards. It is important to study the attenuation characteristics of each model as they do vary in performance across the range of sound frequency.

Ear Plugs

These can be worn conveniently with all other PPE items. They are easy to use, with attenuation provided often exceeding that of ear muffs. Whilst disposable, they provide excellent long-term protection. Most ear plugs are also available in a corded version and can be carried around the neck when not in use.

Semi-Aurals (Banded Hearing Protection)

Stored conveniently and unobtrusively around the neck when not in use, this is the perfect product for supervisors, managers and others who move intermittently in and out of noise hazardous areas.

Tracers

These are metal detectable ear plugs and have an easy to see blue vinyl cord making them ideal for the food manufacturing industry.

Helmet Mounted Ear Muffs

Popular with safety officers, head and ear protection in one. Styled to be sensibly parked when not in use.

Electronic Hearing Protection

The latest in sound technology – hearing protectors that amplify weak sounds whilst attenuating loud noises.

Communication Head Sets

For people covering large areas within a noisy environment, ear muffs that incorporate communication systems.



HR512 Laser Lite Ear Plugs

EN352-2



SNR 35. Packed in pairs, individually wrapped sealed hygiene packet. Vibrant colours make protection visible. Self adjusting foam expands to fit virtually any wearer. Contoured T shape facilitates easy insertion. Box 200 pairs.



HR537 QB1 Ear Plug

EN352-2



SNR 28. Packed in pairs, individually wrapped sealed hygiene packet. Patented 'no roll' design for easy insertion and uncontaminated fit. Contoured shape for comfort. Built in insertion stem. Pairs packed in individual flip top box. Box of 50.



HR513 Laser Lite Corded Ear Plugs

EN352-2



SNR 35. Packed in corded pairs, individually wrapped sealed hygiene packet. Vibrant colours make protection visible. Self adjusting foam expands to fit virtually any wearer. Contoured T shape facilitates easy insertion. Box 100 pairs.



HR538 QB1 Corded Ear Plug

EN352-2



SNR 28. Packed in corded pairs, individually wrapped sealed hygiene packet. Patented 'no roll' design for easy insertion and uncontaminated fit. Contoured shape for comfort. Built in insertion stem. Pairs packed in individual flip top box. Box of 50.



HR555 Wearmaster Comfort Fit Earplug

EN352-2



SNR 33. Specially formulated for exceptional comfort and low even pressure on the ear canal whilst delivering consistent protection. Bell shaped design to assist insertion. Packed in a robust dispenser box with each pair wrapped in a sealed hygiene packet. Box 200 pairs.



SNR37. Neon yellow for easy visibility. Self-adjusting soft high comfort foam fits virtually any wearer.



HR524

Betafit Foam Earplug Dispenser Pack

EN352-2



Packed in a robust refillable dispenser, easy vision and hygienic with simple one handed twist to dispense operation.



HR510

Betafit Foam Earplug

EN352-2



Packed in a robust dispenser box with each pair wrapped in a sealed hygiene packet. Box 200 pairs.



HR528

Betafit XLP Earplug Dispenser Refill

EN352-2



Packed in a bag designed for minimal waste and easy refilling of the Betafit dispenser. Packed in a bag designed for minimal waste and easy refilling of the Betafit dispenser.



HR518

Betafit Corded Foam Earplug

EN352-2



With cord for convenience in regular, short term use environments. Packed in a robust dispenser box with each pair wrapped in a sealed hygiene packet. Box 200 pairs.

SNR 34. Specially moulded for exceptional comfort and low pressure on the ear canal whilst delivering consistent protection. Bell shaped design to assist insertion.



HR525

Betafit Foam Earplug Dispenser Refill

EN352-2



Packed in a bag designed for minimal waste and easy refilling of the Betafit dispenser. 500 Pairs



HR526

Betafit XLP Earplug

EN352-2



Packed in a robust dispenser box with each pair wrapped in a sealed hygiene packet. Box 200 pairs.



HR527

Betafit XLP Earplug Dispenser Pack

EN352-2



Packed in a robust refillable dispenser, easy vision and hygienic with simple one handed twist to dispense operation.

Detectable Earplugs



HR523 Detectable Laser Track Ear Plugs

EN352-2



SNR 35. Highest SNR available in disposable detectable ear plugs. Self adjusting foam expands to fit virtually any wearer. Non ferrous metal and bright colours for safe and easy detection. Corded. Ideal for food industry.
Box 100 pairs



HR532 Betafit Detectable Earplug

EN352-2



SNR 28. Very soft Conical design providing a reliable snug fit. Metal detectable with fully detectable cord. Suitable for washing and re-using many times making these very economical in use. Packed in a robust dispenser box with each pair wrapped in a sealed hygiene packet.
Box 50 pairs.



HR521 Smart Fit Ear Plugs

EN352-2



SNR 30. Advanced material uses body heat to adapt to the individual shape of the each wearer. Delivers superior comfort and a truly individual fit. Corded. Hear pack storage case.
Box 50 pairs.



HR530 Noisebeta Banded Earplug

EN352-2



SNR 20. Super soft pads rest on the outside of the ear canal. Provided in a dispenser box with each unit individually wrapped complete with a spare pair of pods.
Box 20.



HR531 Noisebeta Superior Banded Earplug

EN352-2



SNR 26. Fully adjustable for superior comfort and fit. Provided in a dispenser box with each unit individually wrapped complete with a spare pair of pods.
Box 20.



HR534 Noisebeta Superior Replacement Pods

EN352-2



Replacement pods for Superior Noisebeta Banded Ear Plug (HR531).
Box 50 pairs.



Zone hearing protection from Scott Protector. A range of smart, comfortable, lightweight units offering superb protection levels and constant lifetime performance. Ergonomic mounting to give even pressure distribution.

Comfort padded headband and adjustable cups for ultimate fit

HR053 Protector Headband Zone 1 Ear Muffs

EN352-1



SNR29. Lightweight hearing protector suitable for most general industrial noise.

HR054 Protector Headband Zone 2 Ear Muffs

EN352-1



SNR31. High performance hearing protector suitable for heavy industrial noises and chainsaws.

HR055 Protector Headband Zone 3 Ear Muffs

EN352-1



SNR34. Hearing protector designed for extreme conditions including protection from jet engines and high levels of low frequency noises.

30mm slot, helmet mount fitting

HR050 Protector Helmet Mounted Zone 1 Ear Muffs

EN352-3



SNR27. Single point spring mounting. Work and rest positions. Lightweight hearing protector suitable for most general industrial noise.

HR051 Protector Helmet Mounted Zone 2 Ear Muffs

EN352-3



SNR29. Single point spring mounting. Work and rest positions. High performance hearing protector suitable for heavy industrial noises and chainsaws.

HR052 Protector Helmet Mounted Zone 3 Ear Muffs

EN352-3



SNR32. Single point spring mounting. Work and rest positions. Hearing protector designed for extreme conditions including protection from jet engines and high levels of low frequency noises.

Sprung steel neckband to allow for wearing earmuffs and head protection together.

HR056 Protector Neckband Zone 1 Ear Muffs

EN352-1



SNR33. Hearing protector designed for extreme conditions including protection from jet engines and high levels of low frequency noises.

HR057 Protector Neckband Zone 2 Ear Muffs

EN352-1



SNR31. High performance hearing protector suitable for heavy industrial noises and chainsaws.

HR058 Protector Neckband Zone 3 Ear Muffs

EN352-1



SNR28. Lightweight hearing protector suitable for most general industrial noise.

HR357

Wearmaster Headband Earmuff

EN352:1



SNR25. Super lightweight adjustable earmuff. Durable construction. Soft comfort foam filled cushions.

HR355

Betafit Heavy Duty Earmuff

EN352-1
EN352-2



SNR 32. Very robust earmuff delivering superior comfort and performance. Fully adjustable and soft padded cushions. Strong Stainless Steel folding sidearms.

HR356

Betafit HV Heavy Duty Earmuff

EN352-1
EN352-2



SNR 32. Very robust earmuff delivering superior comfort and performance. Fully adjustable and soft padded cushions. Strong Stainless Steel folding sidearms.

All Protector Zone headband earmuffs can be converted to visor combinations by using the VMC kits. Kits include the visor and the hinged attachment mechanism.

HP030

Protector Zone VMC Polycarbonate Visor Kit

EN352-1
EN351-1 EN166
1 B39



HP031

Protector Zone VMC Mesh Visor Kit

EN352-1
EN351-1
EN1731 S



NO OBLIGATION TRIAL We offer a no-obligation trial for up to 3 months, so that you can assess whether personal earplugs are suitable for your working environment. We are confident that they will meet your needs but in the event of you deciding they are not suitable simply send back your trial earplugs, complete with their packaging and no cost will be incurred by your company.



HR599

Personal Fitted Earplugs

EN352-2

A non-allergenic silicone CE approved earplug Compatible with other personal protective equipment. Long lifespan. Whilst wearing personal earplugs you are able to hear speech and alarms. Choice of vented earplug **29SNR** or solid earplug **31SNR**. Eco-friendly. Available in 3 different colours: Yellow, Blue and Transparent. Available in metal detectable for food industry. Has the facility to hard wire personal radios, bluetooth headsets or a range of communication equipment available including ATEX approved fitments. All day wear-ability. Supplied in a personal leatherette pouch with a belt clip and an instruction label. Additionally a user instruction sheet is provided and a unique reference number which allows us to find your earplugs on the database. EN 352-2



HR060

Protector Zone Headband Active Listening Earmuffs

EN352-1&6
EN352



SNR29. Level alert that recognises harmful noises and shuts them out allowing you to communicate with ease. Complete with batteries. Comfortable and lightweight smart design with comfort headband that gives even pressure distribution. Consistent performance throughout product lifetime. Adjustable cups.



HR061

Protector Zone Helmet Mount Active Listening Earmuffs

EN352 3&4
EN352

SNR25. Single attachment point that gives even pressure distribution. Adjustable cups with work and rest positions.



HR062

Protector Zone Headband AM/FM Radio Earmuffs

EN352-3
EN352-6



SNR31. Allowing you to tune into desired radio frequencies and be protected from harmful noises. Comfortable and lightweight smart design with single attachment point that gives even pressure distribution. Consistent performance throughout product lifetime.



HR063

Protector Zone Helmet Mount AM/FM Radio Earmuffs

EN352 1 & 6
EN352 8

SNR27. Single attachment point that gives even pressure distribution. Adjustable cups with work and rest positions.



HB240

2 Talk Pro Headband Headset

EN352-1



29 SNR. Hands free communication for total freedom. Works up to 200 metres. Full encryption for total security, in pairs. Noise cancelling microphone boom for clear speech transmission. No licence required. Comfort padded headband. (price shown is each, two required for a pair)



HB241

2 Talk Pro Helmet Mount Headset

EN352-3

SNR 28. (30mm helmet mount slot for most safety helmets. price shown is each, two required for a pair)



HR456

MSA Sordin HPE Ear Muff Helmet Attach

EN352-3



31 SNR. Premium helmet attach earmuff with probably the strongest mechanism available. A firm favourite in the arborist industry but very suitable for all areas requiring a top of the range product.



HR455

MSA Sordin EXC Ear Muff Helmet Attach

EN352-3

26 SNR. Premium helmet attach earmuff with probably the strongest mechanism available. A firm favourite in the arborist industry but very suitable for all areas requiring a top of the range product.

Contego is able to supply full duplex communication systems for your whole site requirement. This can be tailored to your requirements and include fittings compatible with any major communication equipment you already may have on site. Please enquire with your requirements and we can arrange a site survey and trial so that you can be assured that any system you invest in will really work for you.



HB150

Sound Badge Single Unit



Sound Level Meter & Miniature noise dosimeter system. Records downloadable information on Max/Min and average sound levels for up to 8 hours, Includes USB cable, rubber case, rubber strap, manual, software, 10 wind shields and calibration coupler.



HB151

Sound Badge Calibrator

Calibration unit to ensure you are obtaining accurate information from your sound badge.



HB152

Digital Sound Analyser



High quality popular analyser providing clear and accurate information to analyse your noise hazards. Datalogger function for Information download 31.5Hz to 8kHz.FFT Analysis. 50dB Dynamic Range. Speech Intelligibility measurements. Building Acoustics. Clear backlight display . 3 year warranty



HB153

Sound Ear



Sound Ear 2 gives up to the second visual display on your sound exposure and sends data to a USB logger for the transfer of up to 4 weeks sound level data to your PC. Enables presentation, processing and reporting of measurement data for your permanent record with the included sound log software.

EYEWEAR PROTECTION

The wearing of eye and face protection in hazardous areas is a requirement under regulation 4 of the PPE at Work Regulations 1992. There are a number of different products for eye and face protection. Whilst every effort should be made to remove the hazards as the result of a Workplace Risk Assessment, if safety eyewear is necessary, the following selection criteria should be considered:

| TYPE OF HAZARDS: Four Categories | TYPES OF PROTECTION |
|--|--|
| Mechanical: Flying debris, dust or molten metal | Safety Faceshield: Protects the face as well as the eyes but does not keep out dust or gas. Comfortable for use for long periods. |
| Chemical: Fumes, gases or liquid splash | Safety Goggles: Can provide protection for all types of hazards and can be worn over spectacles. |
| Radiation: Heat (infrared), ultraviolet light or glare | Safety Spectacles: Comfortable and available in a variety of styles. Will not keep out dust, gas or molten metal. Models are available with prescription lenses |
| Laser Light: Over a wide spectrum of wavelengths from ultraviolet to infrared | |

TYPE OF LENS:

Various shades of lenses are available for specialised industries such as foundries, glass working and welding.

Different lens shades can also enhance visions for tasks such as inspection – for specialised applications please contact us on 01273 831800.

Icon Key



Lightweight



UV400 Plus



Scratch Resistant



Anti Mist



Sun Spec




Welding



Visual Light Spectrum


Choose Correct Lens Filter



Using the correct X2 filter will offer the correct protection and excellent colour recognition in accordance with the EN172 standard.

UV and the Effect on the Eye

When protecting the eyes it is important to select the correct type of lens filter. Clear polycarbonate lenses offer protection at the lower (UV215 to 380nm) range, whilst a filter conforming to EN172 offers additional protection through to 380nm.



Eyewear EN Guide

EN166 General Specifications

EN169 Welding filters

EN170 Ultraviolet filters

EN171 Infrared filters

EN172 Solar protection filters for industrial use

EN175 Welding work equipment

EN207 Laser protection eyewear

EN208 Laser adjustment eyewear

EUROPEAN STANDARDS FOR EYE PROTECTION – EN166

To help you in your understanding of markings on eye protection products covered by this standard you should note:

| Code Number | Filter Type (marked on lens) | Mechanical Resistance | | |
|-----------------------|--|-----------------------|-------------------------------------|--|
| 2 | UV filter | | Impact Level | Maximum Speed |
| 2C or 3 | UV filter with good colour recognition | | | Types of Eye Protection |
| 4 | Infrared filter | A (T) | High Energy Impact | 190 m/s |
| 5 | Sunglare filter | B (T) | Medium Energy Impact | 120 m/s |
| 6 | Sunglare filter with IR specification | F (T) | Low Energy Impact | 45 m/s |
| | | 5 | Increased Robustness | 5.1 m/s |
| Optical Class | | | | |
| 1 | ± 0.06 dioptres can be worn at all times | | | |
| 2 | ± 0.12 dioptres should only be worn for occasional use | | | |
| 3 | ± 0.25 dioptres should not be worn for long periods | | | |
| | *Please Note: The complete X2 Range is Optical Class 1 | | | |
| Optional Requirements | | | | |
| K | Resistance to Surface Damage by Fine Particles | | | |
| N | Resistance to Lens Fogging | | | |
| T | Extreme Temperature of -5°C and +55°C | | | |
| | | | | (T) frame/lens has had additional extreme temperature test at -5°C and +55°C |
| | | Shade Number | Shown after Code Number | |
| | | 1.2 | Clear, Amber | |
| | | 1.4 | XTP, Blue | |
| | | 1.7 | Green, Anti Flash | |
| | | 2.5 | Smoke, Silver Mirror, Blue Mirror | |
| | | 3.1 | Dark Smoke | |
| | | 5.0 | Dark Green, Gas welding filter only | |

A GUIDE TO CHOOSING THE RIGHT EYEWEAR

- **Will the user be wearing other items of PPE which may affect the fit of the eyewear?**
e.g. respirators or hearing protection.
- **Will the user be working in a warm environment where the lenses will mist up quickly?**
You may want to consider a different ventilation system or a coated anti-mist lens.
- A good fit is essential if the full protection potential of the eyewear is to be achieved.
- Comfort is important if the user is going to be wearing the eyewear for long periods.

Lens and Arm EN Product Markings

| Lens | | | | | |
|-----------------------------|-----------------------------|-----------------------|-----------------------|-----------------------|----|
| 2-1.2 | VH | 1 | FT | KN | CE |
| UV Filter and Shade | Manufacturer Identification | Optical Class | Mechanical Resistance | Optional Requirements | |
| Arm | | | | | |
| VH | 166 | FT | CE | | |
| Manufacturer Identification | Standard | Mechanical Resistance | | | |

Lens Marking



Frame Marking



Understand your Lens and Arm EN Product Markings



HE225

Betafit Eiger Safety Goggles

EN166 1B



Very comfortable ski style goggle with soft face seal and contour fit. Anti-Scratch and Anti-Mist lens. Class 1 optical clarity. Adjustable comfort headstrap.



HE310

Concord Safety Goggles

EN166 1B



Modern style goggle with comfort fitting, hard coat and Anti-fog treated wraparound lens. Designed to be fitted to the Carson Faceshield to provide certified impact protection to the whole face.



HE311

Carson Faceshield

EN166 1B



Faceshield designed to give EN166B medium impact protection when fitted to Concord safety goggles.



HE174

Wearmaster Cheyenne Safety Goggle

EN166
1BKN
EN170



Premium goggle with deluxe comfort soft faceseal. PVC frame with Ventilation. Tough polycarbonate, Anti fogging, scratch resistant Polycarbonate lens provides excellent protection from impact and UV rays.



HE302

Indirect Vent Safety Goggles

EN166 1B
EN166 3B



Economic goggle offering liquid splash protection due to the indirect ventilation system.



HE300

Direct Vent Safety Goggles

EN166 1B



A compact lightweight goggle. Tough polycarbonate lens offers high resistance to impact from flying particles. Vented body. PVC frame.



HE195

Betafit Xcalibur Goggle

EN166 1B



Sealed Aviator style goggle provides very high levels of protection. Slim and unobtrusive. Compatible with respiratory masks.



HE601 Neutron Sealed Safety Goggle

EN166 1B



Sealed frame for protection from gasses and very fine dust particles. Polycarbonate lens for maximum impact resistance.

HE602 Neutron Vented Safety Goggle

EN166 1B



Indirect vented frame for maximum comfort. Polycarbonate lens for maximum impact resistance.

Premium modern, lightweight and low profile: Neutron goggles offer a panoramic field of vision and excellent compatibility with other PPE, respirators and safety helmets.

Stylish aesthetics and all day comfort. Pliable comfort frame with pivoting headband outrigger for optimum fit. High performance durable anti-fog and anti-scratch lens coatings providing best clarity and UV protection. Fits over most prescription glasses.

HE603 Neutron Chemical Safety Goggle

EN166 1B



Indirect vented frame for maximum comfort. Acetate lens for chemical and solvent resistance.

HE604 Neutron Shade 5 Safety Goggle

EN166 1B



Black sealed frame for protection from gasses and very fine dust particles. Shade 5, suitable for gas welding. Polycarbonate lens for maximum impact resistance.

HE605 Neutron Goggle RX insert

EN352-2



Innovative insert for an economical solution for your prescription lenses. Simply fits your lens to the goggle for maximum convenience.



HE606 Bora Vented Safety Goggle

EN166 1B



Ultra lightweight and slim profile safety goggles. panoramic field of vision and excellent compatibility with other PPE, respirators and safety helmets. Stylish aesthetics and all day comfort. Pliable comfort frame with pivoting headband outrigger for optimum fit. High performance durable anti-fog and anti-scratch lens coatings providing best clarity and UV protection. Indirect vented frame for maximum comfort. Polycarbonate lens for maximum impact resistance.

Betafit Montana range

Lightweight one piece wraparound Anti-Scratch lens with top level optical performance. Adjustable duo-Technology sidearms for optimum fit and stability. Supplied with safety spectacle cord.

HE201 Betafit Montana Safety Glasses

EN166 1F



Lightweight one piece wraparound Anti-Scratch lens with top level optical performance.

HE202 Betafit Montana AF Safety Glasses

EN166 1F



Added benefit of an Anti-Mist lens coating.

HE203 Betafit Montana Smoke Safety Glasses

EN166 1F



Smoke tinted lens to reduce eye fatigue in bright outdoor situations.

HE204 Betafit Montana Amber Safety Glasses

EN166 1F



Amber lens to give light enhancement in low light environments.

HE205 Betafit Montana Mirror Safety Glasses

EN166 1F



Mirror lens for light glare reduction and enhanced aesthetics.

HE206 Betafit Montana Indoor/Outdoor Safety Glasses

EN166 1F



Lightly tinted lens to provide improved light balance for workers that move in and out door regularly Provides glare protection and good light transmission. Ideal for fork truck drivers.

HE172 Wearmaster Topeka Safety Glasses

EN166 1FKN
EN170



Safety glasses feature lightweight design with superior wraparound coverage. High grade, scratch resistant Polycarbonate lens provides excellent protection from impact and UV rays.

HE227 Betafit Garda Safety Glasses

EN166 1F



Superior wrap around design with larger lens for greater coverage. High quality smoke polycarbonate lens coating with anti scratch coating giving excellent impact and enhanced UV light protection.

HE228 Betafit Garda Smoke Safety Glasses

EN166 1F



Superior wrap around design with larger lens for greater coverage. High quality polycarbonate lens coating with anti scratch and anti mist coating giving excellent impact and UV light protection.

HE135 X2 Xcell Shade 5

EN166
EN169
EN170



Lightweight single piece lens design with X2 quality coatings. Wraparound coverage giving optimum safety and peripheral vision. Shade 5 lens gas welding protection.

HE132 X2 Xcell Shade 2

EN166
EN169
EN170



Lightweight single piece lens design with X2 quality coatings. Wraparound coverage giving optimum safety and peripheral vision. Shade 2 lens for indirect welding protection.

HE171 Wearmaster Springfield Safety Glasses

EN166 1F
EN170



Safety glasses feature lightweight design with superior wraparound coverage. Duo technology padded arms ensure great stability and comfortable wear. High grade Anti fogging, scratch resistant Polycarbonate lens provides excellent protection from impact and UV rays.

SAFETY PRESCRIPTION EYEWEAR

Where the need for eye protection has been identified in the workplace, legislation requires the employer to provide safety eyewear for all employees, including those who wear prescription spectacles.

A quality range of prescription safety glasses designed to meet the requirements of today's workforce. Choice of lens material, tempered mineral, CR39 anti scratch polymer or polycarbonate. Available extras include, anti reflective coatings, tints, photochromic lenses and lens thinning.

Choosing the most appropriate lens material:

| | |
|------------------------|--|
| CR39 Plastic | Extremely lightweight, impact resistant to EN166-S., Good chemical resistance, resistant to hot metal particulates. |
| Polycarbonate | Extremely lightweight, thinner lenses, impact resistant to EN166-F. Hard coating gives higher scratch resistance, absorbs UV light. |
| Toughened Glass | Impact resistant to EN166-S. Heavier to wear than most other lens types, often marginally greater resistance to abrasion (not always suitable for all frame styles). |

Easy ordering Prescription Safety Glasses

- 1) Contact Contego Safety Solutions for a supply of order forms.
- 2) When you require prescription safety spectacles, you complete the form as indicated. You send the form with the person visiting the optician.
- 3) The optician will prescribe the correct lenses and frame sizes. Should a sight test also be required, the optician will require additional payment for this service. This can be paid on your behalf and included in the final invoice.
- 4) The optician then completes your order form, and sends it direct to the laboratory.
- 5) Our laboratories manufacture the spectacles to the specific order, and return them to the optician.
- 6) The wearer revisits the optician to have the spectacles fitted.
- 7) To save you time and trouble, you will receive only one invoice, covering both the spectacles and the optician's dispensing.



Our range includes the most popular styles from more comprehensive listings. A catalogue of more styles is available upon request.





HE410

X2 Xcess Clear

EN166 1F



Smart wraparound styling for comfort and protection. Clear premium two piece lens.



HE411

X2 Xcess Smoke

EN166 1F



Smart wraparound styling for comfort and protection. Smoke premium two piece lens with 22% Visible light transmission.

X2
A new concept in premium safety glasses - Built to the highest standards and specifications. Great quality, comfort, safety, style and fit without compromise. Latest technology lens coatings providing Highest UV protection, unrivalled fogging and scratch resistance together with the highest optical clarity performance. Supplied with Microfibre protection and cleaning pouch.



HE412

X2 Xtreme Smoke

EN166 1F



Neat modern brow bar style. Smoke premium two piece lens with 22% Visible light transmission.



HE413

X2 Xtreme Clear

EN166 1F



Neat modern brow bar style. Clear premium two piece lens.



HE414

X2 Xtreme High Definition

EN166 1F



Neat modern brow bar style. Blue high definition lens to sharpen vision in low light. Shows marks on glass that the naked eye fails to see. Excellent in glass manufacturing.



HE176

Visispec Safety Overglasses

EN166 1F



Designed to fit over prescription glasses. Clear polycarbonate lens with class 1 optical clarity. Vented sidearms for improved airflow.



HE175

Uvex Super OTG Over Glasses

EN166 1F



Comfortable over glasses with self adjusting arms offering comfortable safe and secure fit. Optidur anti-scratch coating. Maximum UV protection and highest optical clarity.



Eyewear Accessories



HE589

Goggle Bag



Protect your safety goggles with a purpose made drawstring microfiber pouch.



HE587

Spectacle Bag



Protect your safety glasses with a purpose made drawstring microfiber pouch.



HE580

Zip Spectacle Case



Suitable for all types of safety glasses. With belt fixings and spring clip.



HE585

Spectacle Lens Cleaning Station



Wall hanging station for safety glasses maintenance. Contains 500ml cleaning solution and 1500 non-abrasive cleaning tissues. Refillable.



HE586

Spectacle Lens Cleaning Towelettes



Pre-moistened towelettes formulated for safety glasses lens coating. Cleans and polishes.



HE584

Spectacle Lens Cleaning Tissue



Non-abrasive formulation for safety glasses.



HE588

Safety Spectacle Cord



Retainer cord for safety glasses with safety release fittings.



HE583

Spectacle Lens Cleaning Solution



500ml spray pump action bottle. Formulated for safety glasses lens coating. Non-smear, alcohol and silicone free.

RESPIRATORY PROTECTION

The use of Respiratory Protective Equipment (RPE) in the workplace is subject to the Control of Substances Hazardous to Health (1994) and PPE at Work Regulations (1992). The use of RPE is essential to reduce the exposure to potentially harmful materials. RPE is normally required when the concentration of a substance in the atmosphere makes the environment uncomfortable or the level exceeds the limits laid down by the HSE (Occupational Exposure Limited (OEL's)).



IDENTIFYING THE TYPE OF HAZARD

It is imperative to select the correct respiratory equipment, but first, the potential hazard must be identified.

- Dusts:** Dusts are created when solid materials are broken down into fine particles. The smaller the dust, the greater the hazard.
- Mists:** Mists are tiny liquid droplets that are formed by atomisation and condensation processes such as spraying.
- Fumes:** Fumes are created when materials are vaporised at high temperature. The vapour is cooled quickly and condenses into extremely fine particles.
- Gases:** Gases are airborne materials – created at high temperature and can travel very far, extremely quickly.
- Vapours:** Vapours are the gaseous state of substances that are either liquid or solid at room temperature. They are created through the process of evaporation.

For advice on any product, verifying its suitability by referring to an extensive chemicals database please call on 01273 831800.

EUROPEAN STANDARDS FOR RESPIRATORY PROTECTION

Respirators are tested to the relevant European Standards and CE marked. All carry the CE mark, relevant European Standard and performance category markings.

| | | | |
|-------------------------------|---|-----------------|--|
| EN149:2001/EN149:1999: | Filtering facepiece particulate respirators | EN147: | Powered – full face masks |
| EN405: | Valved filtering half mask respirators for gases and/ or particulates | EN371: | Gas and/or combined filters for use against low boiling organic compounds |
| EN140: | Halfmask facepieces | EN402: | Escape Apparatus, SCBA with full face mask or assembly mouthpiece assembly |
| EN136: | Full facepieces | EN1146: | Compressed air escape apparatus with hood |
| EN137: | Self-contained open-circuit compressed air breathing apparatus | EN12941: | Powered respirators – hoods and helmets |
| EN141: | Gas and Vapour filters | EN12942: | Powered respirator full face masks |
| EN143: | Particulate filters | | |
| EN146: | Powered respirators – hoods and helmets | | |

DISPOSABLE DUST RESPIRATOR STANDARDS

Maximum usage level

EN149 FFP1 4x OEL **EN149 FFP2 10x OEL** **EN149 FFP3 20x OEL**

Choosing the correct Respiratory Protective Equipment by Identifying the Hazard and It's Concentration

In order to select the correct respiratory protection it is imperative that the potential hazard must be identified. Reference to the supplier's materials safety data sheets, Health and Safety Executive publications, such as Guidance Note EH40, will provide information on occupational exposure limits. Using this information and investigating the workplace we can:

- 1) Establish the name and form of the contaminant.
- 2) Determine potential harmful effects of the contaminant.
- 3) Identify specific regulations, Approved Codes of Practice or Guidance Notes applicable.
- 4) Find the Occupational Exposure Limit (OEL) for contaminant (mg per cubic metre and/or ppm). See HSE Guidance Note EH40.
- 5) Establish airborne concentration of contaminant (mg per cubic metre and/or ppm).
- 6) Determine the nature and length of the exposure.
- 7) Ascertain level of protection required, by dividing the time weighted average airborne concentration by the OEL.
- 8) Select the appropriate respiratory protection by choosing a device which has a protection factor higher than the required level of protection.

The following example demonstrates how the above information can be used to help select respiratory protection.



| | |
|----------------------|-----------------------------|
| Contaminant: | Graphite |
| Form of contaminant: | Dust |
| Health effects: | Impairment of lung function |
| Concentration: | 40mg/m ³ |
| OEL: | 4mg/m ³ |
| Total exposure time: | 6 hours |

Therefore: 8 hour TWA concentration =
 $(40\text{mg/m}^3 \times 6 \text{ hours}) / 8 \text{ hours}$
 = 30mg/m³
 Divide TWA by OEL to establish
 factor required =
 $30\text{mg/m}^3 / 4\text{mg/m}^3$
 = 7.5

Therefore: Use a dust respirator with an assigned protection factor of greater than 7.5

FIT TESTING

The CoSHH regulations and associated ACOP require employers of wearer of tight fitting facepieces to conduct a fit test to assess the degree of face seal leakage of that respirator to the wearer.

Tight fitting facepieces include disposable particulate respirators and half and full face masks with filters. A fit test should also be conducted on powered and airfed respirators that include a tight fitting facepiece.



RPE MAINTENANCE

CoSHH requires that all respirators are

- examined on a regular basis (monthly) – in the case of air fed RPE, air purity testing is also required.
- maintenance records for the above must be kept for a minimum of 5 years.

RPE maintenance only needs to be performed if the equipment is used for more than a month before being disposed of.



HA301

Betafit FFP1 Disposable Respirator

EN 149



High quality disposable Particle respirators to 4x OEL offering exceptional comfort and protection. Box 20.



HA321

Betafit FFP1 Valved Disposable Respirator

EN 149



High quality disposable Particle respirators to 4x OEL offering exceptional comfort and protection. With exhalation valve. Box 10.

High quality disposable respirators offering exceptional comfort and protection. Low breathing resistance due to the latest in filter medium technology. Comfortable soft face seal. Preformed nosebridge ensures a consistent fit. Simple comfort head harness. No metal components. Formed outer shell helps maintain shape even in high humidity areas.



HA302

Betafit FFP2 Disposable Respirator

EN 149



High quality disposable Particle respirators to 10x OEL offering exceptional comfort and protection. Box 20.



HA322

Betafit FFP2 Valved Disposable Respirator

EN 149



High quality disposable Particle respirators to 10x OEL offering exceptional comfort and protection. With exhalation valve. Box 10.



HA323

Betafit FFP3 Valved Disposable Respirator

EN 149



Soft face seal ring and fully adjustable straps giving even greater levels of comfort and protection. With exhalation valve. Box 5.



HA171

FFP1 Classic Respiratory Mask

EN 149



Moulded disposable respiratory protection mask. Traditional design. Box 20.



HA172

FFP2 Valved Classic Respiratory Mask

EN 149



Moulded disposable respiratory protection mask. Traditional design with exhalation valve. Box 10.



HA173

FFP3 Valved Classic Respiratory Mask

EN 149



Moulded disposable respiratory protection mask. Traditional design with exhalation valve. Box 10.




HA355

Basic Dust Respirator

EN 149



Economy protection from non toxic dust. Moulded cup gives good fitting and comfort. Box 50.



HA351 FFP1 Fold Flat Disposable Respirator

EN 149



Box 20.

HA352 FFP2 Fold Flat Disposable Respirator

EN 149



Box 20.

Soft lightweight fabric provides a comfortable face seal and low breathing resistance. Fold flat design for easy storage and carrying. Excellent shape retention. Valved options to give increased wearer comfort by reducing the temperature and humidity within the mask. Pretensioned strap to provide good face fit. Individually wrapped in a dispenser box.

HA354 FFP2 Valved Fold Flat Disposable Respirator

EN 149



With exhalation valve. Box 20.

HA356 FFP2 Valved C Fold Flat Disposable Respirator

EN 149



Carbon impregnated to give added protection against nuisance odours and organic vapours. With exhalation valve. Box 20.

HA353 FFP3 Valved Fold Flat Disposable Respirator

EN 149



With exhalation valve. Box 20.

HA381 C Series P1 Fold Flat Disposable Respirator

EN 149



High quality disposable Particle respirators to 4x OEL

HA382 C Series P2 Fold Flat Disposable Respirator

EN 149



High quality disposable Particle respirators to 10x OEL

Colour coded range of high quality fold flat respirators with low breathing resistance due to the latest in filter medium technology. Comfortable soft face seal. Proven to have exceptional fit characteristics in accredited testing. Packed in dispenser box of 20 masks

HA383 C Series P3V Fold Flat Disposable Respirator

EN 149



High quality disposable Particle respirators to 20x OEL With exhalation valve.

HA384 C Series P2V Fold Flat Disposable Respirator

EN 149



High quality disposable Particle respirators to 10x OEL With exhalation valve.

Premium quality 1/2 mask where great attention has been given to the comfort, effectiveness and ease of maintenance. Ergonomic design and robust, premium materials ensure the best, enduring and most comfortable fit. Unique 4 piece design allows the mask to be dismantled in seconds for thorough cleaning. Bayonet filter attachment with 'click in place' to ensure rapid, positive fitting. Easy adjust cradle to allow you the optimum fit every time. Perfectly balanced to give great stability and weight distribution. For use with the b-lock filter range.



HA010

Milan Respiratory 1/2 Mask

EN140



Silicone face cup to give premium fit and comfort.



HA012

Bologna Respiratory 1/2 Mask

EN140



Thermoplastic Rubber face cup for a more economical solution providing improved reduction of paint contamination.



HA038

Respiratory Mask Protection Bag



Robust carry bag complete with attachment buckle to protect and carry your 1/2Mask



HA135

b-lock P3 Filter

EN143



Effective protection from particles and vapours



HA131

b-lock A2 Filter

EN14387



Effective protection from organic gasses

High quality comprehensive filter range designed specifically for use with the twin filter mask selection, (HA010, HA012, HA014). With innovative b-lock bayonet connection which provides an excellent seal technique and a positive lock to ensure accurate fitting.



HA132

b-lock A2P3 Filter

EN14387



Effective protection from organic gasses, particles and vapours



HA134

b-lock ABEK1 Filter

EN14387



Effective protection from organic, inorganic, acid and ammonia.



HA137

b-lock AX Filter

EN14387



Effective protection from organic gasses with a boiling point below 65°C



HA133

b-lock ABEK1P3 Filter

EN14387



Effective protection from organic, inorganic, acid, ammonia gasses, particles and vapours



HA139

b-lock P2 Prefilter

EN14387



P2 Prefilter providing particle and vapour protection for both the filter and the user.

HA371

Flick it P1 Respiratory Mask

EN149

HA374

Flick it P2V Respiratory Mask

EN149

HE373

Flick it P3V Respiratory Mask


EN149



Flick it
Revolutionary design in respiratory masks enabling the user to open and fit the mask without touching the inner face.

Packed individually in a sealed bag to ensure the most hygienic fitting available. With no exposed metal parts and welded straps there is a significant reduction in the risk of foreign body contamination.

Packed in box of 10



Premium full face mask offering excellent peripheral vision. The harness is attached to the main frame which ensures long life, excellent stability and perfect seal. The 'Live Visor Technology' has revolutionary features which ensures distortion free visual field, resistance to high temperatures and ultra violet ray protection and ballistic impact protection.

HA014

Genoa Respiratory Full Face Twin Mask

EN136

HA016

Verona Respiratory Full Face Single Mask

EN136

HA018

Turin Respiratory Full Face Single Mask

EN136



Silicone face cup to give premium fit and comfort. Twin filter for improved balance and vision. Bayonet filter attachment with 'click in place' to ensure a rapid, positive fitting. For use with the b-lock filter range.



Silicone face cup to give premium fit and comfort. Compatible with the EN148-1 standard thread filter range.



Silicone face cup to give premium fit and comfort. Compatible with the EN148-1 standard thread filter range. Complete with chemical hood fitted.

Elipse Range

Compact, low profile, convenient, lightweight and flexible design to give great comfort and user acceptance. Large exhale valve for enhanced cooling and moisture reduction. Secure and comfortable, fully adjustable harness. A superb and economical alternative to disposable options providing effective protection due to the very efficient HESPA® filters.



HA051

Elipse P3 Ready To Use Mask

EN140
EN143



Fitted with P3 filters for effective particle, dust and vapour protection.



HA053

Elipse A1P3 Ready To Use Mask

EN140
EN14387



Fitted with A1P3 filters for effective organic gas and particle, dust and vapour protection.



HA052

Elipse P3 Replacement Filters

EN143



Replacement P3 filters for the Elipse mask.



HA054

Elipse A1P3 Replacement Filters

EN14387



Replacement A1P3 filters for the Elipse mask.



HA039

Prescription Glasses Frame



Frame to attach prescription lenses to your full face respiratory mask.



HA036

Naples Intelligent Power Unit

EN12942



Very durable powered air unit that it compatible with the Premium Full Face Single Mask. Provides 8 hours of constant air supply monitored with an intelligent fan unit. Audible alarm that monitors the airflow and filter condition. LED display dashboard. Waterproof filter cover to facilitate use in inclement environments. Ideal for asbestos removal operations. Comes complete with hose, battery and charger and waterproof cover.



HA037

Visor Protective Covers

EN148,
EN14387



Peel of visor protectors for the BLS full face masks. (Pack 5)



HA035

TMP3 High Efficiency Particle Filter

EN12942

Replacement TMP3 filter for HA036.

HA106

JSP Powercap®Active

EN812
EN12949 TH1P



Powercap®Active is a new generation in the powercap range. An essentially simple and effective positive powered respirator offering good protection. Pair of P2 filters, 8 hour battery and charging doc supplied with the Powercap and faceshield.

HA108

Airfed Respiratory System

EN8135



Air supplied Respirator. Well designed, balanced and comfortable air fed headpiece. Regulated waist belt with precalibrated flow rate. This system conforms to the highest level of European standards and incorporates the best features of many years experience. All parts and assemblies available as spares including hoses and connectors. Industrial browguard with impact resistant polycarbonate visor.

HA107

JSP Powercap Peel Of Visor

Pack 10 peel off visors for protecting your power cap from faceshield damage.

HA060

300 Airline Filter Unit



Filters 300 litres/minute for 1 person operation. In line three stage filter unit for producing breathable quality air from compressor systems. Mounted on convenient carry frame.

HA065

600 Airline Filter Unit



Filters 600 litres/minute for 2 person operation. In line three stage filter unit for producing breathable quality air from compressor systems. Mounted on convenient carry frame.

HA810

PVC 3m Hose for T-A Line

EN319

HA811

Anti Static 3m Hose for T-A line

EN319

HA812

PVC 10m Hose for T-A Line

EN319

HA817

Anti Static 10m Hose for T-A line

EN319



Air supply hose. PVC, 3 metres with CEN couplings.



TORNADO/PROFLOW/T-A-LINE

A completely modular respiratory system. High levels of wearer comfort. Simple to use. Easy maintenance and servicing. Ergonomic design for optimum comfort and balance. The full range of headtops are designed to be compatible with either the T-Power system, the Proflow system or with the T-A-Line.

| Steps | HOW TO ORDER POWERED RESPIRATORY | | |
|---------------------------------------|---|---|---|
| 1 | Select power unit: T-Power, Proflow 2 or T-A-Line Pg110 | | |
| 2 | Add Battery, Charger and Adaptors to T-Power if required Pg110 | | |
| 3 | Select desired headtop Pg111 | | |
| 4 | Select appropriate flexible hose Pg112 | | |
| 5 | Select appropriate filter(s) T-Power Pg112, Proflow 2 Pg113, T-A-Line N/A | | |
| No of Filters to be fitted to T-Power | | No of Filters to be fitted to Proflow 2 | |
| Particulate | 1 | Particulate | 2 |
| Gas | 3 | Gas | 2 |
| Combined | 3 | Combined | 2 |



HA087 Proflow 2 120

EN12941/2



Proflow is a robust electronically advanced powered air system with on-board data logging and download facility. Built in features to increase duration. Status information system for wearer. Uses standard universal threaded filters giving you a great range of application uses. Comes complete with integral battery, charger, hose and comfort belt.



HA096 T-A-Line



For use with clean airline supplies (AFU). Additional auxiliary air outlet for use with air powered tools. Demand compensated air flow system guarantees the wearer sufficient air. Built in filter with visual change warning system, silencer to minimise air flow noise and increase wearer comfort. Lightweight belt mounted unit. Versatile left or right hip position. Airline supply connected by a simple one handed operation, but can only be disconnected using both hands to prevent accidental disconnection.



HA080 T-Power

EN166 B39
EN1731 SG



The Tornado power unit provides filtered air for a wide range of industrial applications. 15 automatically selected power levels. Monitors airflow and optimises flow rates through the unit. Automatically detects the type of headtop being used and adjusts flow rates accordingly. Lightweight unit designed to fit around the body. Tamper resistant battery lock. Full range of spares and back up available. Intrinsically safe.



HA088 T-Battery Lite 8 Hour

EN166 1 B39N



Intrinsically safe lightweight 8 hour battery for T-Power.



HA085 T-Smart Charger

EN166 B39



Can charge part or fully used batteries without memory block. 7 hour full charge for 8 hour battery.



HA082 T-Filter Adapter

EN166 B39
EN1731 S



Filter Adaptors (pair) for multiple filter mounting on T Power unit.

Tornado Headtops



Ultra light-weight and comfortable half hood with integrated eye protection designed to provide flow of cool filtered air. Unique Neoprene Faceseal to deliver a high level of PAPR protection without compromising user comfort. Enhanced field of view, facilitated by a large flexible PETG visor and a transparent chin panel.



A light-weight and comfortable full hood with integrated eye protection and shoulder cape designed to provide flow of cool filtered air. Designed with a unique Neoprene Faceseal to deliver the highest level of PAPR protection without compromising user comfort. Improved field of vision using a large flexible PETG visor and a transparent chin panel.



Flip up headtop features a wide field of vision, superior comfort and stability with innovative new easy to adjust ratchet mechanism. Suitable for a wide range of applications with robust Polycarbonate visor.



Facemask providing the highest levels of respiratory protection. Novel hose connection brings the hose up over the wearer's shoulder, keeping the work area clear. Ultra comfortable silicone body. Virtually unrestricted field of vision. Impact protection. High efficiency speech diaphragm allows the wearer to communicate clearly with others.



Half mask facepiece. The liquid silicone rubber face seal provides exceptional comfort and fit. Typical applications include welding and spraying. The low profile design of the FM1 makes it readily compatible with visors, welding shields and other PPE.



Integrated helmet and visor with optional ear defenders. Choice of visor materials, coatings, and shades. Safety helmet and rail-mounted retractable visor with flexible chin seal.



Integrated helmet, visor and welding shield with optional ear defenders. Electronic variable auto-darkening lens and passive lenses available. Safety helmet and rail-mounted retractable visor with flexible chin seal and outer welding shield.



HA081
Flowhood Air Hose



Self adjusting flexible hose for use with Flowhoods, HA091, HA092 and HA093



HA084
Flowhelmet Air Hose



Self adjusting flexible hose for use with Flowhelmets, HA086, and HA068



HA083
Flowmask Air Hose



Flexible hose for use with Flowmasks, HA097 and HA098

Filters all conform to EN Standards. Advanced manufacturing technology and superior materials give ultimate user comfort, low breathing resistance and low environmental impact.



P3 solid and liquid, radioactive and toxic particles, bacteria and viruses



A Organic gases and vapours e.g solvents with a boiling higher than 65°C



B Inorganic gases and vapours



E Acid gases and vapors



K Ammonia and organic ammonia derivatives



Ax Gases and vapours from organic compounds with a boiling point below 65°C



Hg Mercury vapour

TORNADO FILTERS

All conform to EN standards. Combined advanced technology and extensive filtering expertise. Comprehensive range of respirator filters. State of the art filtering technology. Advanced manufacturing technology and superior materials give ultimate user comfort. Low breathing resistance. Low environmental impact



HA076
Tornado PSL 3 Filter



Triple capacity particle filter for the Tornado powered air system.



HA075
Tornado PSL Filter



Particle filter for the Tornado powered air system.



HA070
Tornado A2 Filter



Organic gases filter for the Tornado powered air system.



HA072
Tornado A2 PSL Filter



Combination particle and gases filter. Suitable for Organic gases. for the Tornado powered air system.



HA074
Tornado A1B1E1PSL Filter



Combination particle and gases filter. Suitable for Organic, Inorganic & Acid vapours. for the Tornado powered air system.



HA071
Tornado A2B2E2K2 Hg PSL Filter



Combination particle and gases filter. Suitable for Organic, Inorganic, Acid, Ammonia derivatives & Mercury vapour. for the Tornado powered air system.

Respiratory Accessories

HA045 High Performance Ear Muff



SNR29. Integrated comfortable and convenient. Working and rest positions with contaminant protection. Compatible with HA068, and HA086.

HA079 Flowhood Tear Off Visor Kit (pk10)

HA078 Flowhood 3 Tear Off Visor Kit (pk10)



Peel off visor covers to protect main visor from damage. Can fit a number of these to your unit before commencing work. Especially useful when sand blasting or spraying.

HA089 Respiratory Protection Holdall



Holdall bag for protection of your Respiratory equipment. Keeps equipment consolidated and identified.

HA165 Universal Thread P3 Filter

EN148, EN143



Effective protection from particles and vapours.

Universal Filters
Filter range for dependable protection. With the universal thread connection. For use with single filter masks (HA016, HA018) and Proflow system.

HA161 Universal Thread A2 Filter

EN148, EN14387



Effective protection from organic gasses.

HA162 Universal Thread ABEK2 Filter

EN148, EN14387



Effective protection from organic gasses, particles and vapours.

HA164 Universal Thread ABEK2 Filter

EN148, EN14387



Effective protection from organic, inorganic, acid and ammonia gasses.

HA168 Universal Thread ABE2 Filter

EN148, EN14387



Effective protection from organic, inorganic and acid gasses.

HA163 Universal Thread ABEK2P3 Filter

EN148, EN14387



Effective protection from organic, inorganic, acid, ammonia gasses, particles and vapours.

HA167 Universal Thread AX Filter

EN148, EN14387



Effective protection from organic gasses with a boiling point below 65°C.



HB339

Qualitative Face Fit Test Kit



It is a mandatory requirement that (RPE) supplied should fit the wearer

This qualitative face fit testing kits is a cost effective, simple and efficient way to ensure this.

It is now recommended by CoSHH that face fit testing should be carried out on users of respiratory protective equipment (RPE).

This testing method is suitable for all tight fitting respirators.

Kit includes:

- 1 hood
- 1 sensitivity test solution 50ml
- 1 test solution 50ml
- 2 nebulisers
- 1 hard copy instructions
- 1 CD instructions

Face fit testing service available, please enquire through our sales department.



HB100

Face Fit Testing: Train the Trainer Course

A professional course designed to give you all the tools you need to have competent in house qualified staff that can provided in house fit testing.

- **Course takes around 2 hours delivered by a qualified trainer and will include, course notes, practical exercise and a short test.**
- **It also includes a HB339 Face fit test kit.**
- **Maximum of 6 staff per course.**



Please call our sales team to arrange your course: 01273 831800



HB250

Pro-HSE Safety Software

Pro-HSE: Managing Corporate Safety Data with an Individual Duty of Care.

Pro-HSE (Health and Safety for Employees) is an application designed to manage employee related safety data. The system operates by collecting all the usual safety data (accidents, near misses, dangerous occurrences etc.) but relates this data to the individual people impacted by the company. Orientation of most reporting and analysis with pro-HSE is then done with respect to individual people and/or Teams and Departments.

The system:

- Is entirely integrated, there are no separate modules or add-ons
- Is owned and managed by the licensed user, sensitive data is not located off-site or on the cloud
- Is operated via a PC based application, with data collection from mobile devices and web page interfaces
- Orientates all collected data back to employees so that the data being collected can be used to protect the companies major assets: people.
- Manages all relevant health and safety type data.
- Is extremely cost-effective for small to medium sized business, but is scalable to meet the requirements of any enterprise.
- Is multilingual, fully auditable, runs significant log file capability, supports unlimited levels of security and access control.
- Is controlled via a concurrent license system.
- Any number of Annual Licenses to connect the application to the database.



Gloves

| | |
|--|-----|
| Glove Standards Information | 116 |
| Glove Chemical Table | 117 |
| Rigger | 118 |
| Leather & Welding | 119 |
| General Handling | 120 |
| Fluid Handling | 122 |
| Traffigloves® | 124 |
| ATG® Intelligent Glove Solutions | 126 |
| Grip Handling | 128 |
| Cut Resistant | 130 |
| Heat Resistant | 135 |
| Cold Resistant | 138 |
| Single Use | 140 |
| Food Safe | 144 |
| Chemical | 146 |
| Needlestick & Arc Flash | 150 |
| Live Wiring | 151 |
| Vibration Reduction | 152 |



CHOOSING THE RIGHT GLOVES

Hands at work are vulnerable to a wide range of hazards including cuts, blows, chemical exposure and temperature extremes. To conform to European regulations all gloves must conform to the Personal Protective Equipment 89/686/EEC Directive. This categorises products into three groups.

Category 1: Simple Design

For areas of minimal risk where the effects of not wearing a glove are easily reversible or superficial. Such products are self certified.

Category 2: Intermediate Design EN388

For areas of specific risk, ie mechanical risks. Such products will have been EC type tested against European test methods and a certificate of conformity is obtained from an approved inspection body.

Category 3: Complex Design EN388 cat 3

For areas/applications that can seriously or irreversibly harm the health. Such products, in addition to the EC type test, will also have to be either produced under an approved quality system OR be tested on an annual basis. Regular inspection gloves are taken from production.

HAVE YOU GOT THE RIGHT GLOVES FOR THE RIGHT JOB?

Mechanical Hazards EN388

Mechanical hazards are associated with the handling of rough or sharp objects which could harm the skin, such as glass, thin metal sheet and masonry blocks. A mechanical hazard is not associated with moving machinery where it could be considered dangerous to wear gloves which could catch in moving parts.



Eg: a glove with this symbol has been tested to at least intermediate design level and achieves the following scores:

| | |
|-------------------------|---------------------------------|
| A: Abrasion resistance | 1 (out of 4) |
| B: Blade cut resistance | 2 (out of 5) |
| C: Tear resistance | 3 (out of 4) |
| D: Puncture resistance | X (not tested in this category) |

| | | Measured in | Performance Levels | | | | |
|---|----------------------|--------------|--------------------|------|-------|-------|-------|
| | | | 1 | 2 | 3 | 4 | 5 |
| A | Abrasion resistance | No of cycles | >100 | >500 | >2000 | >8000 | -- |
| B | Blade cut resistance | Index | >1.2 | >2.5 | >5.0 | >10.0 | >20.0 |
| C | Tear resistance | Newton | >10 | >25 | >50 | >75 | -- |
| D | Puncture resistance | Newton | >20 | >60 | >100 | >150 | -- |

Thermal Hazards – Hot and cold

Thermal hazards can come in many forms. Heat can be radiated or conducted, or it may be actual flames. Cold can be anything from cold water to frozen gases.



EN511 Cold: Glove markings to follow the same principle as EN388

| | | Measured in | Performance Levels | | | | |
|---|-----------------|----------------------------|--------------------|------|-------|-------|-------|
| | | | 1 | 2 | 3 | 4 | 5 |
| A | Convective cold | Thermal insulation m2 °C/W | >100 | >500 | >2000 | >8000 | -- |
| B | Contact cold | Thermal insulation m2 °C/W | >1.2 | >2.5 | >5.0 | >10.0 | >20.0 |
| C | Waterproofness | | >10 | >25 | >50 | >75 | -- |



EN407 Hot

Glove markings to follow same principle as EN388.

| | | Measured in | Performance Levels | | | | |
|---|---------------------------------------|--|--------------------|-------|-------|-------|----|
| | | | 1 | 2 | 3 | 4 | 5 |
| A | Burning behaviour flame | (stet) period | >20° | >10° | >2000 | >8000 | -- |
| B | Contact heat resistance | >15 seconds | 100° | >250° | >350 | >500° | -- |
| C | Connective heat resistance | heat transmission | >4" | >7" | >10" | >18" | -- |
| D | Radiant heat resistance | heat transmission | >5" | >30" | >90" | >150" | -- |
| E | Small splashes of molten metal weight | drops necessary to obtain a rise of temperature 40° | >5 | >15 | >25 | >35 | -- |
| F | Large splashes of molten metal weight | in grammes of molten iron necessary to cause superficial burns | >30 | >60 | >120 | >200 | -- |

Contact Heat Resistance

A sample is taken from the palm area of the glove. The outside of the glove is put on a hot surface and the temperature on the inside of the glove is then monitored. The temperature on the inside of the glove must take 15 seconds or more to rise by 10°C from room temperature.

EN374 Chemicals

Gloves carrying this symbol have been tested for liquid proof permeation. A pictogram can be placed on the glove if it has undergone a chemical resistance test (air leak test) regardless of the value. Tests are conducted in a laboratory under conditions coming as close as possible to real conditions of use.



EN374-2: Resistance to penetration by micro organisms to an acceptable level.



EN374-3: Resistance to Chemical Hazards. The glove must be tested to resist breaking for a minimum of 30 minutes on at least three chemicals from the table on page 146 to obtain this symbol.



EN374-3: This symbol can be used for chemical gloves not meeting the requirement and/or have a AOL of 4 or lower.

EN420 Size

All our tested gloves conform to the EN420 which means that the glove has been manufactured to European sizing standards. Is generally between sizes 5 and 11 and corresponds to standard for the circumference of the palm.

All our gloves are shown with a suggested range of applications.

This is by no means exhaustive but provides for a general guide.

| | | | | | |
|------------------------|--|------------------------|--|-----------------------|--|
| Cold Handling | | Chemical Handling | | Fishing | |
| Precision Assembly | | Live Wiring Works | | Electronics | |
| General Handling | | Automotive | | Waste Recycling | |
| Use of Vibrating Tools | | Food Processing | | Heavy General Purpose | |
| Construction | | Oil & Petrochemical | | Heat | |
| Utilities | | Cut Items | | Transport | |
| Forestry/Horticulture | | Welding | | Washing/Janitorial | |
| Engineering | | Foundry | | EN374-3 | |
| Pharmaceutical | | Needlestick Protection | | EN374-2 | |

Rigger Gloves

The enduring rigger design proves to be popular for a wide variety of tasks. All our CE certified rigger gloves are made from selected cuts of leather that provides good, hard wearing, handling characteristics.



GL040

Wearmaster Premier Hide Rigger Glove



Highest quality hide leather. High quality cotton back. Rubberised safety cuff. Fully lined palm and fingers. Exceptional comfort and longevity.

Size 10



GL047

Wearmaster Power Plus Rigger Glove



Selected fine quality chrome leather with quality cotton back and knuckle strap. Rubberised cuff with vein patch. Comfort palm lined.

Size 10



GL045

Power Rigger Glove



Consistent quality split leather. Fleece palm liner. Heavy duty cotton back with leather knuckle strap. Rubberised safety cuff. Consistent quality split leather. Fleece palm liner. Heavy duty cotton back with leather knuckle strap. Rubberised safety cuff.

Size 10



GL048

Wearmaster Double Palm Rigger Glove



Heavy duty rigger glove with double reinforced index finger, thumb and palm. Fleece palm liner. Heavy duty cotton back with leather knuckle strap. Rubberised safety cuff.

Size 10



GL049

Furniture Hide Rigger Glove



Grain furniture hide leather. Fleece palm liner. Cotton back with leather knuckle strap. Safety cuff.

Size 10



GL044

Canadian Rigger Glove



Chrome split leather. Fleece palm liner. Cotton back with leather knuckle strap. Safety cuff.

Size 10


Leather Gloves


Driver style gloves are specially crafted from high quality leathers to provide exceptional comfort, fit and dexterity whilst retaining the characteristics of leather.





GL057
Wearmaster Premier Lined Drivers Glove




2123





Luxury, Highest quality hide leather. Key set thumb for comfort. Exceptional quality. Rolled hem. Elasticated wrist strap. Fully fleece lined.
Size 10



GL144
Cowhide Grain Drivers Glove




2123








Luxury, Highest quality hide leather. Key set thumb for comfort. Exceptional quality.
Size 10



GL146
Leather Synthetic Handling Glove




2121






Close fitting glove with secure Velcro strap. Wide variety of mechanical uses. Synthetic leather with reinforced protection in key areas. Flex material to ensure ergonomic movement.
Size 7-11



GL135
Leather Thermal Glove







Close fitting glove with secure Velcro strap. Wide variety of mechanical uses. Synthetic leather with reinforced protection in key areas. Flex material to ensure ergonomic movement.
Size 10

Welding Gloves

Selected leather gloves specially designed for welding and hot handling.



GL056
Wearmaster Welding Gauntlet





414X4X 4233








Heavy duty welding gauntlet made from selected leather. Quality lining giving comfort and high levels of insulation properties.
Size 10



GL055
Wearmaster Premier TIG Welder Gauntlet





41XX2X 1212







High quality selected grain leather. Unlined providing good dexterity and protection. Lower arm protection with split leather cuff. Kevlar® stitching for enhanced strength.
Size 10

GL033
Knitted Cotton Stockinette



Natural cotton knitted glove.
Excellent liner or light protection.
Knitted wrist.
Size 9

GL031
Cotton Drill Glove



Woven cotton drill. Comfortable
and economical handling solution.
Ribbed knit wrist for secure fit.
Size 9

GL350
Seamless Assembly Glove



4141



Washable and lint free. Ideal
for hygiene and clean room
environments
Size 10

GL022
Mixed Fibre Glove



General purpose handling glove. Secure elasticated
wrist. Knitted construction.
Size 9

GL042
Cotton Chrome Glove



Split leather palm and fingers with cotton fabric back.
Knitted wrist for secure fit. Economical leather handling
characteristics.
Size 9

GL028
Fine Nylon Glove



Very fine nylon cut and sewn forchette style glove. Used
in fine assembly for contamination protection.
Size 9

GL036
Cotton Drill Polka Dot Glove



Woven cotton drill. Comfortable and economical handling
solution. PVC dot for enhanced grip. Ribbed knit wrist for
secure fit.
Size 9

GL014 Wearmaster Latex Handler Glove



Polycotton knitted comfort liner with flexible grip latex palm and finger coating offering good wet and dry grip. Size 7-11

GL062 Wearmaster Fine PU Glove



Fine seamless nylon knit with textured polyurethane palm and finger coating. Knitted wrist. Washable. Size 7-11

GL013 Polyamide/Cotton Polka Dot Glove



General handling glove offering comfortable economic protection. Nylon outer and polka dots giving good durability and grip with cotton inner giving comfort. Size 7-10

GL063 Wearmaster Fine Nitrile Glove



Fine seamless nylon knit with nitrile waterproof and abrasion resistant palm and finger coating. Knitted wrist. Washable. Size 7-11

GL039 PVC Criss Cross Glove



General purpose handling glove with knitted breathable construction and clear PVC criss-cross pattern for extra grip. Secure elasticated wrist. Size 9

GL064 Wearmaster Premium Foam Nitrile Glove



Fine seamless nylon knit with Foam Nitrile abrasion resistant palm and finger coating giving superior grip and comfort characteristics. Knitted wrist. Washable. Size 7-11

PVC Gloves

PVC provides resistance to most acids, oils, fats caustic and petroleum substances. Good levels of flexibility and dry grip with excellent abrasion resistance for general handling applications.



GL001

PVC Knit Wrist Glove




Knitted wrist for secure fit.
Size 9-10



GL005

PVC 35cm Gauntlet




PVC glove with welded sleeves. Excellent resistance to acids and alkalis. Ideal for working in muddy and dirty environments. Cotton comfort liner. Actifresh® treated, stays fresher.
Size 10



GL002

PVC 27cm Gauntlet




Short gauntlet for easy fitting.
Size 10



GL000

Insulated PVC Gauntlet



Thermal PVC double dipped gauntlet. Ergonomic comfort fit. Seamless wool terry cloth on knitted liner for exceptional warmth. Excellent in cold stores or cold wet work. Offering chemical protection, antistatic.
Size 8-10



GL004

PVC 35cm Gauntlet



Longer gauntlet offering forearm protection.
Size 10


Nitrile Gloves

Nitrile provides resistance to a wide range of solvents, hazardous chemicals, oils, greases and caustics. Excellent resistance to abrasions, cuts, snags and punctures.



GL007

Nitrile Dip Knit Wrist Glove



Hardwearing nitrile coating providing excellent protection. Soft jersey exceptional comfort cotton support liner. Knitted wrist. Excellent dry grip.

Size 10



GL008

Nitrile Dip Safety Cuff Glove



Hardwearing nitrile coating providing excellent protection. Soft jersey exceptional comfort cotton support liner. Protective rubberised cuff. Excellent dry grip.

Size 10



GL070

Household Latex Gauntlet




Natural latex rubber offering abrasion and tear resistance. Protection from water based liquids. Bead cuff for durability. Pattern grip palm. Flock lined.

Size 8-10

- Quality handling gloves with cut resistant High performance threads.
- Easily visible with innovative colour coding so you can immediately identify whether you or your colleagues have the correct protection.
- Remove the uncertainty and be properly protected.




GL181
Traffiglove® One



Fine seamless nylon knit with textured polyurethane palm and finger coating. Knitted wrist. Washable.
Size 6-11




GL182
Traffiglove® One-Three Digit



Fine seamless nylon knit with textured polyurethane palm and finger coating. Thumb and two fingers open for maximum dexterity. Knitted wrist. Washable.
Size 6-11



GL186
Traffiglove® One Thermal



Close fitting, comfortable and flexible thermal liner that can be worn under other gloves without reducing dexterity.
Size 9



GL187
Traffiglove® One Weather



A fully coated water resistant glove with an elastic wrist opening for use in wet and dry conditions. Soflex coating giving great performance in adverse conditions. Excellent partner with Traffiglove Thermal in cold conditions.
Size 7-11



AMBER

BE AWARE

CUT LEVEL 3

MEDIUM CUT PROTECTION



GREEN

SAFE TO GO

CUT LEVEL 5

HIGH CUT PROTECTION



GL183

Traffiglove® Three



4342




GL184

Traffiglove® Three-Three Digit



4342



Enhanced cut protection with good dexterity levels and excellent comfort. Seamless nylon knit with textured polyurethane palm and finger coating.

Size 7-11

Enhanced cut protection levels and excellent comfort. Seamless nylon knit with textured polyurethane palm and finger coating. Thumb and two fingers open for maximum dexterity. Knitted wrist. Washable.

Size 7-11



GL185

Traffiglove® Five



4543



GL189

Traffiglove® Five Deep Dip



4544



GL188

Traffiglove® Five Long Cuff



4543



Very comfortable. Outstanding dexterity and grip. Suitable for dry and wet conditions. Excellent abrasion resistance.

Size 6-11

A comfortable, close fitting glove that has been sanitised with Actifresh to reduce odour and protect against infection. Features maximum protection levels. Non-marking Cohesion™ XP coating for excellent grip in the most challenging wet, dry & oily conditions.

Size 8-11

A comfortable glove with high abrasion and tear resistance offering excellent dexterity. Longer length cuff for added forearm protection. Aerotek™ coating provides excellent grip in many environments.

Size 8-11

ATG® Intelligent Glove Solutions

Bringing you an exceptional range of high quality gloves all designed to provide wearer comfort and best value by longevity. The perfect fit reduces hand fatigue and the consistent quality coatings reassure you of dependable protection. All styles are Sanitized® to keep the glove fresh and hygienic and you can depend upon the Hand Care technology® that guarantees the glove is skin friendly and doesn't contain harmful plasticisers.



GL239

MaxiDry®



25cm Fully coated lightweight nitrile dual coated grip gloves designed to provide comfort, grip and protection in oily and dirty precision handling tasks.
Size 7-11



GL232

MaxiFlex® Ultimate



Lightweight breathable glove designed to provide the wearer with ultimate dexterity and feel whilst maintaining uncompromising protection. Exceptional comfort and longevity.
Size 5-12



GL236

MaxiFlex® Active



Lightweight breathable glove that provides a 'well being effect' to your skin. Feeds the skin with Vitamin E and Aloe Vera whilst you work.
Size 5-12



GL237 MaxiDry® Plus



30cm nitrile dual coated grip gauntlet gloves designed to provide comfort, grip and protection when working with low hazard chemicals, oils and dirty handling tasks.
Size 7-11



GL244 MaxiChem®



35cm nitrile dual coated grip gauntlet gloves designed to provide comfort, grip and protection when working with chemicals.
Size 7-11



GL230 MaxiFlex® Elite



Super-lightweight breathable glove designed to provide the wearer with ultimate dexterity and feel whilst maintaining uncompromising protection.
Size 5-12



GL234 MaxiFlex® Endurance



Lightweight fully coated breathable glove with grip dots designed to provide the wearer with ultimate dexterity, protection, and comfort.
Size 5-12

Fine Handling

Within the industry demands, gloves for all segments of the workforce, it has been necessary to provide gloves of high dexterity that don't impair your ability to perform in intricate operations.

With this in mind we provide you with a variety of fine choices and coatings.

Choose the best coating for your requirements.

PU Coating: Tough, flexible with good abrasion resistance and elastic properties to ensure the best fit and excellent dexterity.

Nitrile: Supple material that repels oil and grease whilst giving good grip and abrasion resistance.

Foam Nitrile: Provides you with exceptional wet and dry grip, breathable and very comfortable fit.




GL161

Skytec Rhyolite Glove



4132



Very fine high quality Seamless nylon liner with polyurethane coated fingers and palm. Breathable back of hand designed to reduce perspiration. Lint free glove. Reducing the risk of product contamination.

Size 6-11



GL062

Wearmaster Fine PU Glove



3121



Fine seamless nylon knit with textured polyurethane palm and finger coating. Knitted wrist. Washable.

Size 7-11



GL166

Sensilite® 48-101 Fine PU Glove



4131



A premium precision handling glove with seamless nylon liner and PU coated palm giving the ultimate dexterity. Anatomical shape for comfort, reduction of hand fatigue and precise fit.

Size 7-11




GL063

Wearmaster Fine Nitrile Glove



4121



Fine seamless nylon knit with nitrile waterproof and abrasion resistant palm and finger coating. Knitted wrist. Washable.

Size 7-11



GL165

Hy-Flex® 11-840



4130



A premium precision handling glove with seamless 15 gauge nylon liner. Revolutionary Fortix foam nitrile coating that dramatically extends the glove life in abrasive handling. Also the added benefit of enhanced cut protection. Anatomical shape for comfort, reduction of hand fatigue and precise fit

Size 7-11

Grip Handling Gloves



GL065
Crazy Grip glove




Revolutionary injection moulded thermoplastic rubber that provides incredible grip and outstanding abrasion resistance. The ergonomic design reduces hand fatigue providing all day long comfort and protection.

Size 8-10



GL064
Wearmaster Premium Foam Nitrile Glove




Fine seamless nylon knit with Foam Nitrile abrasion resistant palm and finger coating giving superior grip and comfort characteristics. Knitted wrist. Washable.

Size 7-11



GL082
Cold Grip Glove



Fleece lined cold handling glove with waterproof coating. Open back, offering comfort and thermal protection. Remains flexible even at temperatures below -25°C.

Size 8-10



GL348
Grip it® Super glove




Unique fully coated glove with fully breathable micro foam nitrile coating and a second layer providing enhanced wet and dry grip with micro foam bubbles. High levels of abrasion resistance. Ergonomic design to reduce hand fatigue.

Size 8-11



GL347
Imola® Super glove



Fleecy lining for added winter warmth. Unique fully coated glove with great dexterity due to latest technology fully breathable micro foam nitrile coating. Enhanced wet and dry grip as the coating channels liquids away from the glove surface. Secure fitting with adjustable wrist strap. High levels of abrasion resistance.

Size 8-10



GL346
Monza® Super glove



Unique fully coated glove with great dexterity due to latest technology fully breathable micro foam nitrile coating. Enhanced wet and dry grip as the coating channels liquids away from the glove surface. Secure fitting with adjustable wrist strap. High levels of abrasion resistance.

Size 8-10



Palm grip glove for the discerning user and robust longevity. The quality 5 thread knitted liner offers superior comfort, fit and strength. With a consistent quality latex grip coating that provides dependable protection.

Size 8-11



Thermal knitted fleece lined shell in hi viz yarn for extra safety and warmth with textured grip latex palm and finger coating. Great in cold damp environments.

Size 7-11

Hand Protection: Assessment Survey from Contego

Safeguarding your employees and business

HPAS (Hand Protection Survey)

Selecting the most appropriate hand protection will help safeguard your employees against unavoidable hazards and support your organization's steps towards improved health and safety practices.

During 2012/2013 the estimated average number of days lost for each handling injury was 10.8 days so... Why not arrange for a FREE* (HPAS) Hand Protection Assessment Survey which is an ideal starting point to ensure your employees and business are protected from the risk of injury.

With such a wide choice available the process of appropriate hand and arm protection selection is becoming increasingly complex.

A Hand Protection Assessment Survey will:

- Provide a documented process to support your risk assessment procedures
- Help ensure your organisation complies with the current EN standards and legislation, in particular – The use of Personal Protective Equipment Directive 89/656/EEC
- Provide a detailed report highlighting the most appropriate specifications of hand and arm protection.
- Identify the areas where improvements can be made both from a cost and best practice perspective
- Will be undertaken by glove industry experts
- Will be conducted with no obligation to trial or buy
- Will help safeguard against expensive injury claims and time lost due to employee absences through injury

Let **Contego** help prevent injuries and lost days with HPAS!

Please enquire to ascertain whether you qualify for a free assessment.

*Terms & Conditions apply.

Get in touch! Telephone: **0800 122 33 23** for more information



Kevlar® Cut Resistant



GL081

Kevlar® Plus Heavyweight Glove



Kevlar® heavyweight 7 gauge yarn in a seamless knit providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat.

Size 8-10



GL083

Kevlar® Plus Lightweight Glove



Kevlar® lightweight 13 gauge yarn providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat Protection with maximum dexterity. Can be used to increase protection levels as a glove liner.

Size 7-10



GL087

Kevlar® Plus Medium Weight Grip Glove




Kevlar® medium weight 10 gauge yarn in a seamless knit with two sided polka dot finish providing great grip, abrasion resistance and cut protection. The soft comfortable Kevlar® fibres also provide contact protection from heat.

Size 8-10



GL088

Latex Palm Coat Kevlar® Glove



Kevlar® knit with latex palm coating offering enhanced cut resistance. Textured latex coating for improved grip and safety. Uncoated back for optimum breathability and comfort.

Size 8-11



GL093

Kevlar® Sleeve 10" with Thumbhole



GL094

Kevlar® Sleeve 14" with Thumbhole

Kevlar® yarn in a seamless knit providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat.





GL250

Full Dip Latex Cut 5 Glove




All round cut resistant solutions. Fully coated, ideal for waste handling, local authority work, renewables and glass industry. Maximum mechanical protection and enhanced heat protection.

Size 8-11



GL251

Grip Double Nitrile Cut 5 Glove



This new design giving the benefit of grip and oil handling characteristics of foam nitrile together with the liquid barrier of flat nitrile produces an incredibly robust and highly protective glove. Maximum mechanical protection and enhanced heat protection.

Size 8-11



GL247


Cut 5 Nitrile Foam Glove



Very comfortable, light and highly cut resistant glove with excellent grip properties and abrasion resistance. Proven in the glass industry with the added benefit of non-marking coating that doesn't leave marks on the surface of sealed units. Also has heat resistance. Great for handling warm, sharp metal parts.

Size 7-11





Unique fully coated glove with fully breathable micro foam coating and a second layer providing enhanced wet and dry grip with micro foam bubbles. High levels of abrasion resistance. Liner is woven with high performance cut resistant threads to provide maximum protection. Ergonomic design to reduce hand fatigue.

Size 8-11




Superior cut resistance by using high performance thread technology. Dependable foam nitrile palm and finger coating providing enhanced wet and dry grip. Lightweight comfort one piece breathable woven liner. Snug fit for maximum dexterity.

Size 7-11



An innovation offering maximum cut protection together with heat protection in an incredibly light and dextrous glove. Breathable foam nitrile coating giving good grip and abrasion resistance. Ergonomic design to give maximum comfort and sensitivity. Very versatile applications.

Size 7-10



Superior cut resistance by using high performance thread technology. Dependable nitrile palm and finger coating. Lightweight comfort one piece breathable woven liner. Snug fit for maximum dexterity.

Size 7-11



CL959

Cut Resistant Sweatshirt



Sweatshirt offering full body and arm protection from cuts. Cool and comfortable whilst providing maximum cut protection Washable to 60°C. Vented for enhanced comfort. Variety of uses, excellent in the glass industry.
Size S-XXL



GL252

Wrist Guard



Cut protection for wrist and forearm. Additional protection for glass and sheet metal handling. Pair Supplied.



GL112

Extreme Cut Food Safe 18" Sleeve



Maximum cut protection for the food industry. Certified for food contact. Permanent antibacterial treatment. Can be laundered at 92°C. Very high cut protection, much higher than demanded by test results. Suitable for meat and veg preparation.



GL114

Extreme Cut Food Safe Glove



Maximum cut protection for the food industry. Certified for food contact. Permanent antibacterial treatment. Can be laundered at 92°C. Very high cut protection, much higher than demanded by test results. Suitable for meat and veg preparation.
Sold per piece. For knife handling use.
Size 8-10



GL099

Five Digit Chainmail Glove



Ultra hygienic all stainless steel mesh glove. No removable parts easy cleaning and disinfection, autoclaveable, therefore extremely low contamination risk. Adjustable arm fitting. Advanced design for improved safety and comfort.

Size 8-10



Heat Resistant



GL034

Terry Cotton Knit-Wrist Glove



Premium heavyweight terry cotton providing good levels of heat resistance. Machine washable.

Size 10



GL903

Topfire Supertherma Extreme Heat



100% Kevlar® glove offering the highest levels of heat and fire protection up to 500°C (short periods 600°) together with high performance mechanical resistance.

Size 10



GL199

Terrycloth Heat Resistant Sleeve




Terry cloth sleeve offering economical thermal protection and good levels of mechanical protection.

Size 9



GL902

Heavy Kevlar® Heat Glove



Heavyweight Kevlar® glove with cotton lining offering heat protection up to 350°C. High levels of fire and radiant heat protection together with excellent cut protection.

Size 11



GL032

Hot Handling Glove




Cotton double layer glove with nitrile grip pattern providing good levels of heat protection. Ambidextrous.

Size 10



GL905

Foundry Heatbeater



Exceptional heat protection properties (500°C 27 seconds). Aluminised coated glass fabric with Kevlar®. Long cuff giving forearm protection. Comfort cotton liner.

Size 10

**GL081**

Kevlar® Plus Heavyweight Glove




Kevlar® heavyweight 7 gauge yarn in a seamless knit providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat.

Size 8-10

**GL087**

Kevlar® Plus Medium Weight Grip Glove



Kevlar® medium weight 10 gauge yarn in a seamless knit with two sided polka dot finish providing great grip, abrasion resistance and cut protection. The soft comfortable Kevlar® fibres also provide contact protection from heat.

Size 8-10

**GL083**

Kevlar® Plus Lightweight Glove



Kevlar® lightweight 13 gauge yarn providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat. Protection with maximum dexterity. Can be used to increase protection levels as a glove liner.

Size 8-10

**GL093**

Kevlar® Sleeve 10"


**GL094**

Kevlar® Sleeve 14" with Thumbhole

**GL098**

Kevlar® Sleeve 22" with Thumbhole

Kevlar® yarn in a seamless knit providing enhanced protection against cuts and abrasion. The soft comfortable Kevlar® fibres also provide contact protection from heat.





GL249

Ultra Lite Cut 5 Glove




An innovation offering maximum cut protection together with heat protection in an incredibly light and dextrous glove. Breathable foam nitrile coating giving good grip and abrasion resistance. Ergonomic design to give maximum comfort and sensitivity. Very versatile applications.

Size 7-10



GL250

Full Dip Latex Cut 5 Glove



All round cut resistant solutions. Fully coated, ideal for waste handling, local authority work, renewables and glass industry. Maximum mechanical protection and enhanced heat protection.

Size 8-11





GL091

Thermal Knitted Gloves




Thermal knit. Ideal for cold environments. Can be used as an under glove.
Size 9



GL082

Cold Grip Glove



Fleece lined cold handling glove with waterproof coating. Open back, offering comfort and thermal protection. Remains flexible even at temperatures below -25°C.
Size 9-11



GL092

Thinsulate® Thermal Glove



Thermal glove with Thinsulate® liner for maximum warmth. Can be used as under glove to provide thermal protection.
Size 9



GL000

Insulated PVC Gauntlet



Thermal PVC double dipped gauntlet. Ergonomic comfort fit. Seamless wool terry cloth on knitted liner for exceptional warmth. Excellent in cold stores or cold wet work. Offering chemical protection and antistatic.
Size 8-10



GL090

Thermal Fingerless Mitts



Thermal fingerless glove to provide warmth where maximum dexterity is essential.
Size 9



When would be the best time to start to save money and increase efficiency? Call **CONTEGO** today for an assessment as to your qualification for this premium service.

Maximizing Safety and Performance

Ansell Guardian[®], a unique suite of management tools helping businesses improve safety, identify and implement solutions to increase productivity, and optimize total cost of ownership.

An Integrated Approach Without Trade-offs

By focusing on the most relevant of the key areas, Ansell Guardian delivers recommendations with the most impact for a company's business.

- Assessment – increase safety performance and worker acceptance.
- SKU Management – reduce waste and eliminate unnecessary inventory items.
- Controls - optimize PPE dispensing, usage, recycling, and disposal procedures.
- Advance Performance - matching the appropriate PPE to the task.
- Training - educate employees in proper selection, usage, and disposal of PPE products.
- Injury Prevention - reduce the risk and cost of employee injuries.
- Productivity - improve output.

Why Ansell? The Ansell Guardian Portfolio of Services

Ansell Guardian hosts four major areas including:

- Product Guardian - product optimization based on end-user application requirements.
- Safety Guardian - analytical safety diagnosis that benchmarks job requirements vs. available products.
- Business Guardian - business performance consultation and implementation that improves and measures financial progress.
- Chemical Guardian - chemical risk and recommendations supporting best practice products.

Methodology

The Ansell Guardian strategy is based on Six Sigma concept.

Typical phases of the process include:

1. Analyze - Ansell/customer team discuss business objectives and understand safety requirements.
2. Benchmark - understand needs and establish current performance to quantify processes.
3. Improve - development of an implementation plan for business improvement.
4. Measure - quantify the success of the program.
5. Commitment - Ansell Guardian continues to monitor the performance of its recommendations.
6. Expansion - implementation of plan throughout a customer's organization.




Key Benefits

- Increased employee safety - reduced hand injuries and injury costs
- Reduced overall cost of ownership
- Productivity - maximize product performance for each application
- Scope and Capability - standardized procedures and best practices

For more information on the Ansell Guardian strategy visit www.AnsellGuardian.com.

GL023 Powder Free Vinyl Disposable Glove



High quality vinyl disposable glove. Powder free for use when either the wearer or operation requires no powder presence. Roll cuff for durability. Box of 100.
Size 7-10

GL024 Powdered Vinyl Disposable Glove



High quality vinyl disposable glove. Powdered for easy donning and comfort. Roll cuff for durability. Box of 100.
Size 7-10

GL027 Powder Free Latex Disposable Glove



High quality latex disposable glove. Powder free for use when either the wearer or operation requires no powder presence. Roll cuff for durability. Box of 100.
Size 7-10

GL026 Powdered Latex Disposable Glove




High quality latex disposable glove. Powdered for easy donning and comfort. Roll cuff for durability. Box of 100.
Size 7-10

GL025 Powder Free Nitrile Disposable Glove



High quality nitrile disposable glove. Nitrile offers a more robust option whilst maintaining the dexterity of latex. Improved protection from cut and snags. Greater resistance to a wide range of solvents and chemicals. Roll cuff for durability. Box of 100.
Size 7-10

GL029 Blue Powdered Vinyl Disposable Glove




High quality vinyl disposable glove. Powdered for easy donning and comfort. Roll cuff for durability. Suitable for food industry. Box of 100.
Size 7-10



High performance NBR Nitrile disposable glove. Textured finish for grip and touch. Powder free. Durable, with roll cuff for secure fit. Greater chemical and puncture resistance than regular nitrile disposables. Fingertip sensitivity. Length 24cm. Box of 100.

Size 7-10



High performance NBR Nitrile disposable glove with distinctive colouring. Latex and powder free. Strong grip in wet and dry conditions. Comfortable with a 'second skin' feel. Durable, with roll cuff for secure fit. Length 24cm. Box of 100.

Size 7-10




A very durable disposable/reusable nitrile glove with chemical handling properties and food use approval. Very flexible and hardwearing. 290mm length. 19mm thickness. Box 50.

Size 7-12




A very durable disposable/reusable nitrile glove with chemical handling properties and food use approval. Very flexible and hardwearing. 290mm length. 12mm thickness. Packed in polythene dispenser bag for card free environments. Box 50

Size 6-12



Advanced technology nitrile, very soft strong and pliable. No Latex proteins. Roll cuff for additional strength. Medical approved. Box of 100.

Size 7-10



Vinyl glove formulated for food use. Colour coded for different applications. Powdered for easy donning. Box of 100.
Size 7-10



Blue Stretch polymer glove, strong and comfortable. Economical alternative. Good grip characteristics. Food Approved. Dispenser box of 100 gloves.
Size 7-10



Economical food handling solution. Easy dispense pack. 100 packs of 100 gloves.

Glove Box Dispenser Racks



Wall mounting rack for disposable glove boxes. Ensures your gloves are always available in the right place. Prevents wastage through damage and loss.



Wall mounting rack for disposable glove boxes. Ensures your gloves are always available in the right place. Prevents wastage through damage and loss.





GL326
Ansell Touch N Tuff®

Probably the best known nitrile single use glove offering excellent protection from a wide variety of chemicals tested to EN474-2. Food safe. Very strong, latex free, comfortable and tested to show no evidence of irritation or allergic contact dermatitis.

Size 7-10



GL335
Colour Vinyl Glove

Vinyl glove formulated for food use. Colour coded for different applications. Powdered for easy donning.
Size 7-10



GL331
Finesse® Food Handler

Blue Stretch polymer glove, strong and comfortable. Economical alternative. Good grip characteristics. Food Approved. Box of 200.

Size 7-10



GL332
Polythene Glove

Economical food handling solution. Easy dispense pack. 100 packs of 100 gloves.
Size 7-10



GL327
Finite PF Nitrile Glove

Dependable Synthetic rubber offering superior strength. Soft elastic material for comfort and dexterity. Roll cuff for additional strength. 25cm length. Suitable for food. Box of 100.

Size 7-10



GL325
Ansell TNT® Blue

Textured single use nitrile glove with outstanding chemical and mechanical properties. A cost effective glove with dependable performance. Powder free to prevent corn starch contamination. Rolled cuff gives added protection and secure fit. 0.1mm thickness. 300 mm length.

Size 7-10



GL112
 Extreme Cut Food Safe 18" Sleeve





 X1XXXX 254X




Maximum cut protection for the food industry. Certified for food contact. Bactriostatic. Can be laundered at 95°C. Very high cut protection, much higher than demanded by test results. Also provides protection from heat so ideal for handling hot food.



GL114
 Extreme Cut Food Safe Glove





 X1XXXX 254X




Maximum cut protection for the food industry. Certified for food contact. Bactriostatic. Can be laundered at 95°C. Very high cut protection, much higher than demanded by test results. Also provides protection from heat so ideal for handling hot food.

Size 7-10



GL323
 Ansell Sol-Vex® 37-695






 EN374-3 4101





Sol-Vex®, renowned range in chemical protection. This gauntlet is a heavy duty design. Reversed lozenge grip pattern. Protects from a wide range of harsh chemicals. 425 mm thickness with cotton flocked inner. Length 380mm.

Size 7-10



GL336
 Disposable Polythene Food Apron





Easy pack dispenser. Packed in 100 units Food approved. 66x107cm



GL241
 Rubber Food Glove





 EN374-3 1020



Food certified rubber glove with enhanced strength, dexterity and flexibility. Anatomically designed to reduce hand fatigue. Patterned grip palm. Soft lining to absorb perspiration and bacteriostatic treatment for hygiene. Available in a range of colours, (blue only is approved for food contact.)

Size 7-10



GL242
 Light Rubber Food Glove






Food certified rubber glove with dexterity and flexibility. Patterned grip palm. Flock lining to absorb perspiration.


Size 7-10


Your Guide to Chemical Glove Protection

EN374 Chemicals

Gloves carrying this standard have been tested for liquid proof permeation. A pictogram can be placed on the glove if it has undergone a chemical resistance test (air leak test) regardless of the value. Tests are conducted in a laboratory under conditions coming as close as possible to real conditions of use.

 EN374-2: Resistance to penetration by micro organisms to an acceptable level.

 EN374-3: Resistance to Chemical Hazards. The glove must be tested to resist breaking through for a minimum of 30 minutes on at least three chemicals from the table below to obtain this symbol.

 EN374-3: This symbol can be used for chemical gloves not meeting the requirement and/or have a AOL of 4 or lower.

Chemical hazards are not confined to the chemical industry. Many people in a variety of sectors, are faced with chemical risks when handling more or less aggressive products (oils, acids, solvents, etc).

Select the most appropriate chemical glove for your needs using these three steps:

STEP 1: Identify which family of chemical products the substance you are handling belongs to.

STEP 2: Determine the most appropriate protective material for your specific application

STEP 3: Choose your gloves according to the level of protection you require.

Contego's Recommendation Light Protection ● —————> ● ● ● Optimal Protection


| You Are Handling | EN374 | PVC | LATEX | NITRILE | NEOPRENE | BUTYL | FLUOROELASTOMER |
|---|-----------------|--|---|---|---|---|----------------------------|
| Hazard Group | Common Polymers | | | | | Specific polymers | |
| Alcohols methanol 100% | A | ● | ● | ● ● | ● ● | ● ● ● | ● ● |
| Ketones acetone 100% | B | | ● | | ● | ● ● ● | ● |
| Nitriles acetonitrile methyl cyanide 99% | C | | | | ● | ● ● ● | ● |
| Chlorinated Solvents methylene chloride/dichloromethane 99% | D | | | | ● | | ● ● ● |
| Suphur-based chemicals carbon disulphide 100% | E | | | ● | | ● | ● ● ● |
| Aromatic solvents toluene 100% | F | ● | | ● ● | ● | | ● ● |
| Amines diethylamine 98% | G | | | ● | | | ● |
| Ethers tetrahydrofurane (THF) 100% | H | | | ● | ● | ● | |
| Esters ethyl acetate 99% | I | | | ● | ● | ● ● ● | ● ● ● |
| Aliphatic solvents ethyl acetate 99% | J | | ● | ● ● ● | ● ● | ● | ● ● ● |
| Alkalis sodium hydroxide (soda) 40% | K | ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● | ● ● ● |
| Oxidising Acids suphuric acid 96% | L | ● ● | ● ● | ● ● | ● ● ● | ● ● ● | |
| STRENGTHS | | • Value for money • Mechanical resistance | • Excellent flexibility • Good puncture and tearing resistance • Suitable for cold environments | • Good puncture and abrasion resistance • No risk of protein related allergies | • Good flexibility • Good thermal resistance | • Excellent chemical resistance • Flexible and elastic | • High chemical resistance |
| RESTRICTIONS | | • Not suitable for handling hot parts | • Risk of allergies caused by the proteins in the natural latex | • Not recommended for cold environments | • Poor mechanical properties | • Poor mechanical properties | |

Chemical Gloves

Our chemical gloves selection are manufactured in a range of materials to cater for most chemical risks.

Please look at the selection guide on page 146 for your hazard group.

For more specific chemical protection information please call the sales line 01273 831800.



Barrier® A 5 layer laminate glove that is designed and tested to protect against a wide spectrum of chemicals. An excellent choice for clean-up operations where the hazard is not defined. Thin and dextrous enough to be used as an under glove for added protection.

Size 10



Sol-Vex®, renowned range in chemical protection. This gauntlet is a heavy duty design. Reversed lozenge grip pattern. Protects from a wide range of harsh chemicals. .425 mm thickness with cotton flocked inner. Length 380mm.

Size 7-11



Sol-Vex®, renowned range in chemical protection. This gauntlet is a medium duty design. Sand patch grip pattern. Protects from a wide range of harsh chemicals. 38 mm thickness with cotton flocked inner. Length 330mm. Sand patch grip pattern. Protects from a wide range of harsh chemicals.


Size 7-10





GL071

Nitrile Chemical Glove




Good protection from a wide range of chemicals including strong detergents, oils and certain solvents. Patterned palm for wet and dry grip. Flock lined for comfort. Anatomically shaped to reduce hand fatigue. Very high abrasion resistant.

Size 7-10



GL072

Heavy Nitrile Chemical Gauntlet



Heavy duty nitrile coating on cotton liner providing enhanced chemical protection durability and comfort. 35cm length for added protection.

Size 8-11



GL080

Viton Chemical Glove




Viton unsupported glove, specially designed for handling air conditioning and chlorinated and aromatic solvents.

Size 9.5



GL085

Butyl Chemical Glove



Butyl unsupported gauntlet, specially designed for handling ketones. Butyl provides the highest permeation resistance to gas impermeability, water vapour and ozone resistance.

Size 8-10



GL086

North Nitrile Knit Plus Glove




Seamless knitted nitrile chemical handling glove. New generation of chemical glove offering heat protection.

Size 7-11



GL174

Industrial Neoprene Glove




Neoprene provides resistance to range of hazardous chemicals. With its high levels abrasion resistance, good dexterity and sensitivity this glove has a wide variety of uses.

Size 9-11



GL075 Alphatec® 58-335



EN374-3 1401

High performance Nitrile chemical glove with the AquaDri® moisture management lining. This is a treated soft foam coating that is 10 times more effective than traditional linings. Size 7-11



GL240 Ketone Resistant Glove




EN374-3 3001

A unique formulation that provides cost effective protection from a wide range of aggressive solvents. Excellent against Ketones, including MEK and acetone as well as aromatics such as Toluene. Lightweight offering greater dexterity. Not suitable with water based solutions.

Size 9-11



GL244 MaxiChem®



EN374-3 4121

35cm nitrile dual coated grip gauntlet gloves designed to provide comfort, grip and protection when working with chemicals.

Size 7-11



GL176 Industrial Rubber 17" Gauntlet



EN374-3 4011

GL177 Industrial Rubber 24" Gauntlet

Rubber provides resistance to wide range of hazardous chemicals and cleaning agents. Beaded cuff to prevent liquid roll back with its high levels abrasion resistance, good dexterity and sensitivity this glove has a wide variety of uses.

Size 9-11



Needlestick Gloves

Cut Resistance:

HexArmour® products use Super Fabric®, which provides protection against cuts and slashes like no other glove material in the world. Cut protection is provided by the tough, hard guard plates that are adhered to high performance fabrics.

Puncture Resistance:

HexArmour® products, made with SuperFabric® brand material, use tiny guard plates that are adhered to high performance fabrics in order to provide superior puncture protection.

Needlestick Resistance:

HexArmour® provides industry leading needlesstick resistance. Because the gap between guard plates is so small, and it has multiple layers. HexArmour® products deliver the highest levels of protection from sharp objects such as needles. As a sharp hazard enters the fabric, it is arrested by one or more layers of fabric as it strikes the guard plates. HexArmour® delivers industry-leading puncture protection along with the highest levels of cut protection. Only HexArmour® utilises patented SuperFabric® material for the highest possible protection.



GL150 Hexarmor® Sharpsmaster



Durable nitrile coating. Comfort cotton Hi Viz liner. Triple super fabric to palm and fingers giving excellent needle protection. Machine washable.

Size 7-11




GL151 Hexarmor® Hercules NSR



Entire hand protection with triple super fabric. Special gripping surface on palm. Anatomically shaped. Machine washable.

Size: 7-10




GL155 Needlestick Puncture Glove



Highly engineered with specialist unique textiles to deliver effective protection from needlesstick hazards. Lightweight and flexible providing maximum protection.

Size 8-11



GL154 Hexarmor® Liner



Triple super fabric to palm and fingers giving excellent needle protection. Highly cut resistant glove liner. Machine washable.

Size 6-10



Live Wiring Gloves

EN60903



Live Wiring - Non supported latex glove offering excellent dielectric characteristics. Ergonomic design and powdered interior provides comfort and maximum dexterity. To be used in conjunction with leather protector gauntlet to provide mechanical protection.

Size 8-11

GL190

Class 0 Electrosoft Latex Glove
Working Voltage 1000v AC

GL191

Class 1 Electrosoft Latex Gloves
Working Voltage 7,500v AC

GL192

Class 2 Electrosoft Latex Gloves
Working Voltage 17,000v AC

GL193

Class 3 Electrosoft Latex Gloves
Working Voltage 26,500v AC

GL194

Class 00 Electrosoft Latex Gloves
Working Voltage 500v AC

GL196

Class 4 Electrosoft Latex Gloves
Working Voltage 36,000v AC

GL195

Leather Protector Gauntlet



3121



Leather over glove to provide mechanical resistance for live wiring gloves.

Size 9-11

GL126

ProGARM® ARC FLASH GLOVES



3121



High performance Kevlar® lined leather glove with 100% waterproof and windproof lining to keep hands warm and dry. Insulation made with FR Nomex. Arc Rated 55.5cal/cm2 (HRC3). Size: 9-10

GL125

PowerFlex® 80-813




3121



Multi-norm glove offering, inherent flame resistance, high level cut protection, Antistatic, and Arc Protection. ATPV 12.0cal/cm2. Level 2 Arc protection.

Size: 6-11

GL019
Tremor Low Anti Vibration Glove



Unique foamed grip coating offering protection front impact and vibration. Comfort seamless liner. Innovative design giving good levels of dexterity.

Size 8-10

GL059
Velvet Shock Protection Glove



Quality water repellant, grain leather glove with poron® anti vibration, anti shock palm protection. Reinforced poron® knuckle protection. Very comfortable glove with a wide variety of applications.

Size 9-11

GL408
Anti-Vibration Mechanic's Air Glove



IMPACTO® Anti-Vibration Mechanic's style Air-Glove® Full finger style provides maximum hand protection. Helps prevent Hand-Arm Vibration syndrome (HAVS) and White Finger Disease. Utilizes patented Air Glove® technology in the palm, fingers and thumb. Meets anti-vibration glove standards


Size 8-11

HB160
Vibration Measurement System



Take your vibration risk seriously. Complete system with a sensor built into each hand to accurately measure vibration exposure. Full system supplied with Vibindicator which has a wireless link to both sensors so there are no cables which could cause a hazard. the vibindicator displays real time levels with coloured LED's and it also logs levels each second and overall exposure. You then download to the included PC software to post process data and generate measurement reports. Supplied with USB mains chargers, software and carry case. Everything you need for easy and accurate Hand Arm Vibration Measurements. Know that you need to attend to this but looking to outlay less expense. Please enquire about our hire service.

GL412
Tegera® Anti Vibration Glove



An excellent vibration reducing glove in thin and flexible material providing good fingertip sensitivity and top level vibration reduction. Ergonomic design for best fit and performance conforming to the anti vibration standard EN10819

Size 9-10



Safety Footwear

| | |
|-------------------------------------|-----|
| Information & Standards..... | 155 |
| Bata..... | 156 |
| Dr Martens..... | 157 |
| Caterpillar..... | 158 |
| Safety Boots..... | 159 |
| Safety Shoes..... | 162 |
| Executive Safety Shoe..... | 163 |
| Safety Trainers..... | 164 |
| Rigger Boots..... | 168 |
| Dealer Boots..... | 168 |
| Waterproof..... | 169 |
| Ladies Safety Footwear..... | 170 |
| Food Trade..... | 174 |
| Chainsaw..... | 176 |
| Foundry..... | 177 |
| Metatarsal Protection Footwear..... | 177 |
| Wellingtons..... | 178 |
| Chemical Wellington..... | 180 |
| Dielectric Wellington..... | 180 |
| Waders..... | 180 |
| Socks & Laces..... | 181 |
| Insoles..... | 182 |
| Footstop Service..... | 182 |



Footwear Information & Standards

Legislation

All safety footwear in this catalogue conforms to EN345, EN ISO 20345 or EN346.

The Personal Protective Equipment at Work Regulations require employers to supply safety footwear to those working in hazardous environments. Assessments are essential to ensure that hazards are eliminated or protected against where it is not possible to eliminate them.

Product Standards

All safety footwear should be marked to one of the following standards:

- **EN345/ ENISO20345:** Category S (Safety)
- **SB:** Safety Footwear for professional use, with toecaps designed to give protection against impact when tested at an energy level of 200 joules.
- **S1:** As SB - plus anti-static properties, energy absorption of seat region, closed heel.
- **S1P:** As S1- plus mid-sole for penetration resistance.
- **S2:** As S1 - plus water penetration and water absorption resistance of upper material. (This generally is a good guide to identifying better quality components and construction techniques.)
- **S3:** As S2 - plus mid-sole for penetration resistance and cleated outer sole. (The, no compromise selection)
- **S4:** As SB plus all rubber or all-polymer footwear. (This standard is used largely for wellington boots)
- **S5:** As S4 plus mid-sole for penetration resistance and cleated outer sole. (This standard is used largely for wellington boots)

Sole Materials and Types

DD, Double Density Polyurethane:

This method is direct injection moulded giving a very strong construction. Provides day-long comfort at work, with soft inner cushioning for reduced muscle fatigue. Flexible and lightweight. Tough outer layer giving good slip resistance and wear characteristics.

DDR, Double Density Rubber:

A robust construction method using the same principles as the DD sole but adding the benefits of Rubber. Enhanced heat resistance and durability in rough terrain.

DR, Double Density Polyurethane Rubber:

An innovative sole unit that combines the benefits of both polyurethane and rubber. A very strong unit offering lightness and flexibility together with enhanced heat resistance and durability in rough terrain, offered by rubber.

SD, Single Density Polyurethane:

This method is direct injection moulded giving a very strong construction. Provides day-long comfort at work, with soft cushioning for reduced muscle fatigue. Flexible and lightweight. Good slip resistance and wear characteristics.

NR: Nitrile Rubber:

Robust and tough construction. With improved wear and slip resistance. Able to withstand temperature up to 300°C and has good resistance to chemical hazards.

ER: EVA/Rubber:

Developed in the leisure industry for hiking boots. This two layer sole unit combines all the features of rubber, heat resistance to 300°C, outstanding grip and wear characteristics with the flexible comfort cushion of EVA.

GW: Goodyear Welted:

A traditional very strong construction method where the sole is stitched to the upper providing robust footwear.

AC: Air Cushioned Sole: giving comfort as the innersole moulds to the contours of the foot.

Slip Resistance

Slips, trips and falls make up a very large percentage of work related accidents. Safety footwear now is specially designed to combat these risks as far as possible. Under the standards of EN ISO 20345 manufacturers are required to state the slip resistance of the footwear in two different scenarios as shown below.

The requirements for Coefficient of Friction (CoF) for safety footwear are:

| Surface | CoF Values | |
|--------------------------|------------|------|
| | Heel | Flat |
| Ceramic with Soapy Water | 0.28 | 0.32 |
| Steel with Glycerol | 0.13 | 0.18 |

Footwear which passes will be coded as follows:

- SRA – tested on ceramic tile wetted with dilute soap solution;
- SRB – tested on smooth steel with glycerol;
- SRC – tested on both the above conditions.

Where a test result is available we have included this information with the relevant footwear.

| | Size Conversion | | | | | | | | | | | | | | | | | |
|-------------|-----------------|----|----|----|----|----|----|-----|----|----|----|----|------|----|----|----|----|----|
| | English | 1 | 2 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 10 | 10.5 | 11 | 12 | 13 | 14 | 15 |
| Continental | | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |



Steel Midsole
Penetration resistance



Leather Free



200 Joule Toe Cap
Steel toe cap conform to EN/ISO345



Metal Free



Composite Midsole
Penetration Resistance



Waterproof Membrane



Composite Toe Cap
Toe cap conform to EN/ISO20345



Chainsaw Protection




Aluminium Toe Cap
Toe cap conform to EN/ISO20345



Heat Resistant
Heat Resistant up to 300°C



Electro Static Discharge
Footwear made with special sole formulation to discharge static electricity. Static electricity can cause damage especially in operations involving PCB's, data signals can become garbled and static sparks can even start fires or cause explosions.



BATA Features

- **Lightweight Quality Materials**
- **3 Width System**
- **Easy Roll System**
- **Shock Absorbing Tunnel System**

Bata Walkline

This flagship range with two sole types to give the best choice for you. Designed anatomically to be a natural extension of the body, with a choice of width fittings this is probably the best fitting footwear you will ever wear. Manufactured from top quality components for lasting comfort.

FD935

Bata Jefferson Gore-Tex® Boot

ISO20345



NR
S3
SRC

Fine Nubuck leather with nylon textile upper. Superior Gore-Tex® Comfort lining for ultimate moisture management. Bata comfort padded collar and tongue. Bata comfort Walkline robust rubber sole with bump cap and Tri Tech Plus® Technology. Removable/ replaceable moisture wicking foot bed. Full bellows tongue. Size: 5-14

FD917

Bata Madison ESD Shoe

ISO20345



DD
S2
SRC

Fine Brazilian full grain leather upper. Bata Cool Comfort lining for ultimate moisture management. Bata comfort padded collar and tongue. Bata comfort Walkline sole with special ESD compound. Removable/ replaceable moisture wicking foot bed.

Size: 5-14

FD936

Bata Lincoln Boot

ISO20345



NR
S3
SRC

Fine Brazilian full grain leather upper. Bata Cool Comfort lining for ultimate moisture management. Bata comfort padded collar and tongue. Bata comfort Walkline robust rubber sole with bump cap and Tri Tech Plus® Technology. Removable/ replaceable moisture wicking. Size: 5-14

FD967

Bata Monroe ESD Trainer

ISO20345



DD
S2
SRC

Supple nubuck upper. Comfort padded tongue. Sport style and performance. Bata Cool Comfort® breathable lining. Removable/ replaceable moisture wicking foot bed. Bata comfort dual density PU sole with special ESD compound.

Size: 5-14

FD932

Bata Grant ESD Boot

ISO20345



DD
S2
SRC

Fine Brazilian full grain leather upper. Bata Cool Comfort lining for ultimate moisture management. Bata comfort padded collar and tongue. Bata comfort Walkline sole with special ESD compound. Removable/ replaceable moisture wicking foot bed. Size: 5-14

**FD832**

Dr Martens® Safety Boot

ISO20345

AC
SB
SRA

Quality waxy leather upper. Comfort lining. Dr Martens® legendary air-cushioned comfort sole.

Size: 3-13

**FD873**

Dr Martens® Safety Dealer Boot

ISO20345

AC
SB
SRA

Quality leather upper. Padded ankle support. Comfort lining. Dr Martens® legendary air-cushioned comfort sole.

Size: 3-13

**FD814**

Dr Martens® Safety Shoe

ISO20345

AC
SB
SRA

Leather upper with breathable lining. Padded comfort collar. Dr Martens® legendary air-cushioned comfort sole.

Size: 3-13

**FD876**

Dr Martens® Gaucho Boot

ISO20345

AC
S3
SRA

Dr Martens® safety boot with real heritage, water resistant Gaucho greasy leather upper, anti-static construction, Smartmask® puncture-resistant midsole, Smartmask PU-cushioned footbed and breathable linings ensure total comfort and durability.

Size: 3-13

**FD875**

Dr Martens® Hiker

ISO20345

NR
S3
SRC

Fully waterproof safety hiker style boot in greasy leather with added benefit of Smartmask® PU-cushioned footbed. Heavily cleated Nitrile rubber SRC outsole ensures traction and durability on a variety of surfaces.

Size: 6-12

Famous Caterpillar® footwear with padded collar and tongue for comfort. Caterpillar® Techni Flex sole unit. Speed lacing. High performance wicking Tabrielle lining for climate control.



FC881

Caterpillar® Black Leather Boot



FC880

Caterpillar® Honey Leather Boot



FC882

Caterpillar® Brown Leather Boot

ISO20345



GW

SB

SRA

Size: 6-12



FC888

Caterpillar® Honey Ladies Boot

EN345



NR

S1

SRC

Famous Caterpillar® footwear with padded collar and tongue for comfort. Caterpillar rubber sole unit. High performance wicking Tabrielle lining for climate control.
Size: 3-8.



FC847

Caterpillar® Moor Safety Trainer

EN345



ER

SB

Leather/textile upper. Breathable moisture management lining with comfort sole and foot bed. Scuff toe guard. Phylon/rubber sole unit.
Size: 6-12.

**FP125**

Utility Derby Safety Boot

ISO20345



DDR
S3
SRC

Proven robust boot for the Utility sector. Very tough construction with dual density rubber sole unit and full grain calf leather upper. Comfort padding and textile moisture management lining. Rubber scuff cap.

Size: 5-13.

**FP323**

Wearmaster Colorado Safety Boot

ISO20345



DD
S3
SRC

Water resistant grain leather upper. Cushioned ankle collar for additional comfort. Steel toe cap and midsole. Breathable moisture management comfort lining. Comfort wicking inner sole.

Size: 3-14.

**FP125X**

Utility Derby Safety Boot

As FP125 with extended size range:

Size: 14-16

**FP135**

High Leg Utility Boot

ISO20345



DDR
S3
SRC

High leg proven robust boot. Popular for Construction, Engineering and Petro Chemical industries. Side zip for easy donning and removal. Very tough construction with dual density rubber sole unit and full grain calf leather upper. Comfort padding and textile moisture management lining. Rubber scuff cap.

Size: 5-13.

**FP128**

Wearmaster Endurance Waterproof Boot

ISO20345



DR
S3
SRC

Very robust design with waterproof lining and durable Nitrile rubber HRO sole unit. Ideal in the utility sector, with deep cleated rubber outsole and digging stabiliser. Comfort footbed and generous padding.

Size: 4-12



FP124

Wearmaster Kansas Waterproof Boot

ISO20345



DD
S3
SRC



Quality full grain nubuck Leather upper with Comfort padded moisture management lining and footbed. Waterproof management lining. Comfort collar. Size: 5-13.



FP354

Metal Free Oregon Boot

ISO20345



DD
S3
SRC



Quality smooth water resistant leather upper. Breathable comfort padded moisture management lining. Lightweight metal free construction. Padded tongue and collar. Full supporting footbed. Size: 5-13.



FP421

Wheat Nubuck Utah Boot

ISO20345



ER
SBP
SRC



Nubuck leather upper. Steel toe-cap and midsole. Rubber heat resistant outsole to 300°C. Sports cushioning ankle offering increased ankle support. Textile lining for additional comfort. Size: 6-12



FP424

Brown Nubuck Texas Boot

ISO20345



ER
SBP
SRC



Nubuck leather upper. Steel toe-cap and Composite midsole. Rubber heat resistant outsole to 300°C. Sports cushioning ankle offering increased ankle support. Textile lining for additional comfort. Size: 6-12



FP130

Combat Action Boot

ISO20345



DD
S3
SRC



Upper in quality grain leather. Genuine Cambrelle® moisture management lining with Thinsulate® insulation, conforming to the CI standard for freezer wear. Insulating and supportive gel footbed.

Size: 6-12



FP035

Utility Chukka Safety Boot

ISO20345



DD
S3
SRC



Proven robust Chukka boot for the Utility sector. Very robust construction with dual density rubber sole unit. Comfort padding and textile moisture management lining. Rubber scuff cap.

Size: 3-13



FP320

Wearmaster Kentucky Metal Free Boot

ISO20345



DDR
S3
SRC



Quality smooth water resistant leather upper. Breathable comfort padded moisture management lining. Lightweight metal free construction. Padded tongue and collar. Full supporting footbed. Low cut comfortable design.

Size: 3-13



FP331

Wearmaster Classic Chukka Boot

ISO20345



DD
S1P
SRC



Leather upper. Padded comfort collar. Bellows tongue. Full comfort foot bed. Breathable lining.

Size: 3-15



FP335

Wearmaster Nebraska Trainer Shoe

ISO20345



DD
S3
SRC

Metal free, leather upper smart trainer style. Breathable comfort padded moisture management lining. Comfort collar. Breathable supportive foot bed. Easy roll sole unit for reduced fatigue.

Size: 3-13



FP515

Air Wear Shoe

ISO20345



AC
SB
SRA

Leather upper. Cushioned ankle collar for additional comfort. Breathable moisture management comfort lining.

Size: 3-12



FP315

Nevada Metal Free Shoe

ISO20345



DD
S3
SRC

Grain leather upper. Cushioned ankle collar for additional comfort. Composite toe cap and midsole. Breathable moisture management comfort lining. Lightweight PU/PU outsole.

Size: 6-12



FP415

Classic Gibson Shoe

ISO20345



DD
S1P
SRC

Leather upper. Padded comfort collar. Full comfort foot bed. Breathable lining.

Size: 3-13



FP112

Classic Slip On Shoe

ISO20345



DD
S1P
SRC



Executive style leather upper. Comfort padded collar. Breathable moisture management system lining. Comfort inner sole.

Size: 5-13



FP113

Executive Apron Front Shoe

ISO20345



DD
S1P
SRC



Executive style leather upper. Comfort padded collar. Breathable moisture management luxury lining. Comfort inner sole. Composite penetration midsole.

Size: 6-12



FP825

Golden ESD Brogue Shoe

ISO20345



DD
S2
SRC



Quality grain leather upper. Breathable leather lining. Nubuck innersole with padding. Sole with ESD properties.

Size: 6-12



FP430

Executive Brogue Shoe

ISO20345



DD
S1P
SRC



Executive style leather upper. Comfort padded collar. Breathable moisture management luxury lining. Comfort inner sole. Composite penetration midsole.

Size: 6-12



FP375

Georgia Sports Safety Trainer

ISO20345



ER
S1P
SRC

Fashionable, lightweight and flexible safety trainer. Rubber EVA sole providing good grip characteristics and heat resistance. New comfort mesh lining. Generous comfort padding. Comfort tongue and footbed.

Size: 6-13



FP376

Alabama Sports Safety Trainer

ISO20345



ER
S1P
SRC

Fashionable, lightweight and flexible safety trainer. Rubber EVA sole providing good grip characteristics and heat resistance. New comfort mesh lining. Generous comfort padding. Comfort tongue and footbed.

Size: 6-12



FP377

Louisiana Sports Safety Trainer

ISO20345



DD
S1P
SRC

Fashionable, lightweight and flexible safety sneaker style trainer. New comfort mesh lining. Generous comfort padding. Comfort tongue and footbed.

Size: 6-12



FP378

Virginia Sport Safety Trainer

ISO20345



DD
S1P
S3

Fashionable, lightweight and flexible safety trainer. Rubber EVA sole giving good grip characteristics and heat resistance. New comfort mesh lining. Generous comfort padding. Comfort tongue and footbed.

Size: 6-12

The Bicks Sneaker range from Bata is incredibly durable and properly ventilated using the intelligent Bickz Cool System®. Incorporating the renowned Bata fit and walking systems giving you day long comfort, keeping your feet relaxed whilst not compromising on safety and style.



FD450

Wilson Sneaker Shoe

ISO20345



DDR
S3
SRC

Quality grey Nubuck upper.

Size: 3-13



FD451

Johnson Sneaker Shoe

ISO20345



DDR
SIP
SRC

Quality brown leather upper.

Size: 3-13



FD452

Arthur Sneaker Boot

ISO20345



DDR
S3
SRC

Quality grey Nubuck upper.

Size: 3-13



FD453

Adams Sneaker Boot

ISO20345



DDR
S3
SRC

Quality brown leather upper.

Size: 3-13



FP227

Wearmaster Indiana Trainer Boot

ISO20345



DD
S1P
SRC

Fine quality suede with breathable mesh/textile upper. Breathable comfort padded moisture management lining. Comfort collar. Breathable supportive foot bed. Easy roll sole unit for reduced fatigue.

Size: 3-13



FP226

Wearmaster Ohio Trainer Shoe

ISO20345



DD
S1P
SRC

Fine quality suede with breathable mesh/textile upper. Breathable comfort padded moisture management lining. Comfort collar. Breathable supportive foot bed. Easy roll sole unit for reduced fatigue.

Size: 3-13



FP133

Yellow Run Trainer

ISO20345



ER
S1P
SRC

Light, comfortable and stylish. Microfibre and textile upper. Comfort breathable moisture transport lining. Rubber / EVA sole, flexible and heat resistant. Light flex kevlar midsole. TPU torsion stability support.

Size: 3-12



FP131

Silver Run Trainer

ISO20345



ER
S1P
SRC

Light, comfortable and stylish. Microfibre and textile upper. Comfort breathable moisture transport lining. Rubber / EVA sole, flexible and heat resistant. Light flex kevlar midsole. TPU torsion stability support.

Size: 3-12



FP082

Modigliani Premium Trainer

ISO20345



DD
S3
SRC

Quality grain leather and textile upper. Textile antibacterial, breathable moisture management lining. Air footbed in EVA and fabric with anatomic, antistatic design guaranteeing high stability. PU/TPU sole. Generous width fitting.

Size: 6-12



FP094

Aztec Trainer Boot

ISO20345



ER
S3
SRC

Advanced techniques and materials. Metal free advanced safety. Modern design with reflective safety trims. Flexlite triple density Phylon/Rubber sole designed to provide optimum slip resistance on a wide range of surfaces. Energy return footbed that has rebound technology, posture stability, ventilation and antibacterial compound.

Size: 3-13



FP095X

Aztec Trainer Boot XL

As FP094 with extended size range:

Size: 14-16



FP120

Fury Metal Free Trainer Boot

ISO20345



DDR
S3
SRC

Comfortable, light and flexible trainer boot. Quality Calf leather upper with textile inserts. Generous padding with soft textile moisture management lining.

Size: 3-13



FP225

Lancaster Metal Free Trainer Boot

ISO20345



DDR
S3
SRC

Comfortable, light and flexible trainer boot. Quality Nubuck leather upper with textile inserts. Generous padding with soft textile moisture management lining.

Size: 3-13



FP577

Black Dealer Boot

ISO20345



DD
S3
SRC

Quality full grain leather upper. Dual density sole constructed for tough conditions. Comfort moisture management lining and superior PU footbed.
Size: 3-13.



FP174

Metal Free Dealer Boot

ISO20345



DD
S3
SRC

Smooth full grain leather upper. Metal free toecap and midsole. Pull on ankle loop. Lightweight and flexible outsole. Moisture management lining.
Size: 3-13.



FP578

Redskin Dealer Boot

ISO20345



DD
S3
SRC

Quality Nubuck leather upper. Dual density sole constructed for tough conditions. Comfort moisture management lining and superior PU footbed.
Size: 3-13.



FP435

Super Rigger HRO

ISO20345



DDR
S3
SRC

Proven robust boot. Popular for Construction, Engineering and Utilities. Very robust construction with dual density rubber sole unit and scuff cap. Quality leather upper. Comfort padding and warm fur lining.
Size: 5-13.



FP302

Classic Rigger Boot

ISO20345



DD
S1P
SRA

Leather upper. Warm fur lined. Pull on tags. Full comfort foot bed.
Size: 3-13.



FP987

PVC Rigger Boot

EN345



S5

Waterproof PVC upper and sole unit. Fully warm thermal fur lined. Pull on tags.
Size: 6-12.

Waterproof

**FP137**

Hydrus Gore-Tex® Boot

ISO20345



DDR
S3
SRC

Very comfortable design with Gore-Tex® guaranteed waterproof, breathable lining. Generous padding with comfort tongue and footbed. Dual density PU/Rubber sole, which is comfortable, flexible and robust.

Size: 5-13

**FD935**

Bata Jefferson Gore-Tex® Boot

ISO20345



NR
S3
SRC

Fine Nubuck leather with nylon textile upper. Superior Gore-Tex® Comfort lining for ultimate moisture management. Bata comfort padded collar and tongue. Bata comfort Walkline with Tri Tech Plus® Technology. Removable/ replaceable moisture wicking foot bed. Full bellows tongue and Gore Tex lining.

Size: 5-14

**FP124**

Wearmaster Kansas Waterproof Boot

ISO20345



DD
S3
SRC

Quality full grain nubuck Leather upper with Comfort padded moisture management lining and footbed. Waterproof management lining. Comfort collar..

Size: 5-13.

**FP128**

Wearmaster Endurance Waterproof Boot

ISO20345



DR
S3
SRC

Very robust design with waterproof upper and durable Nitrile rubber HRO sole unit. Ideal in the utility sector with deep cleated rubber outsole and digging stabiliser. Comfort footbed and generous padding.

Size: 4-12

**FP158**

Waterproof Hiker Boot

ISO20345



P/R
SB

Robust construction with scuff toe and heel guard. Waterproof lining. Breathable comfort padded moisture management lining and footbed. Cutaway comfort collar.

Size: 5-13.

Email: sales@contegosaafety.co.uk

Web: www.contegosaafety.co.uk



FD148

Grace Ladies Court Shoe

ISO20345



DD
S3
SRC

Ladies court shoe with full safety features. Made in quality soft full grain leather, with comfort moisture management lining.

Size: 3-8



FD147

Jessica Ladies Safety Boot

ISO20345



DD
S3
SRC

Stylish safety boot with great comfort and safety features. Quality Nubuck upper, comfort padding and collar. Moisture management lining.

Size: 3-8



FP613

Sport Mule Shoe

ISO20345



DD
SIP
SRC

Ladies safety shoe in mule low back design. Leather upper. Breathable comfort moisture management lining. Comfort padded footbed.

Size: 3-8



FP827

Sarah ESD Ladies Shoe

ISO20345



SP
S2
SRC

Quality grain leather upper. Breathable leather lining. Polybed inner sole with padding and Sany dry antibacterial treatment. Sole with ESD properties.

Size: 2-8



FP826

Amy Safety boot

EN345

DD
S2

Smart full grain leather safety boot for ladies in the work environment. Comfort padded and moisture management lining. Light, flexible PU sole with anti slip properties.

Size: 2-8



FP323

Wearmaster Colorado Safety Boot

ISO20345

DD
S3
SRC

Water resistant grain leather upper. Cushioned ankle collar for additional comfort. Steel toe cap and midsole. Breathable moisture management comfort lining. Comfort wicking inner sole. Lightweight PU/PU outsole.

Size: 3-8



FP118

Ladies Arizona Metal Free Shoe

ISO20345

ER
S1P
SRC

Ladies safety shoe with quality leather upper. Comfort lining and footbed. Generous padding and comfort tongue. Rubber sole with excellent anti slip properties and heat resistance.

Size: 3-8



FC888

Caterpillar® Honey Ladies Boot

EN345

NR
S1
SRC

Famous Caterpillar® footwear with padded collar and tongue for comfort. Caterpillar rubber sole unit. High wicking, Tabrielle lining for climate control.

Size: 3-8.



FP227

Wearmaster Indiana Trainer Boot

ISO20345



DD

S1P

SRC

Fine quality suede with breathable mesh/textile upper. Breathable comfort padded moisture management lining. Comfort collar. Breathable supportive foot bed. Easy roll sole unit for reduced fatigue.

Size: 3-8



FP226

Wearmaster Ohio Trainer Shoe

ISO20345



DD

S1P

SRC

Fine quality suede with breathable mesh/textile upper. Breathable comfort padded moisture management lining. Comfort collar. Breathable supportive foot bed. Easy roll sole unit for reduced fatigue.

Size: 3-8



FP320

Wearmaster Kentucky Metal Free Boot

ISO20345



DDR

S3

SRC

Quality smooth, water resistant leather upper. Breathable comfort padded moisture management lining. Lightweight metal free construction. Padded tongue and collar. Full supporting footbed. Low cut comfortable design.

Size: 3-8



FD876

Dr Martens® Gaucho Boot

ISO20345



AC

S3

SRA

Dr Martens® safety boot with real heritage, water resistant Gaucho greasy leather upper. Anti-static construction, Smartmask, puncture-resistant midsole, Smartmask PU-cushioned footbed and breathable linings. Ensuring total comfort and durability.

Size: 3-8

**FC388**

Cleo Sneaker Boot

ISO20345



DD

S3

SRA



Comfortable and fashionable sneaker trainer with composite safety features offering lightness and flexibility. Quality mesh breathable lining.

Size 3-8

**FP371**

Emma Safety Trainer

ISO20345



ER

SB

SRA



Smart neat and comfortable suede safety trainer. Quality breathable moisture management lining. Comfort collar. Breathable supportive footbed.

Size: 3-8

**FD451**

Johnson Sneaker Shoe

ISO20345



DDR

SIP

SRC



Quality brown leather upper.

Size: 3-8

**FD453**

Adams Sneaker Boot

ISO20345



DDR

S3

SRC



Quality brown leather upper.

Size: 3-8



FP090

Wearmaster Carolina Safety Wellington Shoe

ISO20345



SRA
S4



White, with safety toe. Foodsafe.
Size: 3-13

A truly premium wellington made from virgin PVC for lightness, flexibility, comfort and longevity. Exceptional resistance to hydrocarbons, oils and fats. Washable easy dry comfort textile lining. Kick off spur for easy removal.



FP901

Wearmaster Tennessee Safety Wellington

ISO20345



SRA
S5



White, with safety toe. Ankle guards, trouser grips and cut down facility.
Size: 3-13



FP976

Wearmaster Missouri Wellington

EN347



White, without safety toe. Cut down facility.
Size: 5-12



FP294

White Hygiene Lace Shoe

EN345



SD
S1



Lace up style
Size: 3-13



FP053

White Hygiene Slip-on Shoe

EN345



SD
S1



Slip-on style
Size: 2-13

Footwear designed for food environments. Microfibre uppers. Polyurethane soles to provide lightness and flexibility. Comfort padding. Fully machine washable. Superior sole design offering certified slip resistance.

FP232

New York Hygiene Lace Shoe

ISO20345



SD
S2
SRC

Lace up style black footwear in premium quality, with superior components. Comfort mesh lining. Removable comfort, washable footbed.

Size: 2-12

FP220

Florida Hygiene Lace Shoe

ISO20345



SD
S2
SRC

Lace up style white footwear in premium quality, with superior components. Comfort mesh lining. Removable, washable comfort footbed.

Size: 2-12

FP233

Delaware Hygiene Slip-on Shoe

ISO20345



SD
S2
SRC

Slip-on style black footwear in premium quality, with superior components. Comfort mesh lining. Removable comfort, washable footbed.

Size: 2-12

FP234

Maine Hygiene Slip-on Shoe

ISO20345



SD
S2
SRC

Slip-on style white footwear in premium quality, with superior components. Comfort mesh lining. Removable comfort, washable footbed.

Size: 2-12

FP296

Leather Free Boot



DD
S3
SRC

Water resistant breathable microfibre upper. Wing Tex breathable moisture management lining. Composite air toe breathable toe cap. Composite save and flex midsole with full coverage. Ergo dry breathable supportive foot bed. Very light weight 540gm (size 8).

Size: 3-13

FP231

Wisconsin Hygiene Lace Boot

ISO20345



SD
S2
SRC

Lace up boot style white footwear in premium quality, with superior components. Comfort mesh lining. Removable comfort, washable footbed.

Size: 2-12



FP992

Class 2 Chainsaw Boot

ISO20345



NR
S3
SRC

High grade water repellent leather with Sawtech® protection. Texelle breathable abrasion resistant moisture management system. Full soft footbed in cloth covered PU. Anatomic design. Cold and heat thermal insulation. Very strong stitched sole in full nitrile

Size: 6-13



FP995

Class 1 Chainsaw Boot

ISO20345



NR
S3
SRC

Water repellent printed leather with chainsaw cut protection. Texelle breathable abrasion resistant moisture management system. Full soft footbed in EVA and fabric. Robust PC/ Nitrile sole composition.

Size: 6.5-11



FP998

Class 3 Chainsaw Wellington

EN17249
EN20345



NR
S5
SRC

Robust rubber wellington with class 3 chainsaw protection. Lace to rear for snug fit.

Size: 6-12





FP591

Foundry Ankle Boot

ISO20345



DDR
S3
SRC

Water repellent leather upper with breathable moisture management lining. Quick release safety vamp guard. Comfort absorbent foot bed. Premium comfort and protection for welding and foundry applications.

Size: 5-13



FP076

Argyle Metatarsal Boot

ISO20345



DD
S3
SRA

Premium quality robust boot with steel metatarsal protection. 30 day 100% comfort guarantee. Moisture management wicking lining comfort padded lining. Supportive PU footbed. Cork shoe base with comfort inserts. Comfort PU/TPU sole unit.

Size: 4-13



FP592

Foundry High Leg Boot

ISO20345



DDR
S3
SRC

Quick release buckles for easy removal. Adjustable suede spark protector. Leather breathable lining. Nitrile sole providing optimum heat and slip resistance. Ideal boot for industry and welding environments offering maximum protection.

Size: 5-13



FP845

Metatarsal D30® Boot

ISO20345



DDR
S3
SRC

Proven robust boot for the Utility sector. Very tough construction with dual density rubber sole unit and full grain calf leather upper. Comfort padding and textile moisture management lining. Rubber scuff cap.

Size: 5-13



FP090

Wearmaster Carolina Safety Wellington Shoe

ISO20345



SRA
S4



White, with safety toe. Foodsafe.

Size: 3-13

A truly premium wellington made from virgin PVC for lightness, flexibility, comfort and longevity. Exceptional resistance to hydrocarbons, oils and fats. Washable easy dry comfort textile lining. Kick off spur for easy removal.



FP901

Wearmaster Tennessee Safety Wellington

ISO20345



SRA
S5



White, with safety toe. Ankle guards, trouser grips and cut down facility.

Size: 3-13



FP976

Wearmaster Missouri Wellington

EN347



White, without safety toe. Cut down facility.

Size: 5-12



FP970

Wearmaster Virginia Safety PU Wellington

ISO20345



DD
SRC
S5



Complete polyurethane construction. Exceptionally light, flexible and comfortable. Offers cold insulation down to -25°C. Superior comfort washable lining of Lycra and polyurethane. Good protection from Hydrocarbons, oils, fats and chemicals. A firm favourite in food production, agriculture and fishing.

Size: 6-12



FP200

Thermal Removable Wellington Lining



Fleece lining for ultimate warmth and comfort.

Size: 5-12

A truly premium wellington made from virgin PVC for lightness, flexibility, comfort and longevity. Exceptional resistance to hydrocarbons, oils and fats. Washable easy dry comfort textile lining. Kick off spur for easy removal.

**FP979**

Wearmaster Iowa Wellington

EN347



Black, classic style for work or leisure. Cut down facility
Size: 5-12

**FP986**

Wearmaster Dakota Safety Wellington

ISO20345



S5

Black, with safety toe and midsole. Ankle guards, trouser grips and cut down facility. Size: 3-13

**FP971**

Wearmaster Vermont Safety PU Wellington

ISO20345



DD
SRC
S5

Complete polyurethane construction. Exceptionally light, flexible and comfortable. Offers cold insulation down to -25°C. Superior comfort washable lining of Lycra and polyurethane. Good protection from Hydrocarbons, oils, fats and chemicals. A firm favourite in food production, agriculture and fishing. Size: 6-12

**FP984**

Black Site Wellington Boot

ISO20345



S5

PVC / Nitrile blend. Generous fit. Reinforced ankle and shin area with kick off spur for easy removal. Cut down bands. Washable easy-dry lining. Size: 3-12

**FP987**

PVC Rigger Boot

EN345



NR
SBP

Waterproof PVC upper and sole unit. Fully warm thermal fur lined. Pull on tags. Size: 6-12.



FP980

Hazmax Chemical Wellington Boot

ISO20345



NR
S5

Unique Hazmax compound upper. Resistant to aggressive chemicals. Comfort washable lining. Slip resistant hard wearing nitrile sole.

Size: 6-12



FP981

Dielectric Insulated Wellington Boot

ISO20345



NR
S5

Unique Dielectric compound resists 20KV. across the complete boot and 35KV on the sole. Comfort washable lining. Slip resistant hard wearing nitrile sole.

Size: 6-12



FP988

Thigh Wader

ISO20345



NR
S5



Safety waders with generous fit. Robust heavy duty wader fabric to give prolonged lifespan. Reinforced ankle and shin area. Kick off spur for easy removal. Comfort zone wide fit. Washable easy dry lining.

Size: 4-13



FP989

Chest Wader

ISO20345




S5




Safety waders with generous fit. Quick release webbing straps with elastic. Draw cord waist. Reinforced ankle and shin area. Kick off spur for easy removal. Comfort zone wide fit. Washable easy dry lining.

Size: 4-13



Tough and neat black lace.
Suitable for safety footwear.



Tough and neat black lace. Suitable for safety footwear.



Thick calf length sock made from Zirpro virgin wool with Kermel fibre. Flame resistant properties and suitable for welders and fire crews. Great longevity, comfort and shape retention.

Size: 3-13.



Long warm sock providing optimum thermal characteristics. Due to the unique combination of virgin wool and Pro Cool® feet remain warm and dry. Designed with supportive zones to complement safety footwear. Extra comfort and shaped for left and right feet.

Size: 3-13.



Unique composition of cotton, polyamide and Pro Cool® with Seacell® active (cellulose fibre) specially designed to keep your feet pleasantly cool and provide optimum moisture management. Special reinforcements specially designed to compliment safety footwear.

Size: 3-13.



Great value pack of work socks with cushioned sole and a durable reinforced heel and toe area.

Size: L (6-9), XL (10-13)



Very hardwearing Tungsten Carbide Steel pins. High grade rubber designed to complement virtually any footwear. Very easy to put on. Designed to give safer footing and reassurance on ice.

Size: L (6-9), XL (10-12)



AF250
FOOT STOP SERVICE



Love your feet! The Foot Stop Service scanner helps to prevent injuries that occur if the foot is loaded in the wrong way. A quick simple service, you don't even need to remove your socks. You stand on the scanner and your measurements are recorded. You get immediate results and appropriate insoles from the JALAS ® range are then selected to provide you with the best solution to keep your feet in the best condition.



AF001
Bata Premium Fit Inlay Sole



Supportive comfort sole with extra arch support and comfort heel pad. Vent air moisture transportation system for all day comfort.
Size: 3-13.



AF230
Jalas® High Arch Support Inner Sole



AF231
Jalas® Medium Arch Support Inner Sole




AF232
Jalas® Low Arch Support Inner Sole



Height Safety

| | |
|--------------------------------------|-----|
| Introduction..... | 184 |
| Harnesses | 186 |
| Lanyards..... | 188 |
| Lines & Attachments..... | 190 |
| Kits & Tripod Systems | 192 |
| Tool Safety & Rescue Systems | 194 |
| Height Safety Training Courses | 196 |



Height Safety Regulations

Health and Safety Legislation states that anybody exposed to risk to their health and safety should be provided with the relevant PPE. Employers must provide the correct protection measures for anyone working where there is risk of a fall.

If it is not feasible to eliminate the hazard a PPE system must be selected and used. A Height Safety system consists of a full body harness, an intermediate attachment and an anchorage connector; it can only be used if a suitable anchorage point is located close to the work area. All items that we supply are CE certified and conform to the relevant standards (category 3 – PPE against mortal or serious and irreversible danger). If you would like more information about the standards, please contact us on 01273 831800.

European Standards

| | |
|---------|---|
| EN353-1 | Guided type Fall Arrester – Rigid anchorage lines and rails |
| EN353-2 | Guided type Fall Arrester – Flexible anchorage line |
| EN354 | Lanyards |
| EN355 | Shock Absorbers |
| EN358 | Work positioning systems |
| EN360 | Retractable Fall Arrester |

| | |
|----------|---|
| EN361 | Full Body Harness |
| EN362 | Connectors |
| EN795-b | Anchorage Devices – class B |
| EN363 | Fall Arrest Systems |
| EN1496-b | Recovery Lifting Device for raising and lowering |
| EN813 | Sit harnesses - required for work in suspension and rescue applications |
| EN12841 | Rope access systems - back up devices |

Safety Training

Training and development of a fall protection programme The employer is required by law to develop a comprehensive fall protection programme. This involves identifying the fall hazards in the workplace, selecting the products that would be most suitable for the task and training the workers in the proper use of the fall protection equipment.

The basics of a fall arrest system

A Anchorage point & connector

Anchorage point, commonly referred to as the tie off point (e.g. girder, scaffolding, lifeline). The anchorage point must have a static resistance >10kN during 3 minutes (EN795b) and should be located high enough for the wearer to avoid contact with a lower level in the event of a fall and be as vertical as possible to the working place. Anchorage Connector, used to join the connecting device to the anchorage point (e.g. webbing strap, steel sling, girder grip). It should be adapted to the anchorage point and have a minimum static resistance of 15kN for 3 minutes (EN362)

B Body wear (Harness)

A full body harness is the personal protective equipment worn by the worker. Its role is to hold the worker if a fall occurs so that they will not be injured or slip out of the harness. Only a full body harness is acceptable and it should be selected based on the work to be performed and the work environment. Each anchorage point on the harness should have a static resistance > 15kN for 3 minutes (EN361, EN358)

C Connecting device

The intermediate attachment is the critical link that joins the harness to the anchorage point or connector (e.g. shock absorbing lanyard, fall arrest block or rope grab). Its role is to limit the free fall of the worker and should be selected based on the work to be performed and the work environment. The potential fall distance must be calculated to determine the type of intermediate attachment to be used – see calculations.



BS8437:2005 requires certain components of your fall arrest equipment to be given a thorough examination and certified for use every 12 months.

For this service please return your equipment to Contego. Our qualified engineers will thoroughly examine, certify and document your equipment according to the required standard to enable you to comply with your obligation.

Height Safety Systems

Utilisation of an individual fall protection system is an ultimate method in situations when other safety equipment cannot be used.

The role of the system is not to prevent falls but to arrest them and mitigate the results of a sudden stop midair. In order to provide a proper degree of safety, while configuring an individual fall protection system the following risk factors must be taken into account:

Minimum free space

A falling person must be stopped midair (after the so-called free fall). The results of hitting a surface or an obstacle could be fatal. In order to prevent such a risk, "free space" must be provided below the user. There are no obstacles a person can hit in his space while falling.

While defining the height of free space, one must take into account the parameters of the connecting-safeguarding system and location of the anchor point in relation to the user.

Location of the anchor point




The length of free fall should always be as short as possible. The height of the anchor point in relation to the system's user location determines the length of free falling. If the anchor point of the connecting safeguarding element is above a worker, the length of free falling is minimal. However, locating the anchor point at foot level results in a longer free fall.

This must be taken into account to ensure the person cannot contact the floor or any obstacle. The ideal anchor point will be above the worker.

Pendulum effect

When deciding on a suitable anchor point you must consider the pendulum effect. A worker could be in a position that when a fall occurs they could come into contact with obstacles or could land on the floor. The working angle should always be taken into account. This angle could cause the improper function of some arrest devices, e.g. a fall arrest block.

When carrying out a risk assessment always read the information manual for each item of equipment to ensure the correct use.



Harnesses

A comprehensive range of fall arrest harnesses that are fully CE certified and conform to the relevant standards. User friendly product. Lightweight, durable webbing for all day comfort and dependability. Fully adjustable designs to fit all wearers.



SH011

1-Point Body Harness

EN361



Rear anchorage point. Fully adjustable in chest and leg straps. Two colour webbing to easily identify a twisted strap.



SH012

2-Point Body Harness

EN361



Rear and front anchorage points. Fully adjustable in chest and leg straps. Two colour webbing to easily identify a twisted strap.



SH016

Elasticated 3 point Harness

EN361



Premium harness offering all day comfort due to the advanced elastic technology and fully adjustable system for a perfect fit. Incorporating "extensible riplight system II® patented waves" and the added safety of a fall indicator.



SH009

Pro Extreme Work Positioning Harness

EN358
EN361



Harness with all the comfort and safety features you would expect in a top of the range product. Comfort shoulder and back protector. Comfort padded leg straps. Quick fix buckles. Fully adjustable. Complete with work positioning belt.



SH010

Full Body Rescue Harness

EN361



For fall protection and rescue. Rear and front D ring attachments. Double adjustment in chest and leg straps. Rear attachment for rescue connection.



SH018

Hi Viz Vest Harness

EN361



Hi Viz jacket with elasticated webbing fully adjustable comfort harness incorporating rear and front anchorage points. Incorporated extension lanyard for fall arrest block attachment.



SH019 Work Positioning Sit Harness

EN358
EN813



Well designed and comfortable sit harness for industrial access and rescue technician applications. Padded waist and leg straps. Side and front D rings. Regulating buckles to leg straps.



SH017 Premium Rope access/Sit Harness

EN358
EN361
EN813



Multi purpose Rope access/Sit harness. Comfort elasticated webbing. Quick release buckles. Work positioning belt. Multiple attachment points. Fully adjustable. Generous comfort padding.



SH013 Work Positioning Belt

EN358



Positioning belt with two lateral anchorage points for work positioning. Fits to harnesses. Thermoformed back with comfort sponge lining.



SH014 ATEX Harness

EN361



3 point harness for use in areas of explosive risk. Suitable for Zones 1 or 21 and Zone 2 or 22. A very comfortable harness with quick release buckles and fully adjustable webbing.



SH015 Fire Resistant Harness

EN361



3 point harness for use in areas of flammable risk. Pyrovatek treated webbing. A very comfortable harness with quick release buckles and fully adjustable webbing.

**SH023**

2m Fall Arrest Lanyard

EN355



Lanyard with fall arrest shock absorber. Fitted with screwgate karabiner at each end.

**SH024**

2m Scaffold Lanyard

EN355



Scaffold lanyard with fall arrest shock absorber. Fitted with screwgate karabiner and scaffold hook.

**SH007**

Twin Scaffold Lanyard

EN355



Twin scaffold lanyard with fall arrest shock absorber. Fitted with screwgate karabiner and scaffold hooks. Provides continuous connection.

**SH029**

Energy absorber scaffold elasticated lanyard

EN354
EN355

Elasticated lanyard offering a safe, tidy and convenient solution to attachment techniques. Retracts to reduce trip hazards. Fitted with fall arrester, karabiner and scaffold hook.

**SH028**

Energy absorber elasticated lanyard

EN354
EN355

Elasticated Lanyard offering a safe, tidy and convenient solution to attachment techniques. Retracts to reduce trip hazards. Fitted with fall arrester and karabiners.

**SH044**

Edge Tested Restraint Lanyard

EN355



1.3m Lanyard made with Kernmantel rope conforming to the edge test standard. Designed to withstand falls over a sharp edge (e.g steelwork) and resist cutting through.

**SH040**

Galvanised Screwgate Karabiner

EN362



Galvanised connector with keylock. 18mm opening.

**SH041**

Twist Lock Karabiner

EN362



Twist lock connector with 20mm opening.

**SH042**

Double Action Scaffold Hook

EN362



50mm opening. Double finger locks. Zinc plated steel.



SH020

1m Restraint Lanyard

EN354
EN795-B



SH021

1.5m Restraint Lanyard

EN354
EN795-B



SH022

2m Restraint Lanyard

EN354
EN795-B



Tubular Webbing restraint lanyard with sewn loop eye at each end.



SH045

Adjustable Rope Lanyard

EN358



Adjustable work positioning lanyard with stainless steel tensioner. Protective sheath on splices.



SH025

Twin Versatile Lanyard

EN355



Twin lanyard with a broad spectrum of uses. Designed for simple quick fix to itself giving multiple length options. With scaffold hooks, snaphook and fall arrester.



**Wear
safety
harness**





SH055

Personal Fall Arrest Block

EN360



Reduced fall clearance due to quick activating braking mechanism. Integral shock absorbing pack reduces fall impact forces. 50mm webbing life line. 2.25m working capacity. Recoil system reduces trip hazards. Ideal for low level work.



SH051

Lightweight Retractable Fall Arrest Block 6m

EN360



Transportation handle makes this block easy to carry and install. Features a built in brake with energy dissipating mechanism inside a durable plastic housing. Top anchor point with built in swivel and karabiner. Lower snap hook with double action safety trigger. Fall Indicator. 4mm Galvanised Wire Rope.



SH052

Lightweight Retractable Fall Arrest Block 10m



SH056

Lightweight Retractable Fall Arrest Block 15m



SH053

20m Fall Arrest Block

EN360



Lightweight composite corrosion resistant casing. 20m galvanised wire rope. Visual load indicator. Fully serviceable.



SH082

Horizontal Safety Line

EN795-B



20m adjustable length temporary lifeline. Steel webbing ratchet tensioner. Swivel snap hooks at each end. With carry bag. For use with up to 3 persons at the same time.



SH061
 Vertical Safety Line 10m
 EN353-2



12mm safety line with loop ends for use with automatic rope grab.
Use with SH033




SH062
 Vertical Safety Line 20m




SH063
 Vertical Safety Line 30m




SH065
 Vertical Safety Line 50m




SH026
 2m Work Positioning Lanyard
 EN358




Adjustable work positioning lanyard. Kernmantel rope. Automatic locking adjuster to provide perfect work positioning.




SH048
 5m Work Positioning Lanyard




SH049
 10m Work Positioning Lanyard




SH033
 Automatic Rope Grab
 EN353-2
 EN358
 EN12841



Guided fall arrester for use on a 12mm anchorage line. Detachable. Lightweight aluminium construction. Can be used for both fall arrest and work positioning.



HP054
 JSP EVOLite® Linesman Helmet with Slip Ratchet
 EN397
 EN50365



EVOLite® Linesman helmet is based on the EVOLite® micro peak helmet, with 4-point chin strap harness



HP055
 EVOLite® Linesman Helmet with Wheel Ratchet
 EN397
 EN50365



EVOLite® Linesman helmet is based on the EVOLite® micro peak helmet, with 4-point chin strap harness



HP059
 Climbers Helmet
 EN397



Premium vented climbers mountain style safety helmet. Peak free for best upward vision. Very comfortable with 8 point harness incorporating the innovative ROTOR® ratchet system which is very secure and easy to adjust. Fitted with 3 point chinstrap.

A selection of complete kits available for most applications. These all come ready for use and packed in a useful identified bag for protection and consolidation.



SH090 Fall Restraint Ready Pack



EN355
EN361

Kit containing 1 point body harness, 1.5 metre lanyard pre fitted to harness, 1 karabiner.



SH091 Fall Arrest Ready Pack



EN355
EN361

Kit containing 1 point body harness, 2 metre shock absorber lanyard pre fitted to harness, 1 karabiner.



SH092 Scaffold Ready Pack



EN355
EN361

Kit containing 2 point body harness, 2 metre shock absorber scaffold lanyard, 1 karabiner.



SH093 Construction Kit Ready Pack



EN360
EN361
EN360

Kit containing 2 point body harness, retractable fall arrest block, 2 karabiners in a fall protection carry bag. Reduced fall distance due to retracting block.



SH094 Roofer Kit Ready Pack



EN361
EN362
EN353-2

Kit containing 2 point body harness, 20m vertical safety line with sliding rope lock, 2 karabiners. Very popular with PV installers.



SH058

25m Retrieval/Fall Arrest Block

EN360
EN1496



The fall arrest block has an integral winch which is simple to operate and will function as a normal fall arrest block when the winch is not engaged. Should the user fall they can be winched up or lowered to safety without delay. Lightweight Aluminium Alloy casing. Zinc Galvanised Steel Wire rope.



SH050

Retrieval/Fall Arrest Block Tripod Bracket

Easy to fit steel bracket to allow the SH058 Fall Arrest/retrieval block to the leg of the SH057 Tripod



SH057

Aluminium Work Tripod

EN1496-B



Tripod with locking extension legs. Folds for easy transport and storage. Stability feet and chain brace system. Designed to work with winch and fall arrest devices. Suitable for confined spaces.



SH059

Work Winch 20m

EN1496-B



Supplied with bracket to fit to tripod. Lower and lock facility. Manriding certified.



**SH087**

Versatile Tool Elastic Lanyard



Protects from tools falling from height and causing injury. Attaches to harness. One end with loop to attach to a safety harness. Multi fit options, Velcro strap to attach small power tools such as drills or small grinders. Adjustable loop with toggle to attach small hand tools. Elasticated, Length 1.1 mtr [not expanded].

**SH084**

Retractable Tool Lanyard



Protects from tools falling from height and causing injury. Will clip onto most harnesses. Lanyard length 1.1m.

**SH085**

Strap Tool Lanyard



Adjustable type tool lanyard used to prevent tools and equipment falling from height and causing injury. Easy fit velcro strap. Use with SH081 Retractable tool lanyard to secure small electrical tools such as drills. Maximum load 2kg.

**SH081**

Tool Safety Lanyard



Bungee type expanding tool lanyard used to prevent tools and equipment falling from height and causing injury. Maximum load 2KG. Length 1M. Lanyard Only.

**SH083**

Heavy Duty Tool Lanyard



Heavy duty tool lanyard for heavier tools such as drills, grinders and chainsaws. Material Polyester webbing. End loop to attach to harness. Terminating in a loop and metal ring to attach tools. Width of webbing 25mm. Length 1.3mtr. Maximum load 50Kg. Static strength 8kN.

**SH030**

Anchorage Sling 1.2m

EN795-b



To provide a secure certified anchor point in situations like fixed steel beams.

**SH080**

Trauma straps



Pair of straps to enable blood circulation to the legs after a fall awaiting help. Fits any harness. Adjustable and in carry case.

**SH036**

Anchorage Sling 0.6m



To provide a secure certified anchor point in situations like fixed steel beams.



SH095

Evacuation Rescue System



Evacuation and rescue equipment to access, recover and evacuate a person following a fall incident. Very versatile usage. Suitable to carry 2 persons. For use with rope SH096 sold separately.

Rescue Equipment

If you have employees using Fall Arrest equipment it is part of your duty to ensure that you have an effective Rescue Plan. This is required to retrieve a casualty to a safe and accessible place within 10 minutes, rely upon internal resources, with trained and competent persons available. To assist you with appropriate rescue solutions we have provided these versatile systems to our range and have the resources to provide training for your staff. Please call us to discuss your requirements.



SH096

Evacuation Rescue System Rope



Braided rope for use with SH095. Sold by the metre, up to 160m length available.



SH099

Rescue Controlled Descender 50mtr

Rescue descender device with anti panic function. Kit included descender device complete with rope, 3 karabiners, sling, carry bag and cutting knife. Up to 200m available.



SH098

Rescue Controlled Descender 30mtr



SH097

Rescue Controlled Descender 20mtr

SH099
SH098
SH097
EN341-C





Height Safety Training Courses



TR036

Rescue Climber Course FP2

A course designed to instruct personnel in the fundamental skills required to access open structures (advanced climber skills) and recover a fallen climber from these situations. 1 day course for up to 10 Delegates. On attaining the relevant pass level and practical assessment delegates will receive a certificate of training.



TR038

Safety at Height Awareness Course FP1

A workplace orientated course to provide users of personal fall protection equipment with a working knowledge of current legislation, relevant standards and best practice use of their workplace personal fall protection systems. 1/2 day course for up to 10 delegates. On attaining the relevant pass level and practical assessment delegates will receive a certificate of training.



TR037

Advanced Climber Course FP2A

A workplace orientated course to provide users of personal fall protection equipment with a working knowledge of current legislation, relevant standards and best practice in the use of their workplace personal fall protection systems. For those required to climb open structure and work outside the confines of a safe working platform. 1 day course for up to 10 delegates. On attaining the relevant pass level and practical assessment delegates will receive a certificate of training.



TR039

Tower Crane Driver Rescue Course FP3

This course is designed to provide operatives with the knowledge and tools to safely assess rescue requirements and perform a Tower Crane Driver/ Worker Rescue/Recovery 1 day course for up to 10 delegates. On attaining the relevant pass level and practical assessment delegates will receive a certificate of training.



TR040

Alispercha Rescue Course FP4

This course is designed to provide operatives with the knowledge and tools to safely assess rescue requirements and perform a Alsipercha / Concrete deck Rescue/Recovery 1 Day course for upto 10 Delegates. On attaining the relevant pass level and practical assessment delegates will receive a certificate of training.

Lead them to safety — Build an enduring culture of safety through comprehensive education, innovative technologies and comfortable high-performance products that inspire workers to make safer choices on their own. Contego is the ideal partner for organizations committed to a cultural transformation that minimizes injuries and maintains a safer, more productive workplace.

Hand Care

| | |
|------------------------------------|-----|
| Hand Soaps & Dispensers..... | 198 |
| Wet Wipe Solutions | 199 |
| Pump Bottles & Care Products | 200 |



For assured sanitation, all our antibacterial hand soaps are approved to these hygiene standards: EN1276, EN1499, EN1500, EN13727



PC108

ProCleanze® Dispenser System
-Liquid Soap Dispenser 800ml



Proven and robust dispenser system with liquid dispensing pump for 800ml pouch refill.



PC101

ProCleanze® Dispenser System
Foam Soap Dispenser 800ml



Proven and robust dispenser system with luxury foam pump for 800ml pouch refill.



PC102

ProCleanze® Dispenser System
Liquid Soap Dispenser 1800ml



Proven and robust dispenser system for 1800ml pouch refill. Double section pump that ensures total emptying of pouch.



PC213

ProCleanze®
Before Work Hand Care



Skin protection cream for before and during work. Helps to keep the hands moist and supple, feed the skin and provides a barrier to help prevent harmful substances penetrating into the skin. 800ml pouch for use with PC108 dispenser.



PC212

ProCleanze®
After Work Hand Care



Regenerating skin care cream. For use after work to aid natural restoration and balance in the skin. For use after work and washing. 800ml pouch for use with PC108 dispenser.



PC211

ProCleanze® Beaded Scrubber
Heavy Duty Hand Cleaner



Luxury heavy duty scrubber gel to tackle the toughest grime. Contains skin protecting emollients. 1800ml.



PC210

ProCleanze® Anti-Bac
Soap Hand Cleaner Foam



Luxury foam hand cleaner with rich creamy lather to thoroughly cleanse and protect the skin. With emollients. 800ml pouch for use with PC101 dispenser.



PC215

ProCleanze® Anti-Bac
Washroom Hand Soap



Effective and gentle hand cleaning soap with certified antibacterial qualities to assure you of hygiene standards. Leaves hands feeling clean and fresh. 800ml pouch for use with PC108 dispenser.



PC216

ProCleanze® Luxury
Foaming Hand Soap



Luxury foaming hand soap with rich lather and gentle effective cleaning. Suitable for washroom environments. 800ml pouch for use with PC101 dispenser.

Special formulation that sanitises surfaces from 99.99% of bacteria. Suitable for hard surfaces and skin cleansing, producing a clean, fresh environment due to the inclusion of natural solvents with bactericides and emollients. Dermatologically tested and approved to: EN1275, EN1276, EN1500, EN1656, EN12791, EN13623, EN13697, EN13727, EN14348, EN14476



PC501
ProCleanze®
Anti-Bac Sanitising Wipe (40)



40 large pre-saturated anti-bacterial wipes in re-sealable sachet.



PC500
ProCleanze®
Anti-Bac Sanitising Wipe



150 large pre-saturated anti-bacterial wipes in centre pull container.



PC515
ProCleanze® Anti-Bac
Sanitising Wipe



1500 large pre-saturated anti-bacterial wipes in centre pull container.

ProCleanze®



PC502
ProCleanze® Heavy Duty Wipe



150 large pre-saturated wipes in centre pull container. Removes grime, oil, inks and adhesive from hands leaving the skin fresh and clean. Contains natural solvents with bactericide and emollients to protect the skin. Also suitable for removing stubborn marks from hard surfaces and degreasing machine parts.



PC504
ProCleanze® Heavy Duty
Anti-Bac Scrubbing Wipe



80 large pre-saturated anti-bacterial, extra tough, grime removing, dual sided scrubbing wipes in a centre pull container. Having one scrubbing side to dislodge unwanted contaminants and one smooth side to wipe away and retain particles. Removes heavy grime, oil, inks and adhesive from hands while sterilising from 99.99% of all bacteria, leaving the skin fresh and clean. Contains natural solvents with bactericide and emollients to protect the skin. Suitable for removing stubborn marks from hard surfaces and degreasing machine parts.

**PS205**

Handsan Alcohol Gel Pump Bottle



500ml pump action bottle of Alcohol hand rub. Evaporates from hands without leaving odour or residue. Contains skin moisturises. Ideal in food areas and non-surgical medical establishments.

**PS204**

Trigon Bactericidal Soap Pump Bottle



500ml pump action bottle of Rich creamy lather with a thorough cleansing action. Contains skin emollient. Mild and gentle to the skin. Unperfumed and ideal for food producing environment.

**PS202**

Pink Pearl Soap Pump Bottle



500ml pump action bottle of Luxurious creamy lather with a thorough cleansing action. Contains skin emollient. Mild and gentle to the skin. Attractive refreshing fragrance.

**PS206**

Handsan Alcohol Gel Personal Bottle



75ml convenient clip bottle of Alcohol hand rub. Evaporates from hands without leaving odour or residue. Contains skin moisturises. Ideal in food areas and non-surgical medical establishments.

**ML504**

Protective Barrier Cream



Protection cream that works like an invisible glove. Helps to protect from almost any non water based contaminant. Forms a dry and strong protective film. Proven 40 years and dermatologically tested. Simply wash with water.



For a full range of signage, contact us:

Email:

sales@contegosafety.co.uk

Phone: 01273 831800


Web: www.contegosafety.co.uk



First Aid

| | |
|--|---------|
| First Aid Kits | 202-203 |
| Plasters/Dressings | 204-205 |
| Eyewash/Eye care & Defibrillator | 206-207 |

With an ever increasing responsibility to ensure the protection and safety of our valuable workforce; we have selected a simple yet comprehensive collection of first aid items to provide for any basic first aid eventuality. However if you require more specific or complex resources please enquire with our friendly sales team who will be more than happy to assist you.



HSE STANDARD FIRST AID KIT

The HSE Standard First Aid Kit will ensure that you are compliant with the standard for HSE recommendations in a low risk environment.



FA114

HSE 1 Person First Aid Kit



1 person kit containing the full HSE recommended contents in a ziplock bag. Great for PPE kits.



FA101

HSE 1 Person First Aid Kit In Zipped Carry Bag



1 person kit containing the full HSE recommended contents in a robust zipped case. Great for vehicles and carrying with you.



FA102

HSE 1 Person First Aid Kit

FA103

HSE 10 Person First Aid Kit

FA104

HSE 20 Person First Aid Kit

FA105

HSE 50 Person First Aid Kit



FA102



FA103



FA104



FA105



FA113

Burns Kit



This highly visible Emergency Burns kit is effective for fast effective relief from burns, scalds and sunburn.



FA111

RH2 Kit



The RH2 first aid kit is ideal for cars, vans and lorries. It also surpasses the recommendations of a travel first aid kit for one person.



FA107

Bio Hazard Kit 5 application Kit



A comprehensive body fluid kit with 5 complete application packs and specialist disinfectants.

Please see our website www.contegosafety.co.uk for full details of the contents for each kit.

WORKPLACE FIRST AID KIT

The BS 8599-1: 2011 has been developed in response to standards issued for the contents of Workplace First Aid Kits. A solution that is fit for purpose in today's workplace environment has resulted in the following, conforming range.



FA151

BS 8599-1 Small Kit

A superb kit where the contents have been carefully considered to give you the essentials you need for almost any first aid emergency arising in the workplace. Ideal for up to 25 persons.



FA152

BS 8599-1 Medium Kit

A superb kit where the contents have been carefully considered to give you the essentials you need for almost any first aid emergency arising in the workplace. Ideal for up to 100 persons.



FA153

BS 8599-1 Large Kit

A superb kit where the contents have been carefully considered to give you the essentials you need for almost any first aid emergency arising in the workplace. Ideal for over 100 person sites. 1 recommended per 100 persons.



FA131

BS8599-2 Travel Kit

The British standard have identified a range of requirements ideally suited to vehicles and travelling workers. This kit has many uses and with the inclusion of Trauma dressings make it particularly suitable for those that work with tools on site. Packed in a robust zipped case.



FA108

Sharps Kit



5 complete self contained kits to safely handle and dispose of sharps, neatly contained and marked in a single box.

FA100 kit is compliant to the HSE 10 person standard.

FA155 conforms to BS 8599-1 and provides you the complete peace of mind that you are prepared for almost every first aid requirement you will need in the food place.



FA100

Blue 10 Person HSE Catering Kit



Blue catering kit containing the full HSE 10 person contents with blue assorted plasters.



FA155

Blue Medium BS8599-1 Catering Kit



Blue catering kit containing the full BS8599-1 contents with blue assorted plasters.

FA504 Washproof Senior Strip Plasters



Box of 100 7.2 x 2.5cm. Sterile and individually wrapped. Waterproof backing. Sterile absorbent pad.

FA503 Washproof Assorted Plasters



Box of 100 assorted plaster shapes. Sterile and individually wrapped. Waterproof backing. Sterile absorbent pad.



FA502 Elastic Senior Strip Plasters



Box of 100 7.2 x 2.5cm. Sterile and individually wrapped. Elastic fabric backing. Good adhesive qualities. Sterile absorbent pad.

FA501 Elastic Assorted Plasters



Box of 100 assorted plaster shapes. Sterile and individually wrapped. Elastic fabric backing. Good adhesive qualities. Sterile absorbent pad.

FA616 Microporous Tape Hypoallergenic



Dressing tape for general first aid use.

FIRST AID ITEMS FOR THE FOOD TRADE

FA506 Blue Detectable Senior Strip Plasters



Box of 100 7.2 x 2.5cm Blue detectable sterile plasters. Electromagnetically and visibly detectable. Hypoallergenic. Waterproof backing. Sterile absorbent patch.

FA505 Blue Detectable Assorted Plasters



Box of 100 assorted blue detectable sterile plasters. Electromagnetically and visibly detectable. Hypoallergenic. Waterproof backing. Sterile absorbent patch.

FA522 Blue Detectable Tape



Blue detectable waterproof tape for securing bandages. Suitable for food areas. Low allergy.

FA603 Sterile Eyepad Dressing



Eye pad dressing. Sterile flow wrapped for easy identification and contamination protection. Comfortable stretch bandage. Pack of 12.

FA602 Sterile Wound Dressing 12 x 12



Medium dressing. Sterile flow wrapped for easy identification and contamination protection. Comfortable stretch bandage. Pack of 12.

FA601 Sterile Wound Dressing 18 x 18



Large dressing. Sterile flow wrapped for easy identification and contamination protection. Comfortable stretch bandage. Pack of 12.



FA613

Quick Fix Finger Dressing



Quick fix finger bandage with low adherent pad. Sterile flow wrapped for easy identification and contamination protection. Comfortable stretch bandage. Pack of 12.



FA205

Saline Wipes Box 100



Individually wrapped sachets with pre moisturised antiseptic wipes. Alcohol free.



FA206

Saline Wipes Pack 20



Individually wrapped sachets with pre moisturised antiseptic wipes. Alcohol free.



FA614

Sterile Burn Dressing



Dressing for first degree burns in sealed sterile packing. 10x10cm



FA202

Disposable Ice Pack



Instant ice pack. All you need in a bag. Chemical reaction provides effective instant cooling for sprains.



FA621

Lifeshield Resuscitator



Essential protection for giving resuscitation. With one way valve.



FA904

Tuff Cut Scissors



Very tuff scissors with safety blade for effective cutting of bandages.



FA200

Accident report book



50 page accident report book. Current data protection regulation approved.



FA000

First Aid Essentials Catalogue



Catalogue containing a comprehensive range of first aid requirements for the workplace.



**FA805**

Mirror Eyewash Station



Wall hanging unit with mirror and moulded holders for two 500ml bottles. Two 500ml bottles included.

**FA806**

Eyewash Cabinet



Wall hanging cabinet that mounts on demountable bracket for quick transportation in an emergency. Sealed lid to keep contents clean. Supplied with two 500ml eyewash bottles and two eye pads.

**FA801**

Eyewash Bottle 500ml



Regulation 500ml sealed bottle. Ideal for eye irrigation to flush out debris and contaminants. Sterile saline solution.

**FA803**


Eyewash 500ml with irrigation cap



500ml bottle sterile saline solution. With ergonomic irrigation system to give up to 5 minutes washing time. Far more effective than the traditional bottle.

**FA800**

Eyewash Pods 25 x 20ml



Boxed in 25 individually sealed pods. Ideal for eye irrigation to flush out debris. Sterile saline solution.

**FA603**

Sterile Eyepad Dressing



Eye pad dressing. Sterile flow wrapped for easy identification and contamination protection. Comfortable stretch bandage. Pack of 12.





Automatic Defibrillator designed for use by minimally trained operatives. Weighing only 2.2KG (complete with battery and pads) and at only 81x220x281mm it is very easy to transport rapidly to an emergency situation. Very robust, designed to resist a 1.2M drop and vibration. Meets EN1789 standards. Additional carry case increases protection and makes the unit even more available.

KEY FEATURES



Pads connector Guide & LEDs

- Indicate the position of the pads connector
- Pads are pre-connected and stored in the saver



Information button

- Allows responder to select if CPR metronome is heard
- Checks for faults and errors
- Provides handover information to Emergency Services (usage time, shocks delivered)



Shock button

- Highly visible and responsive orange shock button
- When a shock is advised, it flashes orange along with a voice prompt



IrDA data communication port and internal memory

- The SAVER has an internal memory of maximum 5 events with a maximum duration of 5 minutes each
- The IrDA port allows data to be sent and received to and from a PC



Battery pack

- 12v DC disposable, long life, lithium battery pack
- Battery life of minimum 200 shocks or 4 hours of operating time

Integrated handle

An easy-grip carrying handle for increased portability of the SAVER



The iPAD SAVER, an effective intelligent public access defibrillators from one of the world's leading manufacturers of clinical defibrillator monitors.

It is a semi-automatic defibrillator and is designed to be used by minimally trained individuals.



We stock a comprehensive range of First Aid Signage, view the range:

Via the signage link on our website:



The collage features a green first aid kit with 'FIRST AID' printed on its lid. Several sheets of first aid signs are displayed, showing various symbols and text. A screenshot of the Contego Safety Solutions website is shown, with a green arrow pointing from the signs to the 'Signage Catalogue' link in the website's navigation menu. The website header includes the Contego logo and the phone number 01273 831800. A 'Sign Collection 2014/15' brochure is also visible, featuring a 'No tipping or dumping' sign.

CONTEGO
Safety Solutions

Home About Us Register Sign In Contact Us

Welcome to Contego Safety Solutions

Signage Catalogue

CONTEGO
Safety Solutions

Customer Service: 01273 831800

Account Login

Signage Catalogue

CONTEGO
Safety Solutions

No tipping or dumping

Sign Collection
2014/15

To receive a sign catalogue in the post:

Email: sales@contegosafety.co.uk

Phone: 01273 831800


Fire Safety

| | |
|---------------------------------|------------|
| Classifications | 210 |
| Fire Extinguishers | 210 |
| Signage Information..... | 212 |

Fire Extinguishers have long been acknowledged as the cornerstone of any fire and safety strategy. Accessible, portable and effective, the fire extinguisher is a very powerful fire fighting tool when in the hands of trained personnel. However, not all fire extinguishers are the same. When lives and property are at stake the quality and reliability of your fire fighting equipment is of paramount importance.

Our complete range of extinguishers, are manufactured to the highest standards and provide many extra value added features. Each model carries the internationally recognised  **British Kite Mark**; they are tested to **BSEN3** as well as being **Marine Approved**, where applicable. It goes without saying that the entire range is covered by a 5 year warranty.

Every extinguisher is factory filled for easy installation, they provide a working pressure of 15 Bar for greater reach and improved fire knockdown. They are dual colour screen printed and painted with UV resistant paint for longevity. In addition they have been coated with a corrosion resistant finish, lined with an internal polyethylene lining and also have a protective plastic base. These are just some of the many attributes that come as standard.



FIRE CLASSIFICATION

Types of extinguisher for different classifications of fires

CLASSIFICATION A

Fire caused by combustion of solid materials, mainly of organic origin, which normally burn under production of embers e.g. wood, paper, straw, textiles, coal.

CLASSIFICATION B

Fires caused by combustion of liquids or materials that liquefy e.g. spirits, solvents, oils and waxes.

CLASSIFICATION C

Fires caused by combustion of gases e.g. methane, propane, hydrogen, acetylene, natural gas, city gas.

CLASSIFICATION D

Fires caused by combustion of metals e.g. aluminium, magnesium, lithium, sodium, potassium and their alloys.

| | WATER | FOAM | POWDER | CO2 |
|---|-------|------|--------|-----|
| A | ✓ | ✓ | ✓ | |
| B | | ✓ | ✓ | ✓ |
| C | | | ✓ | |
| D | | | ✓ | |

Dry powder is a highly versatile fire fighting medium for most fire risks. In addition to dealing with electrical hazards, flammable liquids and gases, this range of extinguisher is also effective on vehicle fires.

Dry Powder Extinguishers Suitable for A, B, C

| CODE | DESCRIPTION | FIRE RATING | RANGE OF THROW | DURATION OF DISCHARGE | WORKING PRESSURE AT 20 | TEMP RANGE |
|-------|-----------------------------|-------------|----------------|-----------------------|------------------------|-------------|
| PR041 | Dry Powder 1kg Extinguisher | 8A 55B | >2m | 9 secs | 15 bar | -30 to 60°C |
| PR042 | Dry Powder 2kg Extinguisher | 13A 70B | >2m | 10 secs | 15 bar | -30 to 60°C |
| PR044 | Dry Powder 4kg Extinguisher | 21A 113B | >4m | 12 secs | 15 bar | -30 to 60°C |
| PR046 | Dry Powder 6kg Extinguisher | 34A 233B | >4m | 15 secs | 15 bar | -30 to 60°C |
| PR049 | Dry Powder 9kg Extinguisher | 43A 233B | >4m | 15 secs | 15 bar | -30 to 60°C |



Water Extinguishers Suitable for A

| CODE | DESCRIPTION | FIRE RATING | RANGE OF THROW | DURATION OF DISCHARGE | WORKING PRESSURE AT 20 | TEMP RANGE |
|-------|-------------------------|-------------|----------------|-----------------------|------------------------|------------|
| PR019 | 9ltr Water Extinguisher | 21A | >4m | 50 secs | 15 bar | 0 to 60°C |

Water remains one of the most useful of all available fire extinguisher offering excellent fire suppression for attacking freely burning materials such as paper, cloth and wood.

Spray Foam Extinguishers

Suitable for A,B

Spray foam extinguisher provide a fast and powerful way of tackling class A and B fires. Highly effective against petrol and volatile liquids forming a flame smothering seal over the surface preventing re-ignition. Ideal for multi-risk usage.



| CODE | DESCRIPTION | FIRE RATING | RANGE OF THROW | DURATION OF DISCHARGE | WORKING PRESSURE AT 20 | TEMP RANGE |
|-------|---------------------------------|-------------|----------------|-----------------------|------------------------|------------|
| PR032 | Spray Foam 2 litre Extinguisher | 8A 55B | >2m | 12 secs | 15 bar | 0 to 60°C |
| PR033 | Spray Foam 3 litre Extinguisher | 13A 144B | >4m | 30 secs | 15 bar | 0 to 60°C |
| PR036 | Spray Foam 6 litre Extinguisher | 13A 144B | >4m | 30 secs | 15 bar | 0 to 60°C |
| PR039 | Spray Foam 9 litre Extinguisher | 21A 183B | >4m | 40 secs | 15 bar | 0 to 60°C |

CO2 Extinguishers

Suitable for B

| CODE | DESCRIPTION | FIRE RATING | RANGE OF THROW | DURATION OF DISCHARGE | WORKING PRESSURE AT 20 | TEMP RANGE |
|-------|----------------------|-------------|----------------|-----------------------|------------------------|-------------|
| PR022 | CO2 2kg Extinguisher | 34B | >4m | 8 secs | 56 bar | -20 to 60°C |
| PR025 | CO2 5kg Extinguisher | 70B | >4m | 14 secs | 56 bar | -20 to 60°C |

The CO2 models have non-conductive, anti-static horns and are suitable for situations involving flammable liquids class B fires and electrical hazards. CO2 is harmless to delicate equipment and machinery. Ideal for modern office environments, all electrical risks and where oils, spirits, solvents and waxes are in use.



ML990

Emergency Alarm Horn



Compressed air operated portable alarm horn. Simple press operation to emit loud warning sound. 1500M Range Ozone friendly.



PR100

Flat Pack Fire Blanket



1m x 1m heavy weight blanket with 5 year guarantee. Fully flexible ultra flat pack design manufactured from industrial grade wipeable PVC. Incorporates heavy duty Brass reinforced hanging point. Features hook and loop resealable closure. BSEN 1869:1997. Other sizes available to order.

We stock a comprehensive range of Fire Signage, view the range:

Via the signage link on our website:



www.contegosafety.co.uk

To receive a sign catalogue in the post:

Email: sales@contegosafety.co.uk

Phone: 0800 122 33 23



Site Safety

| | |
|--|-----|
| Janitorial..... | 214 |
| Paper Products | 216 |
| Brushes | 218 |
| Torches /Batteries & Spill Control | 220 |
| Spill Control | 222 |
| Signs..... | 226 |
| Secure Storage & Transport..... | 228 |
| Skipper Barrier Systems..... | 230 |
| 'Good to Go' Inspection Tag System..... | 232 |



Special formulation that sanitises surfaces from 99.99% of bacteria. Suitable for hard surfaces and skin cleansing, producing a clean, fresh environment due to the inclusion of natural solvents with bactericides and emollients. Dermatologically tested and approved to:



PC515
ProCleanze® Anti-Bac
Sanitising Wipe



1500 large pre-saturated anti-bacterial wipes in centre pull container.



PC500
ProCleanze®
Anti-Bac Sanitising Wipe



150 large pre-saturated anti-bacterial wipes in centre pull container.



PC501
ProCleanze®
Anti-Bac Sanitising Wipe



40 large pre-saturated anti-bacterial wipes in re-sealable sachet.



PC504
ProCleanze® Heavy
Duty Anti-Bac Scrubbing Wipe



80 large pre-saturated anti-bacterial, extra tough, grime removing, dual sided scrubbing wipes in a centre pull container. Having one scrubbing side to dislodge unwanted contaminants and one absorbent side to wipe away and retain particles. Removes heavy grime, oil, inks and adhesive from hands while sterilising from 99.99% of all bacteria, leaving the skin fresh and clean. Contains natural solvents with bactericide and emollients to protect the skin. Suitable for removing stubborn marks from hard surfaces and degreasing machine parts.



PC502
ProCleanze®
Heavy Duty Wipe



150 large pre-saturated wipes in centre pull container. Removes grime, oil, inks and adhesive from hands leaving the skin fresh and clean. Contains natural solvents with bactericide and emollients to protect the skin. Also suitable for removing stubborn marks from hard surfaces and degreasing machine parts.



PC298
ProCleanze® Ultra low lint
Oil High Absorbency wiper



Very high quality absorbent wiper giving maximum performance. Specially bonded polyester fibres that resists solvents. Designed to absorb many liquids and chemicals without disintegration. Ideal for situations where chemical and oil spill control is a necessity. 150 wipes 40x36cm sheets, 1/4 folded in a dispenser box.



PC299
ProCleanze® Ultra-Low Lint High
Absorbency Wiper



Very high quality absorbent wiper giving maximum performance. Specially bonded polyester fibres that resists solvents. Suitable for low lint cloth replacement, suitable for food use. 150 40x36cm sheets, 1/4 folded in a dispenser box.



PC011
ProCleanze® Blue Aperture
Hygiene Wipe (25pk)



High quality blue wiping cloth with apertures designed to collect and trap particles and contaminants. Robust composition in a Rayon/Polyester fibre with Low lint properties that can be used many times. Antibacterial properties to keep the cloth fresh for longer. Very highly absorbent. Pack 25 cloths, 30x38cm. 10 packs per carton.

For assured sanitation, all our antibacterial hand soaps are approved to these hygiene standards: EN1276, EN1499, EN1500, EN13727



PC108

ProCleanze® Dispenser System
-Liquid Soap Dispenser 800ml



Proven and robust dispenser system with liquid dispensing pump for 800ml pouch refill.



PC101

ProCleanze® Dispenser System
Foam Soap Dispenser 800ml



Proven and robust dispenser system with luxury foam pump for 800ml pouch refill.



PC102

ProCleanze® Dispenser System
Liquid Soap Dispenser 1800ml



Proven and robust dispenser system for 1800ml pouch refill. Double section pump that ensures total emptying of pouch.



PC213

ProCleanze®
Before Work Hand Care



Skin protection cream for before and during work. Helps to keep the hands moist and supple, feed the skin and provides a barrier to help prevent harmful substances penetrating into the skin. 800ml pouch for use with PC108 dispenser.



PC212

ProCleanze®
After Work Hand Care



Regenerating skin care cream. For use after work to aid natural restoration and balance in the skin. For use after work and washing. 800ml pouch for use with PC108 dispenser.



PC211

ProCleanze® Beaded Scrubber
Heavy Duty Hand Cleaner



Luxury heavy duty scrubber gel to tackle the toughest grime. Contains skin protecting emollients. 1800ml.



PC210

ProCleanze® Anti-Bac
Soap Hand Cleaner Foam



Luxury foam hand cleaner with rich creamy lather to thoroughly cleanse and protect the skin. With emollients. 800ml pouch for use with PC101 dispenser.



PC215

ProCleanze® Anti-Bac
Washroom Hand Soap



Effective and gentle hand cleaning soap with certified antibacterial qualities to assure you of hygiene standards. Leaves hands feeling clean and fresh. 800ml pouch for use with PC108 dispenser.



PC216

ProCleanze® Luxury
Foaming Hand Soap



Luxury foaming hand soap with rich lather and gentle effective cleaning. Suitable for washroom environments. 800ml pouch for use with PC101 dispenser.

Centre Feed



PC107
ProCleanze®
Centre Feed Dispenser



Proven and robust dispenser system for Centre feed roll.



ML300
Eco Blue Centre feed Roll



Can be used as either centre feed or edge feed. Perforated sheets.
Pack of 6 rolls.



PC104
ProCleanze® Mini Jumbo
Toilet Roll Dispenser



Proven and robust dispenser system for Mini Jumbo toilet roll



ML302
Premium White Centre Feed Roll



Can be used as either centre feed or edge feed. Absorbent paper perforated sheets.
150m roll.
Pack of 6 rolls.



ML301
Premium Blue Centre Feed Roll



Can be used as either centre feed or edge feed. Absorbent paper perforated sheets.
150m roll.
Pack of 6 rolls.



ML309
Mini Jumbo Toilet Roll



Toilet tissue in 150m roll.
Pack of 12 rolls.



ML306
Blue Wiper Roll



Pack of two rolls with 460 sheets per roll. Lint free bonded fibre giving strong economical wiping solution. Suitable for food industry.



ML305
Hygiene Roll



2 ply wiping paper in convenient for transport roll size.
25cm x 40m.
Box 18 rolls.



ML310
Jumbo Roll



Floor stand blue roll. Industrial perforated sheet wiping paper.
2ply. 26cm x 380m.
Box 2 rolls.



PC103

ProCleanze® Jumbo Toilet Roll Dispenser



Proven and robust dispenser system for Jumbo toilet roll



ML308

Jumbo Toilet Roll



Toilet tissue in 300m roll.
Pack of 6 rolls.



ML304

Standard Toilet Roll



2 ply white perforated sheets. 320 sheets per roll.
Pack of 36 rolls.



PC105

ProCleanze® Hand Towel Dispenser



Proven and robust dispenser system for folded hand towels.



ML307

Hand Towels



Single ply absorbent embossed paper zig-zag towels. Ready packed for use in most universal dispensers.
Box 2700.





ML320
Black Dustbin Liners



Heavy duty black polythene bin liner.
Open size 74cm x 99cm.



ML330
White Cotton Wipes



10kg vacuum packed for ease of handling. Highly absorbent cotton wipes in workable size pieces. Ideal for multitude of wiping tasks, oils, graffiti removal etc. White, is ideal for solvents as it does not leave colour.



ML331
Coloured Cotton Wipes



10kg vacuum packed for ease of handling. Highly absorbent cotton wipes in workable size pieces. Ideal for multitude of wiping tasks, oils, graffiti removal etc.



ML678
General Purpose Disinfectant



Suitable on all washable surfaces for effective disinfection. Fresh Lime fragrance.



ML670
Washroom Sanitiser



Removes general soiling and leaves long lasting pleasant fragrance. Neutral formulation. Kills a broad range of bacteria including MRSA. Passes EN1276. Ideal for washbasins, toilets, tiles and floors.



ML671
Washroom Sanitiser Spray Bottle



Removes general soiling and leaves long lasting pleasant fragrance. Neutral formulation. Kills a broad range of bacteria including MRSA. Passes EN1276. Ideal for washbasins, toilets, tiles and floors.





ML162

Soft Fibre Platform Brush 24"



Excellent sweeping qualities, the very best for sweeping dry smooth surfaces. Compatible with 29mm handle.



ML163

Bassine Fibre Platform Brush 24"



Stiff Bassine bristle for dry or wet rough surfaces. Compatible with 29mm handle.



ML164

Bass Broom 13"



Quality bass broom head with double handle socket. Compatible with 29mm handle.



ML166

29mm Broom Handle



Wooden 'A' quality handle. 1372x29mm.



ML165

Galvanised Handle Socket



Quick fix handle socket C/W wing nut and bolt fixings. For 29mm handles



ML167

Dustpan & Brush



8" plastic dustpan and soft PVC brush set.



ML169

24mm Broom Handle



Wooden 'A' quality handle. 1219 x 24mm.



ML161

Soft Sweeping Brush 10"



Natural coco filled. Ideal for light debris. 24mm handle required





ML825
3W CREE Hand Torch



Crafted from an aluminium titanium alloy. The ultimate in durable, long lasting and reliable torches. Uses new CREE technology which is 10 times brighter than standard LED. 3 power settings. Telescopic zoom. With hand strap.



ML826
LED 4C Lantern



Crafted from an aluminium titanium alloy. The ultimate in durable, long lasting and reliable torches, shock proof and water resistant. 150 lumens, a range of 350m and up to 20 hours battery life.



ML827
LED Head Light



Multi positioning headlamp. Clever design that allows hands free operation, by either wearing on the head or helmet or placing on a surface and using the angling mechanism to direct the beam.



ML830
LED Floating Lantern



Robust plastic floating lantern. Complete with PJ996 battery. LED lamp giving 140M beam, 100 hours run time.



ML804
Duracell Industrial D Battery



Proven quality long lasting alkaline battery



ML803
Duracell Industrial C Battery



Proven quality long lasting alkaline battery



ML801
Duracell Industrial AA Battery



Proven quality long lasting alkaline battery



ML802
Duracell Industrial AAA Battery



Proven quality long lasting alkaline battery



ML800
9 Volt Duracell Industrial Battery



Proven quality long lasting alkaline battery



ML805
6 Volt Lantern Battery



Heavy duty zinc chloride lantern battery

Spill Containment Systems

The ultimate solution for on-site spill protection. Flexible and easy to use. 100% reusable base unit. Very effective. Including Holdall, rigid platform, base unit and smart liner.



SR131

600 x 400mm
Site Mat and Smart Liner Kit

Complete kit with base, Filtatech mat and holdall.



SR132

1000 x 600mm Site Mat and
Smart Liner Kit

Complete kit with base, Filtatech mat and holdall.



SR133

1600 x 1200mm Site Mat and
Smart Liner Kit

Complete kit with base, Filtatech mat and holdall.



SR136

Filtatech Smart liner to suit
600 x 400mm base unit

Replacement absorbent mat for SR131. Absorbency 3 litre.



SR134

Filtatech Smart liner to suit
1000 x 600mm base unit

Replacement absorbent mat for SR133. Absorbency 30 litre.



SR135

Filtatech Smart liner to suit
1000 x 600mm base unit

Replacement absorbent mat for SR132. Absorbency 6.5 litre.



SR151

Steel Spill Cabinet 14L



Quality steel Hazardous Substance Cabinet 90cm x 46cm x 90cm. Sump capacity 14L.



SR152

Poly Spill Cabinet 30L



Robust Renown poly drum Cupboard with 2 shelves 53cm x 42cm x 97cm. Sump Capacity 30L



SR150

Poly Spill Cabinet 70L



Robust Renown poly drum Cupboard with 3 shelves 65cm x 57cm x 165cm. Sump Capacity 70L



SR100
Oil Absorbent Pads



High performance pad designed to effectively handle oils with its special hydrophobic composition. Colour coded in white for easy identification. Size 50cm x 40cm. Absorbent capacity 0.8 litre. Pack 100.



SR106
Oil Absorbent Socks



High performance sock designed to effectively handle oils with its special hydrophobic composition. Colour coded in white for easy identification. Size 6cm x 1.2m. Absorbent capacity 3.0 litre. Pack 20.



SR149
Absorbent Cellulose Granules



Cellulose mix with fire retardant coating. Cellulose granules are 3 times more absorbent than conventional clays. Very lightweight for easy handling. For internal use. 30ltr/ 9kg. Absorbs 10 litres. Simple disposal with incineration. 30ltr/ 9kg.



SR101
Chemical Absorbent Pads



High performance pad designed to effectively handle virtually any fluids. Colour coded in yellow for easy identification. Size 50cm x 40cm. Absorbent capacity 0.8 litre. Pack 100.



SR107
Chemical Absorbent Socks



High performance sock designed to effectively handle virtually any fluids. Colour coded in yellow for easy identification. Size 6cm x 1.2m. Absorbent capacity 3.0ltr. Pack 20.



SR159
Clay Absorbent Granules



Quality clay granule. The traditional effective solution to a vast range of spillage situations. 20ltr bag.



SR102
Maintenance Absorbent Pads




High performance pad designed to effectively handle a wide range of fluids with. Colour coded in black for easy identification. Size 50cm x 40cm. Absorbent capacity 0.8 litre. Pack 100.



SR108
Maintenance Absorbent Socks



High performance Sock designed to effectively handle a wide range of fluids with. Colour coded in black for easy identification. Size 6cm x 1.2m. Absorbent capacity 4.0 litres. Pack 20.





| Code | Response Kit | Absorbs | Contains |
|--------------|---------------------------------------|---|--|
| SR110 | Response Kit: 15 litre Maintenance | Oils, Solvents, Fuels, Coolants, Mild Acids, Mild Alkalis & Water | Supplied in clear, clip close, heavy gauge carrier. Contains 10 pads, 1 sock, disposable bag and ties. |
| SR111 | Response Kit: 15 litre Chemical | Virtually any fluids | Supplied in clear, clip close, heavy gauge carrier. Contains 10 pads, 1 sock, disposable bag and ties. |
| SR112 | Response Kit: 15 litre Oil Only | Oil, Solvents, Fuels | Supplied in clear, clip close, heavy gauge carrier. Contains 10 pads, 1 sock, disposable bag and ties. |
| SR120 | Response Kit: 25 litre Chemical | Oil, Solvents, Fuels, Coolants, Mild Acids, Mild Alkalis & Water | Supplied in clear, clip close, carrier. Contains 18 pads, 3 socks, 3 disposable bags and ties. |
| SR121 | Response Kit: 25 litre Oil Only | Virtually any fluids | Supplied in clear, clip close, carrier. Contains 18 pads, 3 socks, 3 disposable bags and ties. |
| SR122 | Response Kit: 25 litre Maintenance | Oil, Solvents & Fuels | Supplied in clear, clip close, carrier. Contains 18 pads, 3 socks, 3 disposable bags and ties. |



Spill Control Training Courses

Proving competence in terms of spill response is a key issue not just for an Environmental Management System but also to demonstrate compliance to the Oil Storage Regulations. Lubetech provide five levels of training courses, ranging from 'Basic Requirements' to 'Train The Trainer' certified courses. Details of each of the courses are highlighted below, these would be carried out on an on-site basis.



TR001 BASIC (INDUCTION / REFRESHER) TRAINING

- An introduction to current legislation & Environmental Management System - why the company had to introduce prevention, containment & recovery systems.
- Product identification - what to use, when and where to use it.
- What is a Spill Response Kit - contents, packaging sequence, how to use it and stock checking.
- Disposal of contaminants.
- Open forum - Questions & Answers.
- Practical Demonstration (inside).
- Time required - 2 Hours per session (Up to 3 sessions per day)
- Number to attend - Up to 15 persons per session.



TR002 INTERMEDIATE TRAINING

- In depth introduction to current legislation inclusive of monitoring agencies/ authorities.
- The need for contingency planning Environmental Management System, inclusive of on site spill procedures.
- Product identification - what to use, when and where to use it.
- Prevention, Containment and Recovery mediums (Spill Response Kit use/audit).
- Waste Management, the need for segregation and correct disposal.
- Practical Demonstration (inside).
- Practical Module (outside).
- Written Test (optional).
- Time required - 2½ Hours per session (Up to 2 sessions per day)
- Number to attend - Up to 15 persons per session



TR003 ADVANCED TRAINING - OR CAN BE TAILORED AS TRAIN THE TRAINER

- Where a hands on approach is required. This course will follow the format of the above courses however it will also demonstrate:
- A higher level, in depth introduction to current legislation inclusive of legislation contained in ISO14001
- An Oil spill demonstration (inside).
- Hands on practice - controlled wet spill training (outside).
- Time required - 3 Hours per session (Up to 2 sessions per day)
- Number to attend - Up to 15 persons per session



TR005 TOOLBOX TRAINING - OR CAN BE TAILORED AS TRAIN THE TRAINER

- A basic short course designed to give an understanding of absorbent types & uses along with a demonstration showing the correct way of deploying a spill kit.
- Time Required – up to 1 Hour per session
- Number to attend - Up to 15 persons per session (up to 4 sessions per day)

What would you need to provide?

- A suitable room
- Screen for projection
- An appropriate Spill Kit
- Wet training – A suitable container of water and a controlled area will be required



ML152
Anti Fatigue Mat



Specifically designed matting in Closed Cell PVC to provide under foot cushioning and stimulate blood circulation. Textured surface provides good anti slip characteristics. Yellow edging for visual safety Available cut to length from a 0.9M roll. Cut to size with a sealed edge cutter. Price per Metre




ML153
Anti Fatigue Ultimate Mat



Dual fused matting with high density hard wearing surface layer and foam PVC body to give a combination of great anti fatigue performance coupled with a very hardwearing surface to provide under foot cushioning and stimulate blood circulation. Textured surface provides good anti slip characteristics. Available cut to length from a .9M roll. Cut to size with a sealed edge cutter. Price per Metre



ML154
Wet Area Anti Fatigue Mat



Designed to give good cushioning and slip resistance in wet areas. Drainage holes allow fluids to drain away maintaining grip and safety. Made from hardwearing NBR rubber.



ML155
Oily Area Anti Fatigue Mat



Designed to give good cushioning and slip resistance in oily areas. Drainage holes allow fluids to drain away maintaining grip and safety. Made from hardwearing oil resistant 100%Nitrile Rubber.



ML156
First-Step Tacky Mats



Hygienic pad of peel-off adhesive coated, disposable sheets manufactured from an anti-microbial agent to protect against bacteria, mould and mildew. Self-adhesive backing keeps the mat in place. The tacky sheets capture the dirt and dust from the traffic for effective contamination control. Peel off contaminated layer to reveal fresh clean sheet below. Ideal for hospitals, clean rooms and food contact environments. Size 46cmx 117cm. Four packs of 30 layers.

**ML027**

Titan CR2 Barrier 2M



Titan One piece barrier. Very robust and versatile. Reflective panel meets EN12899-2. Couples to itself and other barrier systems. Can be branded with your company logo and supplied in bespoke colours for your company image. Optional anti trip feet available.

**ML026**

Titan CR2 Barrier 1.5M



images shows four units

Titan One piece barrier. Very robust and versatile. Reflective panel meets EN12899-2. Couples to itself and other barrier systems. Can be branded with your company logo and supplied in bespoke colours for your company image. Optional anti trip feet available.

**ML113**

Workgate 4 sided barrier



Very robust and versatile. Can be used in square or liner formation. Reflective panel meets EN12899-1. Can be branded with your company logo. Optional feet available for when used in linear format.

**ML001**

Promarker Spray Paint



Premium quality spray markers for universal marking with safety applicator cap. Rapid drying even on damp surfaces. Ideal for short time line marking and spot marking. Clog free nozzle. Good resistance to adverse weather conditions. 750ml.

**ML025**

Barrier Tape Red/White



Polythene barrier tape for area demarcation..7cm x 500m.

**ML112**

75cm Cone



75cm one piece cone with reflective sleeve.

**ML028**

Barrier Tape Yellow/Black



Polythene barrier tape for area demarcation..7cm x 500m.

**ML111**

50cm Cone

50cm one piece cone with reflective sleeve.

**ML650**

Heavy Duty Ratchet Strap



50mm heavy duty polyester webbing. Locking handle with 50cm fixed end. Claw hook at each end for secure fastening. 8m length, other lengths available on request. 5000kg.

**ML100**

Helping Hand Litter Picker



The original and best litter picker. Long length (84cm) ensures ultimate ergonomics. Very robust construction. Specially designed jaws to ensure easy collection of even the smallest item. Comfortable handle.

**ML099**

Handy Hoop Bag Holder



The simple and lightweight hoops are easy to use, comfy to carry, robust and just makes any type of litter collection so much easier. A bin bag is never going to stay open by itself.

Steeler Signs



ML101

Steeler Fold Up Tripod

Tripod frame with neat design to fold very compact. Easily transported in a small car. Very quick to erect. Stable design. Comprehensive collection of sign faces available. Tripod only supplied.



ML103

Steeler Square Sign Face

Steeler 600mm Square Sign Face for tripod ML101. Please enquire for your sign face requirement. 600mm.



ML102

Steeler 600mm Triangle Sign Face

Steeler 600mm Triangle Sign Face for tripod ML101. Please enquire for your sign face requirement..



ML105

Steeler Supplementary Sign Face

Standard Scripts Available:

- Surveying
- Grass Cutting
- Gully Emptying
- Hedge Cutting
- Line Painting,
- Single File Traffic
- Tree Cutting.

Special scripts are available, please contact us for details.



ML104

Steeler 750mm Triangle Sign Face

Steeler 750mm Triangle Sign Face for tripod ML101. Please enquire for your sign face requirement.



ML322

Red Asbestos Disposal Sack Pk10



ML323

Clear Asbestos Disposal Sack Pk10



It is a legal requirement for all Asbestos refuse to be disposed of in a refuse sack with a printed warning. The asbestos has to be wrapped in a red asbestos sack inside a clear asbestos sack. Heavy Duty polythene sack with ID for safe asbestos removal 60x90cm. 340gsm



ML990

Emergency Alarm Horn



Compressed air operated portable alarm horn. Simple press operation to emit loud warning sound. 1500M Range Ozone friendly.

Safety Knives



ML901

Packaging Safety Knife



Innovative design. Ideal for cutting packaging tapes, wrappings and boxes. Safety design. Replaceable blade. Textured ergonomic shape.



ML912

Detectable Safety Knife



Moulded in detectable plastic for the food industry. No removable parts. Hygienic stainless steel blade.



ML915

Replacement Cutter Blades



Replacement blades for Safety Cutter. Made with quality Carbon Steel. Pack of 10



ML911

Self Retracting Safety Cutter



Blade automatically retracts when contact with cutting surface is lost. Safety lock. Tough Zinc Alloy body. Replacement blades



Tuffbank Site Security Chests

Tuffbank is a range of high quality security chests. Broad range of sizes to meet most site security requirements. Fully welded steel with security locks.

| CODE | W X D X H | Description | Colour | Weight kg | Locks | Brass Keys |
|---------|-------------------|-------------|--------|-----------|-------|------------|
| ML750/1 | 985 x 540 x 475 | Vanbox | Grey | 45 | 1 | 2 |
| ML750/2 | 1275 x 510 x 455 | Truckbox | Grey | 50 | 2 | 3 |
| ML751 | 1275 x 675 x 665 | Sitebox | Grey | 80 | 2 | 3 |
| ML752 | 760 x 675 x 665 | Sitebox | Grey | 50 | 2 | 3 |
| ML753 | 1275 x 675 x 970 | Sitebox | Grey | 100 | 2 | 3 |
| ML754 | 1970 x 675 x 665 | Truckbox | Grey | 115 | 2 | 3 |
| ML756 | 1275 x 675 x 1275 | Sitechest | Grey | 170 | 2 | 3 |
| ML757 | 1585 x 675 x 1275 | Sitechest | Grey | 200 | 2 | 3 |



Flambank Store Chest

Flambank is constructed to high specifications to comply with all regulations for the safe storage of chemicals and flammables. Fully welded and leak tested. High and low level fume ventilation. Flame arrestor gauze. Finished in bright red with relevant hazard warning signs. 1/2 hour fire rated.

| CODE | W X D X H | Description | Colour | Weight kg | Locks | Brass Keys | Sump Capacity Litres |
|-------|-------------------|-------------|--------|-----------|-------|------------|----------------------|
| ML760 | 985 x 540 x 475 | Vanbox | Red | 45 | 1 | 2 | 65 |
| ML761 | 760 x 675 x 665 | Sitebox | Red | 50 | 2 | 3 | 65 |
| ML762 | 1275 x 675 x 665 | Sitebox | Red | 80 | 2 | 3 | 110 |
| ML763 | 760 x 675 x 1275 | Sitechest | Red | 95 | 2 | 3 | 65 |
| ML764 | 1275 x 675 x 1275 | Sitechest | Red | 170 | 2 | 3 | 110 |
| ML765 | 1585 x 675 x 1275 | Sitechest | Red | 200 | 2 | 3 | 140 |

Transbank Store Chest

Transbank is designed specifically for transporting small quantities of flammable liquids or chemicals. It fully complies with all regulations and can be fixed, or loose on a vehicle. Regulations for the safe storage of chemicals and flammables. Fully welded and leak tested. High and low level fume ventilation. Flame arrestor gauze. Finished in bright red with relevant hazard warning signs. 1/2 hour fire rated.



| CODE | W X D X H | Description | Colour | Weight kg | Sump Capacity Litres |
|-------|------------------|-------------|--------|-----------|----------------------|
| ML770 | 350 x 350 x 350 | Vanbox | Red | 14 | 15 |
| ML771 | 450 x 420 x 520 | Vanbox | Red | 24 | 30 |
| ML772 | 625 x 420 x 520 | Vanbox | Red | 29 | 40 |
| ML773 | 800 x 420 x 520 | Vanbox | Red | 35 | 50 |
| ML774 | 1200 x 420 x 520 | Vanbox | Red | 50 | 95 |

Drumbank Store Chest

Drumbank is designed for the safe storage and dispensing of fuel. Secure and designed to protect contents from theft. Fully complies to all regulations for the safe storage of 205 litre drums. Raised griddle removable deck fitted.



| CODE | W X D X H | Description | Colour | Locks | Brass Keys | Sump Capacity Litres |
|-------|--------------------|-------------|--------|-------|------------|----------------------|
| ML780 | 1350 x 900 x 1350 | Drum Store | Blue | 1 | 2 | 250 |
| ML781 | 1350 x 1250 x 1350 | Drum Store | Blue | 1 | 2 | 250 |
| ML782 | 1300 x 750 x 400 | Drum Pallet | Black | — | — | 250 |

Barrowbox

Simple effective for security and transport.



| CODE | W X D X H | Description | Colour | Weight Kg | Locks | Brass Keys |
|-------|------------------|----------------|----------|-----------|-------|------------|
| ML790 | 750 x 1070 x 735 | Mobile Sitebox | Charcoal | 65 | 2 | 3 |



ML201

Skipper versatile barrier XS



The Skipper XS unit has all the great versatility of the standard Skipper unit, but is for use without cones or posts. It has the same 9 metres of retractable tape, as well as new connector points for affixing to its own unique range of accessories.



ML200

Skipper Rechargeable safety light



This environmentally friendly road light is a multifunctional LED warning light that is fully rechargeable. With permanent or flashing facility, it also includes a light sensor for automatic activation which can be deactivated. The rechargeable safety light requires 6x AA batteries (not included). Conforms to BS3143 part 2 1990. Fits directly to the top of Skipper versatile barrier.



ML195

Skipper A4 sign holder



This A4 sign holder is designed for use with the Skipper unit. Its functional design makes it a great complement to the Skipper product range. It allows you to easily display warnings, promotional messages and directions. Simply insert your A4 message into the polycarbonate sleeve, and slide into the robust u-shaped frame. Fits directly to the top of Skipper versatile barrier.



ML191

Skipper post & base system



The Skipper Post allows it to be used on both hard and soft ground, indoors and outdoors. The unique, interchangeable base allows the post to be sunk into the ground with a spike or attached to its sturdy base for use on hard surfaces. Simply pour water or sand into the base for strength and stability.



ML193

Spike

Spike for use with Skipper post



ML194

Base

Base for use with Skipper post



ML192

Skipper road cone



The Skipper road cone is a revolutionary two-piece cone that outperforms its competitors in all areas. The patent protected design features an incorporated helix, which deflects wind away and adds to its stability. The base is designed to facilitate an optional weight ring, providing even more ballast and reducing the need to double stack. Its innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable, like the whole Skipper range. This makes it perfect for all applications, from traffic to industrial and commercial. Conforms to BS EN 13422



ML205

Skipper dummy unit



Dummy units allow you to attach an end clip as with a normal skipper unit, but come without any tape. For use at the end of a line.





ML196

Skipper Wall support bracket



The Skipper wall support brackets hold the Skipper unit in place without the need for a cone or post. Unlike the magnetic version, the wall support brackets are intended for permanent/semi-permanent fixture. Simply screw the bracket into the desired position, then click the Skipper unit into place on the bracket.



ML190

Skipper versatile barrier

Skipper is the unique way to cordon off any area, creating safer environments. High visibility retractable 9m tape. Skipper simply clicks on top of most traffic cones or its own unique Post & Base System. Skipper saves you time, storage space and money.



ML204

Skipper Magnetic & cord strap holder/receiver



Very versatile mounting plate, for magnetic attachment to steel surfaces or attaching with the highly efficient tourniquet strap.



ML203

Suction pad holder/receiver



The suction pad holder to connect to high gloss surfaces and glass.



ML202

Skipper Clamp Holder/Receiver



This clamp holder is used to attach to angular surfaces such as door frames, work surfaces and racking. Simply position the clamp in place and turn the screw to tighten. The clamp holder/receiver can be positioned either horizontally or vertically depending on the desired application.



ML197

Skipper Magnetic support bracket



The Skipper magnetic support brackets hold the Skipper unit in place without the need for a cone or post. The magnetic version is perfect for attaching the bracket to vehicles and metal shelving. Simply place the bracket onto the desired metal surface, then click the Skipper unit into place on the bracket.



ML198

Skipper Wall receiver clip



The Skipper wall receiver clips allow the tape end to attach direct without the need for another Skipper unit. Unlike the magnetic version, the wall receiver clips are intended for permanent/semi-permanent fixture. Simply screw the receiver clip into the desired position. Any Skipper tape end clip will then slide into the receiver clip.



ML199

Skipper Magnetic receiver clip



The Skipper magnetic receiver clips allow the tape end to attach direct without the need for another Skipper unit. The magnetic version is perfect for attaching the bracket to vehicles and metal shelving. Simply place the receiver clip onto the desired metal surface. Any Skipper tape end clip will then slide into the receiver clip.

Good to Go

An innovative new tagging system designed to simplify meeting your legal obligations for regular inspection records on your safety critical equipment.

A robust, highly visible tag designed to contain your information with a clear 'Good to Go' or 'Do not Use' display. Can be easily fixed with screws or cable ties to your;

Forklift, Scaffold, Ladders, Racking, Safety Harnesses, Electrical Appliances

Or any other item you wish to include.

For extra security tag can be fitted with a tamper proof seal.

Booklets supplied with checklist guides that you fill out and insert into the tag keeping a copy in the book for your auditable records.



51308



51301



| | |
|-------|--------------------------------------|
| 51301 | Status Tag |
| 51307 | Box of 100 Tamper Evident Seals |
| 51308 | Check Book Wallet & Pen |
| 51302 | Forklift Check Book |
| 51303 | Scaffold Tower Check Book |
| 51304 | Ladders Check Book |
| 51305 | Racking Check Book |
| 51317 | Design Your Own Check Book |
| 51319 | Fixed Scaffolding Check Book |
| 51322 | MEWP Check Book |
| 51325 | Harness Check Book |
| 51309 | Forklift Weekly Inspection Kit |
| 51310 | Scaffold Tower Weekly Inspection Kit |
| 51311 | Ladders Weekly Inspection Kit |
| 51312 | Racking Weekly Inspection Kit |
| 51320 | Fixed Scaffold Weekly Inspection Kit |
| 51323 | MEWP Weekly Inspection Kit |
| 51326 | Harness Weekly Inspection Kit |
| 51313 | Forklift Daily Inspection Kit |
| 51314 | Scaffold Tower Daily Inspection Kit |
| 51315 | Ladders Daily Inspection Kit |
| 51316 | Racking Daily Inspection Kit |
| 51321 | Fixed Scaffold Daily Inspection Kit |
| 51324 | MEWP Daily Inspection Kit |
| 51327 | Harness Daily Inspection Kit |



51307



51324

Think Pink

In aid of



CANCER RESEARCH UK

Contego Safety Solutions are proud to support **Cancer Research UK** with donations, you too can support the charity's work and help to bring forward the day when all cancers are cured. Please go to **cruk.org/donate** and make a donation - don't forget to gift aid!

In honour of this we have created a 'Think Pink' range of selected safety equipment and clothing all designed to keep you safe. Your purchase will help support the cause. Together we can make a difference.

Think Pink for Cancer Research, UK



CC037

Wearmaster Ladies Polo Shirt



Crafted contemporary styled lady fit polo. 3 button fused placket with horn buttons and sewn-in spare. Knitted collar. Taped neck and cuffed sleeves. 65% polyester, 35% cotton 180gsm.
Size: XS-4XL.



CC028

Wearmaster Ladies Hooded Full Zip Sweatshirt



Snug and stylish lady fit tailoring with a host of features. 300gsm polyester cotton fabric suitable for 60° workwear wash.
Size: 8-20.



CC031

Wearmaster Classic Polo Shirt



Simple refreshing design in mid weight fabric. Knitted collar. Taped neck. Open hemmed sleeves. 3 button placket self colour buttons. Reactive dyed for enhanced colour retention. 50% polyester, 50% cotton 220gsm robust mid weight fabric. 60° workwear wash.
Size: XS-4XL.



CC024

Wearmaster Hooded Sweatshirt



Stunning and smart, laden with great features. Large front pocket. Elasticated cuffs and waistband. Double fabric hood with self colour lace draw cord. Reactive dyed for enhanced colour retention. 50% polyester 50% cotton 300gsm fabric. 60° workwear wash.
Size: XS-4XL



CC042

Wearmaster Premium Lady Fit V Neck T-Shirt



All the great premium features in a smart lady fit V neck. Top quality t-shirt. Crew neck. Taped shoulder to shoulder. Twin needle stitching on neck and shoulders. Reactive dyed for enhanced colour retention. 100% cotton 205/210gsm.
Size: 10-20



CC017

Regatta Thor III Ladies Fleece



Enduring and ever popular Regatta anti-pill 280 fleece in smart ladies tailored cut. Fleece cuffs, Zippered lower pockets. Adjustable hem.
Size: XS-3XL.

Telephone: 0800 122 33 23

All items available in Pink.



GL236

Pink MaxiFlex® Active



Lightweight breathable glove that provides a 'well being effect' to your skin. Feeds the skin with Vitamin E and Aloe Vera whilst you work.



HV079

Pink Reflective Coloured Waistcoat



Velcro fastening. 100% knitted polyester. Comfort fit with scooped sides and deep armholes. Non conforming to EN471.
Size: S-4XL.



GL241

Rubber Glove



Rubber glove with enhanced strength, dexterity and flexibility. Anatomically designed to reduce hand fatigue. Patterned grip palm. Soft lining to absorb perspiration and bacteriostatic treatment for hygiene. Available in a range of colours.



CL010

5 Panel Baseball Cap




Great image-maker. Rip strip side adjuster. 2 stitched eyelets. 100% cotton twill. Half moon buckram flap. Perfect for print and embroidery.



GL329

Pink Nitrile



Advanced technology nitrile, very soft and pliable. No Latex proteins. Roll cuff for additional strength. Medical approved.
Size: 7-10



FC388

Cleo Sneaker Boot

BSEN:20345 S3 SRA



DDR
SIP
SRC



Comfortable and fashionable sneaker trainer with composite safety features offering lightness and flexibility. Quality mesh breathable lining.
Size 3-8



FP371

Emma Safety Trainer

BSEN:20345



ER
SB
SRA



Smart neat and comfortable suede safety trainer. Quality breathable moisture management lining. Comfort collar. Breathable supportive footbed.
Size 3-8



HP041

Pink JSP EVO3™ Mid Peak Ventilated Helmet with Slip Ratchet

EN937



The EVO3™ Comfort Plus™ helmet combines a super strong shell for superior protection in the widest range of environments, with the comfort benefits of the new Evolution Terylene harness. Packed full of the latest protection technology and features such as the Evolution 3D Adjustment™ system, Revolution™ OneTouch™ Slip Ratchet, which can be adjusted using one hand in a single swift movement.



HR554

Pink Rocket Earplug

EN352-2



Very comfortable corded ear plug made in dual material for easy insertion. Packed in transportable pocket pack for protection. SNR 30



Training

| | |
|--------------------------------|-----|
| Fire Safety | 238 |
| Manual Handling | 238 |
| Safety Training..... | 239 |
| COSHH Training | 239 |
| Specialist Height Safety | 240 |
| Abrasive Wheel..... | 240 |
| Traffic Management..... | 240 |
| Tailored Training | 240 |



See page 225 for Spill Control Training Courses



Fire Safety Training Courses



TR020

CIEH Level 1 Fire Safety Awareness

An introduction to fire safety and what to do in the event of an emergency. Fire risk control. Practical fire safety. Up to 8 delegates.



TR022

CIEH Level 2 Fire Safety Work Principles

Course designed to develop knowledge and understanding of fire risk and control. Develop knowledge and understanding of the principles and practice of fire safety and understand the role of the nominated fire warden. Up to 8 delegates



Manual Handling Training Courses



TR024

CIEH Level 2 Manual Handling

Course designed to understand that manual handling operations can be hazardous to the health and safety of workers. Legislation and guidance and understand the process for assessing the risks from manual handling and the factors that need to be considered. Understand the value of risk assessment and how it applies to safe manual handling practice. Up to 8 delegates.



TR029

CIEH Level 2 Award in Manual Handling - Principles and Practice

This qualification, aimed at those who carry out manual handling at work, provides essential information about manual handling hazards and their control. Up to 8 Delegates



TR031

Manual Handling Training Course

Course designed to instruct in safe handling techniques, understand risks and responsibilities and risk assessments. Duration 6 Hours, up to 10 delegates. On attaining the relevant pass level delegates will receive a certificate of training.



Safety Training Courses



TR028 IOSH Working Safely

Introducing a completely new approach to health and safety training. A one-day course offering all the basics in a high impact interactive package. Fantastic quality animated graphics created exclusively for the course. A presentation that's designed to be fun and get people fully involved and interested. First class, jargon-free technical content based on what people need to know in practice, not off-putting legal language. Clear scenarios drawn from genuine work situations to drive home practical points. The very latest training tips and suggestions, from grabbing and retaining attention to maximising the training experience and making sure key points are taken on board. Assessments built into the day's training, no need for follow-on tests on separate days taking up valuable work time. Up to 8 delegates.



TR027 IOSH Managing Safely

A flexible course (with minimum 24 hours of face-to-face contact) covering the health and safety management basics in a high impact interactive package. Superb quality animated graphics created exclusively for the course in a sophisticated but fun presentation. First class technical content, based on what delegates need to know in practice. No jargon or off-putting legal language. Clear scenarios that managers can relate to. Range of ready-to-use training tools, including a board game, DVDs and quizzes. Up to 8 delegates.



TR025 CIEH Level 2 Risk Assessment

Course designed to understand the main causes of accidents and ill health, and the implications they have for people in the workplace. Be aware of the legal requirements for risk assessment. Understand the principles of risk assessment. Up to 8 delegates.



TR023 CIEH Level 2 H&S in the Workplace

Course designed to appreciate the nature of health and safety. Understand the scope of legislative requirements and the importance of preventing work-related ill health. Understand the principles of accident prevention. Up to 8 delegates.

COSHH Training Courses



TR026 CIEH Level 2 COSHH Principles

Course designed for Introduction to COSHH Candidates should understand that some substances commonly found in the workplace are hazardous to health and should understand the scope of legislative requirements. They should understand how hazardous substances cause injury and ill-health and the different ways that hazardous substances can be identified. Candidates should understand the value and purpose of conducting COSHH assessments. Up to 8 delegates.



TR021 CIEH Level 2 Conflict and personal Safety

Course designed to understand the terminology used in conflict resolution and the law. Understand the concepts of a safe working environment. Understand the use of appropriate methods to de-escalate a confrontational situation. Up to 8 delegates.



See page 196 for our comprehensive range of **Height Safety & Rescue** courses



Specialist Height Training Courses



TR033

MEWP, Scissor Lift & Boom Training Course

IPAF Course designed to instruct in the safe use of various types of lifting equipment and provide accredited operator licence. Full day course for up to 4 delegates (up to 6 in some circumstances). On attaining the relevant pass level delegates will receive a certificate of training.



TR032

Portable Ladder and Short term Access

This course addresses the working at height requirements when using portable ladders for short duration access. Duration 6 Hours, up to 10 delegates. Certificate: Successful candidates will be issued with certification valid for 3 years from date of course.



TR034

Mobile Alloy Tower Training Course

PASMA This course is designed to provide employees with the knowledge and skills to be able to safely erect, use, move and dismantle Mobile Alloy Tower. Full day for up to 8 Delegates. On attaining the relevant pass level delegates will receive a certificate of training.



TR030

Abrasive Wheel Training Course

Course designed to enable the operatives to SELECT, INSPECT and MOUNT abrasive wheels safely in accordance with the regulations. Duration 6 Hours, up to 10 delegates. On attaining the relevant pass level delegates will receive a certificate of training.



Tailored Safety Training Course

We can supply non-accredited courses designed around individual customer needs and scenarios. Delivered by a qualified and experienced safety trainer. Ideally this is provided on the customer premises where the training can be made entirely applicable to the need. Up to 8 delegates. Please enquire with your requirement.



TR035

Traffic Management/Marshall Training Course

Recognise the importance of accepting and dispersing vehicles on and off the site in a safe and efficient manner. Recognise the significant risks imposed by manoeuvring vehicles around the construction site (both internally and externally). Appreciate their role, responsibilities and duties within the work activity in controlling the vehicles. Give clear and precise signals to vehicles as described in The Health and Safety (Safety Signs and Signals) Regulations 1996. On attaining the relevant pass level delegates will receive a certificate of training.